

First Nations Office Furniture
PSIB SA#E60PQ-140003/111/PQ
PRICE BOOK

 **Nightingale**



PSIB Supply Arrangement:

PSIB SA# E60PQ-140003/111/PQ

General Inquiries:

Terry Hickey

1-877-933-8566 ext. 3

terry@fnofficefurniture.ca

Website: www.firstnationsofficefurniture.ca

Supplier's Official Language: English

Payment by Visa or Mastercard: Accepted

Supplier's Work Coverage: National

Quality makes a difference.

OUR WAY

Exceptional products,
durable engineering,
innovative features,
award-winning design,
ethical commitment.

TABLE OF CONTENTS

Numerically by Series Number

Click on a chair series to go to that page.

Terms & Conditions	4-5
135 EC1	6-7
200 Firefly II	8-9
235 EC2	10-11
24/7hd	12-13
300 Beetle	14-15
335 EC3	16-17
421 EC4	18-19
502 Cricket II	20-21
512 Cricket Bariatric	22-23
	24-25
	26-27
	28-29
	30-31
808 Butterfly	32-33
	34-35
	36-37
	38-39
	40-41
1000 Stool	42-43
1100 Tonik	44-45
	46-47
	48-49
	50-51
	52-53
	54-55
	56-57
	58-59
	60-61
1864 Surgeon Console	62-63
1900 Amalfi	64-65
	66-67
	68-69

2100 Bless	70-71
2200 Malibu	72-73
2300 Frio	74-75
	76-77
3280 Ergo-Learn	78-79
3400D Khroma	80-81
	82-83
3600 Ultima II	84-85
	86-87
5800 WXO	88-89
5900 MXO	90-91
6000 L XO	92-93
	94-95
6200 CXO	96-97
	98-99
6200hd CXO Heavy Duty	100-101
6200ti CXO Task Intensive	102-103
6301 GXO	104-105
6401 NXO	106-107
6500 OXO	108-109
	110-111
6800ti Overtime	112-113
	114-115
7280 VXO	116-117
7300 IC2	118-119
7700 Presider	120-121
	122-123
	124-125
HD9000 Sherman HD	126-127
Lifetime Limited Warranty	128-129
Glossary of Abbreviations	130
Ecological Statement	131

TERMS & CONDITIONS

PRICES

Prices are manufacturer's suggested retail list prices and are subject to change without notice. Orders will be invoiced subject to prices prevailing at time of shipment. Please refer to discount schedule for F.O.B. points. Quotes and invoices are subject to correction for any omission or error. All taxes are extra. If purchaser claims an exemption from such taxes, it will be the purchaser's responsibility to provide Nightingale Corp. with the necessary exemption certificate. Notwithstanding anything to the contrary in any purchase order, the terms and conditions of sale contained in this price list will prevail.

TERMS

30 days from date of invoice on standard discount. In event of delinquency, customer shall be liable for all reasonable collection costs incurred. Any products sold shall remain the property of Nightingale Corp. until fully paid.

ORDERS: ALL ORDERS ARE FINAL

A Purchase Order must be submitted to Nightingale Customer Care via fax at 1-800-637-6784 or e-mail at customercare@nightingalechairs.com

Except as noted under "Changes", "Cancellations", and "Returns", below, all orders are deemed final. Customer assumes responsibility for correct information and is required to check acknowledgements carefully for accuracy. If a discrepancy is discovered, it is the Customer's responsibility to inform Nightingale Corp. in a timely manner: Nightingale Corp. accepts no responsibility for any errors in interpretation of your Purchase Order unless notified by you within five (5) days. If notification is not received until after the prescribed time, Nightingale Corp. reserves the right to charge the customer for that portion of the order that has been completed up to the date of notification.

Custom finishes are available in metal and wood subject to a sample approved by Nightingale Corp.

Certain options and special requests may require additional lead time. Please contact Customer Care to inquire.

Orders must state clearly:

- Model number
- Quantity
- Fabric name and colour number
- Frame finish and/or colour number
- Options, if applicable

When ordering a chair with options, please indicate options required by adding the suffix to the model number and add the appropriate option up charge to the list price.

EXAMPLE OF OPTIONS:

6200D-CH-TC

Hard Surface Casters 2" (TC)	\$ 85.00
Polished Aluminum (CH)	\$ 71.00
Model Number 6200D in C1 Mystic Black	\$ 2,591.00
Total List Price	\$ 2,747.00

CHANGES

No Changes without Nightingale Corp.'s consent. Nightingale must be notified in writing immediately if any change is required. Nightingale Corp. reserves the right to charge the customer for that portion of the order that has been completed up to the date of the approved change. Note that if a change in delivery date or site is required after order has shipped, Nightingale Corp. cannot guarantee that changes will be accepted by the carrier-in-transit. Nightingale Corp. will not be responsible for any additional fees or charges incurred as a result of a change in delivery date or site.

CANCELLATIONS: ALL ORDERS ARE DEEMED FINAL

No Cancellations without Nightingale Corp.'s consent. Nightingale Corp. reserves the right to charge the customer for that portion of the order that has been completed up to the date of the approved termination. Orders calling for deviation from our standard construction or finish are final, and no cancellations will be permitted.

RETURNS

No merchandise may be returned without Nightingale Corp.'s prior written consent. **All authorized returns are subject to a 35% restocking charge.** An additional charge may also apply to reinstate merchandise into "new" condition if returned damaged.

All returned shipments must be **"prepaid"** freight.

CUSTOMER CARE 1-800-363-8954

For general information, replacement parts and special requests, please contact Customer Care.

SHIPPING

Under the Nightingale Delivered Program, Nightingale Corp. reserves the right to determine the carrier and method of shipping. Note that additional charges may apply for special handling and/or special requests.

Every effort is made to ensure sound and secure packaging, however Nightingale Corp.'s liability ends when the carrier issues a clear receipt to Nightingale Corp. that they received the product in good condition.

TERMS & CONDITIONS

All products must be inspected against the packing list and/or bill of lading to confirm product shipments and damages immediately upon delivery. Before signing as received, the box must be opened and the product removed from the box: the receiver must visually inspect the chair, sit in the chair, and test the control mechanism(s). Should the shipment arrive damaged or incomplete, have the carrier make a notation, signed and dated, on the delivery receipt and original freight bill prior to accepting shipment. This will help protect your right to claim damages against the carrier.

A Damage Claim must be filed with Nightingale Customer Care if a product is damaged in shipping: **Freight Damage is not a Warranty claim**, and is handled separately from Warranty claims, under separate terms. Nightingale Corp. will handle the Damage Claim, but the dealer must keep the product in a safe and protected location, unless otherwise instructed by Nightingale Corp. Nightingale Corp. reserves the right to determine how the Damage Claim will be resolved.

All shipping weights shown are approximate.

Note: Shipments made by common carrier are often referred to as LTL (Less than Trailer Load) shipments.

DELIVERED PROGRAM

All models are priced at **DELIVERED** pricing (**1+ CARTONS, Dock to Dock only**).

Please note that if applicable, each chair model in this price list indicates the volume per chair for both fully assembled and KD (Knocked Down).

i.e.: 6200 D - Fully Assembled – Vol. = 19 cu. ft.
6200 D - KD (Knocked Down) – Vol. = 16 cu. ft.

The FOB Destination Freight Program is Dock to Dock shipping only. Additional charges for special handling other than straight “Dock to Dock” will be “prepaid and charge”.

Shipments to Newfoundland will be shipped FOB Halifax dockside. Shipments to Vancouver Island will be shipped FOB Vancouver dockside. Shipments to NWT, Yukon, and Nunavut will be shipped FOB Edmonton. Nightingale Corp. will not prepay and charge for shipping beyond this point.

CALIFORNIA FIRE CODE #117-2013: STANDARD ON ALL UPHOLSTERED PRODUCTS

California Technical Bulletin 117-2013 is a flaming and smoldering fire performance test for filling and/or cushioning and upholstery cover fabrics.

CUSTOMER'S OWN MATERIAL

Note: All pricing for C.O.M. product is based on grade 1 pricing.

Fabric must be shipped to the factory prepaid. All yardage indicated in this book is approximate, based on 54" non directional, no patterned goods. Additional yardage may be required for directional, patterned and lesser width materials.

- Materials will be applied in what Nightingale Corp. feels is appropriate unless instructed otherwise.
- Nightingale Corp. reserves the right to reject any material as unsuitable.
- In accepting C.O.M. fabric, Nightingale Corp. assumes no responsibility for fabric wear, defects or appropriateness and is applied at customer's own risk.
- When supplying C.O.M. material, the shipment must be clearly tagged with customer's order number, description of product, quantity of fabric and any special instructions.
- Nightingale Corp. will not accept C.O.M. material that is sent freight collect. Any brokerage fees paid by Nightingale Corp. on C.O.M. material will be charged back to the customer accordingly.

LEATHER

Genuine leather is available on selected models as indicated. For special requests please contact Customer Care.

SPECIFICATIONS

Nightingale Corp. reserves the right to institute changes with regard to materials, equipment, specifications or design, as well as to discontinue models and/or fabrics at any time without prior notice.

DESIGN/TRADEMARKS

Many of the products produced by Nightingale Corp. are protected by Design Registration, Trademarks and Patents.

DESIGN/TRADEMARKS

Most Nightingale Corp. seating products meet or exceed industry standards such as ANSI / BIFMA (American National Standards Institute/Business Institutional Furniture Manufacturers Association).

The EC1 is a classic conference chair with a simple style to enhance any boardroom aesthetic.

STANDARD FEATURES

- Integrated lumbar support.
- Enhanced with Enersorb™ memory foam seat for enhanced comfort and durability.
- Fixed height arm rest.
- 5-prong black nylon base.
- Sleek mechanism with synchro-tilt swivel, tension control and seat-depth adjustment.
- Standard 2” carpet casters.
- Adjustable seat depth adjustment.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 2 yd/chair
- Finish - Mechanism, arms, base, casters and trim standard in black



EC1 Series 135-TC

RATED FOR

300lbs



EC1 Series 135-TC

Model	Description	1	2	3	4	5	6	7	8	Leather Plus	Madras Leather	Princess Leather
135	Mid-Back Conference	1058	1130	1200	1264	1286	1341	1469	1800	1264	1454	1547



135

OPTIONS

Description	Suffix	Models	Upcharge
2" Hard Casters	TC	135	85
3" Carpet Casters	LG	135	85
3" Hard Surface Casters	TC3	135	149
Armless	07	135	-30

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume	Base Dia.
135	26.75"	23"	36"-41.25"	17"- 22.5"	40 lbs	17 cu ft	11 cu ft	27"

The Firefly II is a part of our stackable collection. They're functional, flexible, strong, and versatile. The perfect solution for any environment.

STANDARD FEATURES

- Mesh backing on the 200M model allows for comfortable air circulation and dynamic ergonomic support.
- Waterfall seat design on all models to reduce muscle fatigue.
- Stacks 10 chairs on a dolly and 6 high free standing.
- Contoured nylon arms as shown.
- Light and easy to move.
- Frame 1" O.D. 16 gauge round steel tubing, with contoured rear angled legs for stability and to act as a wall saver.
- All models (except mesh back) feature a black polypropylene back shell for durability and protection.
- Frame finish: high impact epoxy powder coat, electro-statically applied for corrosion resistance, standard in semi-gloss black.
- Model 200 and 201 feature an all plastic seat and back for ease of cleaning where a simple seating solution is desired.

GENERAL INFORMATION

- Upholstery:
 - UFST - 0.5 yd/chair
 - UF - 1 yd/chair



Firefly II 200



Model	Description	Plastic Shell Black Only	1	2	3	4	5	6	7	8	Leather
200	Stacker	417									
200UST	Stacker Upholstered Seat		495	517	537	558	584	602	621	705	602
200UPH	Stacker Upholstered Seat & Back		571	607	636	672	713	743	777	812	748
200MUFST	Stacker Mesh Back & Upholstered Seat		571	607	636	672	713	743	777	812	748
200MPS	Stacker Mesh Back & Plastic Seat	515									



200-CA



200MPS-CH




200MUFST-CH



200



200UPH-CH-CA



20D Dolly / 200TD



200MUFST-01

OPTIONS

Description	Suffix	Models	Upcharge
Chrome Arms	CH	All Models	35
2" Carpet Casters	CA	All Models	71
Dolly - 200TD	20D	All Models	840
2" Hard Surface Casters	CA, TC	All Models	144
Armless Stacker	01	All Models	-54

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight 3 or 1 per carton	Volume 1 per carton
200	24.75"	22"	33.25"	17"	50 lbs / 22 lbs	14.5 cu ft / 11 cu ft
200UST	24.75"	22"	33.25"	17.75"	51 lbs / 23 lbs	14.5 cu ft / 11 cu ft
200UPH	24.75"	22"	33.25"	17.75"	51 lbs / 23 lbs	14.5 cu ft / 11 cu ft
200MUFST	24.75"	22"	33.25"	17.75"	51 lbs / 23 lbs	14.5 cu ft / 11 cu ft
200MPS	24.75"	22"	33.25"	17.75"	51 lbs / 23 lbs	14.5 cu ft / 11 cu ft

Sleek and executive, the EC2 is designed for comfort and support so that you can focus on the tasks at hand.

STANDARD FEATURES
<ul style="list-style-type: none">• Polished aluminum arms with molded polyurethane arm pads.
<ul style="list-style-type: none">• Enhanced with Enersorb™ memory foam seat and molded foam back for enhanced comfort and durability.
<ul style="list-style-type: none">• Waterfall seat design to reduce muscle fatigue.
<ul style="list-style-type: none">• Built-in integrated head-rest support.
<ul style="list-style-type: none">• 5-prong, two tone, polished aluminum base.
<ul style="list-style-type: none">• Knee-tilt mechanism & multi-position tilt lock with slow release.
<ul style="list-style-type: none">• Compound curved back for passive lumbar support.
<ul style="list-style-type: none">• 2" mag wheel carpet casters.
<ul style="list-style-type: none">• ANSI/BIFMA approved and TB117-2013 compliant.
GENERAL INFORMATION
<ul style="list-style-type: none">• Upholstery: 3 yd/chair



EC2 Series 235D

RATED FOR

300lbs



EC2 Series 235D

Model	Description	1	2	3	4	5	6	7	8	Leather Plus	Madras Leather	Princess Leather
235D	High-Back Executive	1341	1405	1469	1533	1595	1660	1723	1786	1533	1744	1948



235D

OPTIONS

Description	Suffix	Models	Upcharge
2" Hard Casters	TC	235D	85
3" Carpet Casters	LG	235D	85
3" Hard Surface Casters	TC3	235D	149
Custom Embroidery*	EM	235D	226

*Standard charge for customer embroidery assumes an approved DST file will be provided at time of order placement. If a DST file needs to be created an additional \$300 list fee will apply. Note, there is a minimum order quantity of 8 units.

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume	Base Dia.
235D	24.25"	30"	43"-46.25"	18.5"-22"	50 lbs	17 cu ft	16 cu ft	26"

This heavy-duty chair accommodates individuals up to 450lbs. Ideal for EMS workers, police officers, and any multi-shift 24hr work environment. Fits most body types with it's exceptional ergonomic support all day long.

STANDARD FEATURES

- Swivel-tilt mechanism, infinite position tilt lock complete with back seat depth adjustment, pneumatic height adjustment, tension control (Type 28).
- High density, high resiliency, dual density foam with ENERSORB™ seat topper.
- Ratchet headrest (247hd-HR).
- Waterfall seat design to reduce muscle fatigue.
- Seat reinforced by ¼" thick steel plates that have arms and mechanism attached to it for exceptional strength.
- Built-in lumbar back support.
- Lever operated width and height adjustable arms with polyurethane waterfall arm pad.
- 5 prong heavy duty aluminum base with 3" dual wheel carpet casters.
- Arms, base, and trim standard in black finish.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 2.5 yd/chair



The 24/7HD has phenomenal extra support. Reinforcements along the chair base and back make this even more durable than our standard chairs, able to support up to 450lbs.

RATED FOR

450lbs



24/7hd-TC Mid-Back Intensive Task

Model	Description	1	2	3	4	5	6	7	8	Leather Plus	Madras Leather	Princess Leather
24/7hd-HR	High Back Heavy Duty Task with Headrest	2174	2294	2414	2533	2654	2775	2894	3014	2887	3303	3606
24/7hd	Mid Back Heavy Duty Task	1970	2090	2210	2330	2449	2569	2689	2810	2577	3050	3254



24/7hd-HR



24/7hd

OPTIONS

Description	Suffix	Models	Upcharge
Armless	07	All Models	-145
Fold Away Arms	FA	All Models	276
3" Hard Surface Casters	TC3	All Models	92
Polished Aluminum Base	CH	All Models	71
Adjustable Lumbar Support	LU	All Models	141
Custom Embroidery*	EM	24/7hd-HR	226

*Standard charge for customer embroidery assumes an approved DST file will be provided at time of order placement. If a DST file needs to be created an additional \$300 list fee will apply. Note, there is a minimum order quantity of 8 units.

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
24/7hd-HR	27.5" - 31.5"	28.5" - 30.5"	48.5" - 54"	17" - 21"	91 lbs	20 cu ft	16 cu ft
24/7hd	27.5" - 31.5"	28.5" - 30.5"	37.25" - 42"	17" - 21"	81 lbs	16 cu ft	11 cu ft

This convenient, high-density stackable chair is a comfortable, supportive seating solution. Ideal for educational, institutional, mass seating, or occasional use.

STANDARD FEATURES

- Chrome plated 7/16" solid bar frame for strength and durability.
- Frame cross bar set back to provide greater leg clearance.
- Standard frame notched to accept optional floor glides.
- Stacks 45 high (18 when upholstered) with #30D dolly and will pass through a standard doorway height of 79" (UPH1830D).
- Upholstered models stack 18 high on a dolly and comes complete with separators to prevent damage to fabric and foam.
- Textured polypropylene seat and back shells contoured for ergonomic comfort.
- Plastic shell available in standard black.
- Frame finish is duplex nickel chrome for appearance in durability.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: ¾ yd/chair
- Finish for 300AT tablet arm is standard in black laminate with solid hardwood core. Please specify Left Hand (L) or Right Hand (R) when sitting.
- 300AT does not stack
- 30D stacks up to 45 chairs
- 1630D stacks up to 18 chairs
- Patented Design.



Beetle 300ATR



Beetle 308, stacked on the 30D Dolly


Model	Description	Base	1	2	3	4	5	6	7	8	Leather
308	High Density Stacker Armless	381									
308UF	High Density Stacker Armless Upholstered Seat and Back		572	602	630	658	687	715	743	771	692
300AT	Side Chair with Tablet Arm	656									
300AT-UF	Side Chair with Tablet Arm Upholstered Seat and Back		854	883	912	940	969	997	1024	1053	974




308



300ATL



30D Dolly / U300TD



30D Dolly / 16UPH30D

OPTIONS

Description	Suffix	Models	Upcharge
Plastic Shell Colour	BL / Black	All Models	N/C
Hard Plastic Glide (x4)	GHN	All Models	22
Soft Plastic Glide (x4)	GSN	All Models	22
Welding Ganging Wire Hook	GW	308	49
30D Dolly / U300TD	30D	308	840
30D Dolly / 16UPH30D	UPH30D	308UF	615

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	Per Carton
308	19"	22.5"	32.25"	18"	80 lbs 16 lbs	16 cu ft 11 cu ft	5 Chairs (LTL) 1 Chair (UPS)
300AT	20"	22.5"	32.25"	18"	26 lbs	16 cu ft	1 Chair (LTL)
30D/1830D	22.5"	25.5"	14.5"	N/A	30 lbs	5 cu ft	1

The perfect companion to your executive task chair, the EC4 is an elegant, comfortable guest chair. Perfect for offices, meeting rooms, waiting rooms and multi-use seating.

STANDARD FEATURES

- Polished aluminum ribbon-tapered arms for sophisticated and alluring look.
- Equipped with polyurethane arm caps.
- Fully upholstered back and seat.
- Designed with high-resiliency molded foam.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery:
 - Model 421 - 2 yd/chair
- Patent Pending.



EC4 Series 421



EC4 Series 421

Model	Description	1	2	3	4	5	6	7	8	Leather Plus	Madras Leather	Princess Leather
421	Executive Guest Chair	1053	1123	1194	1264	1335	1405	1475	1547	1264	1462	1688



421

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
421	24"	25"	35"	17.5"	36 lbs	17 cu ft	N/A

With its bright colours and stackability, the Cricket II adds a pop of fun to any common space! The perfect guest chair for multi-use functions.

STANDARD FEATURES

- Frame 7/8" outside diameter, 16 gauge heavy duty round tubular steel.
- Frame finish: high impact epoxy powder coat, electro-statically applied for corrosion resistance, standard in semi-gloss black.
- Compound square back provides superior comfort and support.
- Stacks 10 high on #60D dolly and stacks 6 high, free standing.
- High-density foam for durability.
- Rear-angled back legs for stability.
- Chrome plated metal cushion glides (502, 503).
- Upholstered seat and back.
- Flared design black nylon arm (502).
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery (All Models) - 1.5 yd/chair



Cricket II 502



Cricket II 503 stacked 6 high.

Model	Description	1	2	3	4	5	6	7	8	Leather
502	Side Chair with Flared Arms	431	446	460	482	510	538	567	595	536
503	Side Chair Armless	367	381	395	417	446	474	502	531	474




Cricket II 502




503



502



60D Dolly / U600TD


Chair to Chair Ganging
Connector / 15511

OPTIONS

Description	Suffix	Models	Upcharge
Chrome Frame	CH	All Models	71
60D Dolly / U600TD	60D	502, 503	876
15511 Chair to Chair Ganging Connector	15511	502, 503	35
2" Carpet Casters	CA	502	187

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	Per Carton
502	24"	22"	33"	18.5"	20 lbs	14.5 cu ft	4 chairs LTL / 1 chair UPS Cannot be ganged
503	20.25"	22"	33"	18.5"	20 lbs	14.5 cu ft	4 chairs LTL / 1 chair UPS

The Cricket Bariatric is a heavy duty seat, capable of holding up to 500lbs. It is well suited for healthcare applications, including reception and guest seating requirements.

STANDARD FEATURES
<ul style="list-style-type: none">Models 512 and 513 are sized to accommodate users up to 300 lbs.
<ul style="list-style-type: none">Models 522 and 523 are sized to accommodate users up to 400 lbs.
<ul style="list-style-type: none">Models 532 and 533 are sized to accommodate users up to 500 lbs.
<ul style="list-style-type: none">Heavy duty 7/8" diameter, 13 gauge steel frame with extra seat stretcher for structural integrity.
<ul style="list-style-type: none">Welded corner braces for added strength.
<ul style="list-style-type: none">Rear angled back legs for stability.
<ul style="list-style-type: none">Separate seat and back for easy cleaning.
<ul style="list-style-type: none">ANSI/BIFMA approved and TB117-2013 compliant.
GENERAL INFORMATION
<ul style="list-style-type: none">Upholstery:<ul style="list-style-type: none">Models 512 & 513 - 1.5 yd/chairModels 522 & 523 - 1.75 yd/chairModels 532 & 533 - 2 yd/chair

Note: Sled base does not stack.



Cricket Bariatric 533



Cricket Bariatric 512

RATED FOR

300lbs

400lbs

500lbs

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
512	Bariatric Sled Base 300lbs Capacity	806	847	890	933	975	1017	1059	1103	997	1053
513	Bariatric Armchair 300lbs Capacity	762	806	847	890	933	974	1017	1103	954	1010
522	Bariatric Sled Base 400lbs Capacity	862	904	946	988	1031	1072	1116	1159	1053	1108
523	Bariatric Armchair 400lbs Capacity	799	855	900	940	983	1024	1067	1109	1002	1058
532	Bariatric Sled Base 500lbs Capacity	1010	1058	1109	1159	1209	1257	1307	1355	1248	1313
533	Bariatric Armchair 500lbs Capacity	969	1017	1068	1117	1166	1215	1266	1314	1209	1271



DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	Per Carton
512	23.75"	21.75"	31.75"	18.5"	20 lbs	11 cu ft 14.5 cu ft	1 Chairs (LTL) 1 Chair (UPS)
513	23.75"	21.75"	31.75"	18.5"	20 lbs	11 cu ft 14.5 cu ft	4 Chairs (LTL) 1 Chair (UPS)
522	27.75"	21.75"	31.75"	18.5"	25 lbs	13 cu ft 16 cu ft	1 Chairs (LTL) 1 Chair (UPS)
523	27.75"	21.75"	31.75"	18.5"	25 lbs	13 cu ft 16 cu ft	2 Chairs (LTL) 1 Chair (UPS)
532	31.75"	21.75"	31.75"	18.5"	26 lbs	15 cu ft 15 cu ft	1 Chairs (LTL) 1 Chair (UPS)
533	31.75"	21.75"	31.75"	18.5"	26 lbs	15 cu ft 15 cu ft	1 Chairs (LTL) 1 Chair (UPS)

The Firefly is functional, flexible, strong, and versatile.
The perfect solution for any environment.

STANDARD FEATURES

- Mesh backing on the 700M model allows for comfortable air circulation and dynamic ergonomic support.
- Waterfall seat design on all models to reduce muscle fatigue.
- Open contoured nylon arms as shown.
- Light and easy to move.
- Frame 1" O.D. 16 gage round steel tubing.
- All models (except mesh back) feature a black polypropylene back shell for durability and protection.
- Frame finish: high impact epoxy powder coat, electrostatically applied for corrosion resistance, standard in semi-gloss black.
- Model 700 and 701 feature an all plastic seat and back for ease of cleaning where a simple seating solution is desired.

GENERAL INFORMATION

- Upholstery:
 - UFST - 0.5 yd/chair
 - UF - 1 yd/chair



Firefly 700



Firefly 700MUFST

Model	Description	Plastic Shell Black Only	1	2	3	4	5	6	7	8	Leather
700	Poly Seat & Back	419									
701	Poly Seat & Back Armless	355									
700UST	Upholstered Seat Poly Back		497	518	540	561	582	604	625	646	604
701UST	Armless Upholstered Seat Poly Back		433	455	476	497	518	540	561	582	540
700UPH	Upholstered Seat & Back		576	610	639	675	711	745	781	816	753
701UPH	Armless Upholstered Seat & Back		511	546	576	610	646	681	717	753	689
700MUFST	Mesh Back & Upholstered Seat		576	610	639	675	711	745	781	816	753
701MUFST	Armless Mesh Back & Upholstered Seat		511	546	576	610	646	681	717	753	689
700MPS	Mesh Back & Plastic Seat	518									
701MPS	Armless Mesh Back & Plastic Seat	455									



OPTIONS

Description	Suffix	Models	Upcharge
Chrome Frame	CH	All Models	35
2" Carpet Casters	CA	All Models	65

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight 3 or 1 per carton	Volume 1 per carton
700	23.25"	22"	31.75"	16.5"	50 lbs / 22 lbs	14.5 cu ft / 11 cu ft
700UST	23.25"	22"	31.75"	17.75"	51 lbs / 23 lbs	14.5 cu ft / 11 cu ft

Lightweight and mobile, the Butterfly encourages freedom and versatility in your office space. It is perfect for work stations and multi-use rooms.

STANDARD FEATURES

- Frame on all models except task chairs 7/8" O.D 16 gauge round steel tubing.
- Ideal for informal, flexible spaces where reconfiguration is encouraged, smaller scale is important, and budget is a concern.
- Task chairs feature swivel mechanism and a 5-pronged nylon base with carpet casters.
- Simple to stack. Stacks 6 high (808 & 811).
- Contemporary design with a durable polypropylene seat and back shell (black only).
- Standard with black frame finish.
- Waterfall seat to reduce muscle fatigue.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION


- Upholstery:
 - Seat & Back - 1.5 yd
 - Seat only - ¾ yd

OPTIONS

Description	Suffix	Models	Upcharge
Twin Wheel Carpet Casters	CA	808, 811	84
2" Hard Surface Casters	TC	800, 807	94
2" Hard Surface Casters	CA, TC	808, 811	144
Chrome Legs	CH	808, 809, 810, 811	66
Chrome Base	CH	800, 807	125
Sit / Stand Drafting Stool	DS	800, 807	157

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight 3 or 1 per carton	Volume 1 per carton
800	24"	23.5"	30.5" - 35.5"	16" - 21"	1 per carton	14.5 cu ft / 11 cu ft
808 / 811	22.5"	21.5"	32.5"	18"	3 per carton	14.5 cu ft / 11 cu ft
809 / 810	20"	25"	44.5"	30"	1 per carton	14.5 cu ft / 11 cu ft



Butterfly 810UF

Model	Description	Plastic Shell Black Only	1	2	3	4	5	6	7	8	Leather
808	Stacker Armless	319									
808UFST	Stacker Armless Upholstered Seat Only		395	410	424	438	453	467	480	495	480
811	Stacker with Arms	390									
811UFST	Stacker with Arms Upholstered Seat Only		453	467	480	495	509	523	537	551	558
809	Barstool Armless	537									
809UFST	Barstool Armless Upholstered Seat Only		602	616	630	644	657	686	714	743	692
810	Barstool with Arms	607									
810UFST	Barstool with Arms Upholstered Seat Only		678	700	714	728	743	757	770	784	757
807	Task Armless	517									
807UFST	Task Armless Upholstered Seat Only		586	602	616	630	644	657	672	686	672
800	Task with Arms	621									
800UFST	Task with Arms Upholstered Seat Only		692	705	720	734	748	762	777	792	770



808



811



809



810



807



800

Stool

1000

This economical, comfortable stool is an ideal chair for use in medical, dental, laboratory, or small-space environments where mobility and quality are essential.

STANDARD FEATURES

- Swivel mechanism featuring a 5.5” pneumatic seat height adjustment.
- High density, high resiliency foam for added durability and comfort (1000, 1000WB).
- Finish: mechanism, base, casters, and trim standard in black.
- 5-prong, heavy-duty nylon base with 2” dual wheel carpet casters.
- Molded polyurethane seat and back for durability and hygienic requirements (1010).
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery:
 - Model 1000 - 0.5 yd/chair
 - Model 1000WB - 1.5 yd/chair
 - Model 1009 - 1 yd/chair



Stool 1000-WB-DS



Stool 1009

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
1000	Stool	431	460	495	523	551	580	607	636	720	819
1000WB	Stool with Back and Casters	644	686	728	770	812	855	897	940	933	1029
1009	Stool Trumpet Base	531	558	586	616	644	672	700	728	806	869
1010	Stool with Polyurethane Seat Back	841									



OPTIONS

Description	Suffix	Models	Upcharge
Non-Marking Hard Surface Sit to Lock Casters / When seated	RLC	1000, 1000WB, 1010	78
Non-Marking Hard Surface Stand to Lock Casters / When standing	SLC	1000, 1000WB, 1010	78
Glides	G	1000, 1000WB, 1010	63
Height Adjustable Foot Ring	DS	1000, 1000WB, 1010	134
Hard Surface Casters	TC	1000, 1000WB, 1010	85
Chrome	CH	1000, 1000WB, 1010	71
Gas Lift	GL	1009	71

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume
1000	24"	24"	16.5" - 22"	16.5" - 22"	18 lbs	12 cu ft
1000 WB	27.5"	27.5" - 30"	32" - 37"	16.5" - 22"	22 lbs	12 cu ft
1010	25"	25" - 27"	30.75" - 35"	15.5" - 20.5"	30 lbs	12 cu ft



A timeless design with bright colours and comfortable cushioning, the Tonik is a chic, eye-catching chair that brings a touch of fun to your office, meeting, or guest space.

STANDARD FEATURES

- Swivel-tilt mechanism with pneumatic height adjustment, single position tilt lock and tension control (1100).
- 5-prong, polished-aluminum base with clear lacquer finish to maintain bright appearance.
- Fully upholstered arms.
- Contoured wood frame shell for strength and support.
- 2" dual wheel carpet casters (1100).
- Steel tubular frame with rear angled legs for stability with chrome finish for durability (1101).
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery (All Models): 2 yd/chair



Tonik 1100



Tonik 1101

Model	Description	1	2	3	4	5	6	7	8	Leather Plus	Madras Leather	Princess Leather
1100	Designer Chair	1385	1454	1511	1567	1638	1709	1779	1850	1567	1962	2111
1101	4-Legged	1385	1454	1511	1567	1638	1709	1779	1850	1567	1962	2111



1100

OPTIONS

Description	Suffix	Models	Upcharge
Hard Surface Casters	TC	1100	85

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume
1100	24"	28.5"	36" - 39.5"	18" - 24.5"	40 lbs	14 cu ft
1101	24"	28"	36"	18"	35 lbs	12 cu ft


The surgeon console is engineered to provide individual comfort and support for long periods of time. Based on the Health Care Industry’s main requirements, the Surgeon Console is easy to clean and built to last.

STANDARD FEATURES

- Self-adjusting, concave armrests built into back with spring system to allow automatic adjustment for each individual user.
- High-resiliency molded foam for comfort and durability.
- ENERSORB™ seat foam to reduce sitting fatigue by reducing pressure points and increasing blood circulation.
- Built-in ratchet back height adjustment.
- Swivel mechanism with free float or variable back angle adjustment, pneumatic height adjustment, and seat slide for seat depth adjustment (1864).
- 2” black, dual wheel, non-marking, hooded polyurethane hard surface casters.
- Model 1864DS - Swivel mechanism featuring foot ring height adjustment and seat slider for seat depth adjustment.
- 5 prong, polished aluminum base with clear lacquer finish to maintain bright appearance.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery (All Models): 2 yd/chair
- Patented Design.



PATENTED:
Internal lumbar and lateral back support that adjusts to the users back for personalized support and comfort.



Surgeon Console 1864



Surgeon Console 1864

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
1864	Mid Back Task	1298	1350	1405	1454	1504	1567	1603	1651	1715	1864



1864



1864-DS

OPTIONS

Description	Suffix	Models	Upcharge
Stand to Lock Casters	LC	All Models	78
Sit to Lock Casters (when seated)	RLC	All Models	78
Sit / Stand Drafting Stool	DS	All Models	134

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume
1864	25"	25"-27"	36"- 43"	17"- 22.5"	44 lbs	14 cu ft
1864DS	25"	25"-27"	40.5"- 48"	22.5"- 30"	49 lbs	14 cu ft

Inspired by the striking cliffs of the Amalfi coast in Italy, The Amalfi is a sleek chair that brings a touch of the seaside to your office space. The Amalfi is a fresh take on the classic executive task seat.

STANDARD FEATURES

- Swivel mechanism with pneumatic height adjustment (1900).
- Swivel-tilt mechanism with single position lock up right and tension control (1900TL).
- Stylish wishbone design for dramatic appearance (1900).
- High-density, high-resiliency seat and back foam for comfort and support.
- Contoured, molded plywood shell for strength.
- 2" chrome plated, dual carpet casters.
- Polished aluminum legs and chrome plated arms.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 2 yd/chair



Amalfi 1900TL



Amalfi 1900TL

Model	Description	1	2	3	4	5	6	7	8	Leather Plus	Madras Leather	Princess Leather
1900	Mid Back Conference	1448	1533	1618	1702	1786	1872	1956	2041	1709	1914	2062
1900TL	Mid Back Conference Tilt Lock	1518	1603	1688	1772	1857	1941	2026	2111	1779	1984	2131



1900



1900TL

OPTIONS

Description	Suffix	Models	Upcharge
2" Hard Surface Casters	TC	All Models	85

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume
1900	24.5"	26"	35"-37.25"	17"-19.5"	32 lbs	17 cu ft
1900TL	24.5"	26"	37"-39.5"	17.5"-20"	38 lbs	17 cu ft

The Next Level Chair takes comfort and ease of adjustment to a new level. With a family of seating choices, the NLC can outfit every area of today's active office. Great for those who are always on the go, the NLC will take your work day to the next level.

STANDARD FEATURES

- Height adjustable, ergonomically shaped headrest incorporated into the frame of chair for maximum comfort and convenience.
- Built in, height adjustable lumbar support to ease tension in your back.
- Newton Wafer synchro-tilt mechanism: Patent-pending, thin profile mechanism that provides seamless durability and stability, with continuous, even weighted balance through all positions. Integrated seat slide adjustment, multiple position tilt lock, pneumatic seat height adjustment, side tension control.
- Closed loop, polished aluminum arms with polyurethane arm pad for comfort and support.
- Optional flip-up, polished aluminum arm with polyurethane arm pads for easy access, or to allow for utility belts. Arm easily clicks into vertical or horizontal position.
- Optional 4D adjustable polished aluminum arms with lockable, vertical arm and horizontal, lateral and pivoting arm pad movement, arm pad made with polyurethane surface for comfort and support.
- Swivel mechanism with pneumatic height adjustment (When selecting DS Option).
- Height adjustable, heavy-duty foot ring (When selecting DS Option).
- High-density, high-resiliency molded foam for support and durability.
- 5-prong, heavy-duty polished aluminum base.
- 2.5" translucent carpet casters.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 2 yd/chair



NLC 2020D-FL



NLC 2020D

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
2020D	High Back Executive	1905	1970	2033	2097	2160	2224	2287	2351	2238	2414
2020	Mid Back Conference	1828	1891	1956	2020	2082	2147	2210	2273	2161	2337



NLC 2020

OPTIONS

Description	Suffix	Models	Upcharge
Flip-up Arm	FL	All Models	57
4D Adjustable Arm	A	All Models	57
3" Hard Surface Casters	TC3	All Models	138
3" Carpet Casters	LG	All Models	85
Enersorb Foam	E	All Models	57
Sit/ Stand Drafting Stool (Standard with 8" Gas Lift)	DS	All Models	204
Custom Embroidery*	EM	2020D	227

*Standard charge for customer embroidery assumes an approved DST file will be provided at time of order placement. If a DST file needs to be created an additional \$300 list fee will apply. Note, there is a minimum order quantity of 8 units.

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume	Base Dia.
2020D	26"	25"	47" - 52.5"	16.5" - 21"	77 lbs	19 cu ft	16 cu ft	26.5"
2020	26"	25"	38" - 42.5"	16.5" - 21"	70 lbs	16 cu ft	16 cu ft	26.5"

The Bless is an ergonomic task chair that is high performing but reasonably priced. With its breezy back and easy adjustments, the Bless is a perfect choice for modern workstations.

STANDARD FEATURES

- Translucent patterned weave, responsive mesh back creates a contoured shape that provides perfect support for all users automatically.
- Self-weighted mechanism for the perfect tension control with tilt lock, pneumatic height adjustment, and built-in seat slide controller.
- 4-way height and width adjustable arms with arm pad front and back adjustment and arm pivot adjustment for full-range movement.
- Height adjustable lumbar support.
- High density, high resiliency seat foam.
- Five prong heavy duty nylon base.
- 2" dual-wheel carpet casters.
- Optional adjustable mesh headrest with height and angle adjustment.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery:
 - Model 2100 - 1 yd/chair
 - Model 2100D - 1 yd/chair

RATED FOR

300lbs



Bless 2100 & 2100D



Bless 2100D

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
2100	Mesh Back with Upholstered Seat	1123	1151	1187	1223	1258	1293	1328	1363	1201	1264
2100D	Mesh Back with Headrest & Upholstered Seat	1200	1228	1264	1299	1335	1369	1405	1442	1279	1341



2100



2100D

OPTIONS

Description	Suffix	Models	Upcharge
3" Carpet Casters	LG	2100 & 2100D	85
2" Hard Surface Casters	TC	2100 & 2100D	85
3" Hard Surface Casters	TC3	2100 & 2100D	149
Armless	07	2100 & 2100D	-50
Enersorb Foam Seat	E	2100 & 2100D	106
Polished Aluminum Base	CH	2100 & 2100D	141
Sit/Stand Stool - Swivel mechanism with pneumatic height adjustment and seat slide adjustment	DS	2100 & 2100D	78

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume cu ft
2100	26"	26.50"	42.75"	16.50-21.50"	47 lbs	14
2100D	26"	26.50"	51.75"	16.50-21.50"	49 lbs	14

The Malibu is a lightweight chair that brings a touch of breezy beach life into your office. With its ease of movement and ultra-breathability, it helps you stay cool, calm, and collected, no matter what the day brings.

STANDARD FEATURES

- Perforated polypropylene plastic back for aeration and flexibility.
- Self-weighted mechanism for the perfect tension control with tilt lock, pneumatic height adjustment, and built-in seat slide controller.
- 4-way height and width adjustable arms with arm pad front and back adjustment and arm pivot adjustment for full-range movement.
- High density, high resiliency seat foam.
- Five prong heavy duty nylon base.
- 2" dual-wheel carpet casters.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 1 yd/chair



Malibu 2200



Malibu 2200

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
2200	Mid-Back Plastic Mesh Chair	1058	1088	1123	1159	1194	1228	1264	1298	1137	1200



2200

OPTIONS

Description	Suffix	Models	Upcharge
3" Carpet Casters	LG	2200	85
2" Hard Surface Casters	TC	2200	85
3" Hard Surface Casters	TC3	2200	149
Armless	07	2200	-50
Enersorb Foam Seat	E	2200	106
Polished Aluminum Base	CH	2200	141
Sit/Stand Stool - Swivel mechanism with pneumatic height adjustment and seat slide adjustment	DS	2200	78

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume
2200	26"	26.50"	40.75"	16.50-21.50"	46 lbs	14

The Frio is built for long-lasting comfort and simplicity of style. Its many adjustable components help you find your groove and feel supported throughout the day. It has your back.

STANDARD FEATURES

- Ratchet adjustable back height with built in lumbar support.
- Self-weighted mechanism for the perfect tension control with tilt lock, pneumatic height adjustment, and built-in seat slide controller.
- 4-way height and width adjustable arms with arm pad front and back adjustment and arm pivot adjustment for full-range movement.
- High density, high resiliency seat and back foam.
- Five prong heavy duty nylon base.
- 2" dual-wheel carpet casters.
- Optional adjustable headrest with height and angle adjustment.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery:
 - Model 2300 - 2 yd/chair
 - Model 2300D - 2 yd/chair



Frio 2300

RATED FOR

300lbs



Frio 2300D

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
2300	Fully Upholstered High-Back	1264	1341	1441	1533	1625	1715	1808	1900	1821	2063
2300D	Fully Upholstered High-Back with Headrest	1454	1533	1631	1723	1815	1905	1998	2090	2011	2266



2300



2300D

OPTIONS

Description	Suffix	Models	Upcharge
3" Carpet Casters	LG	2300 & 2300D	85
2" Hard Surface Casters	TC	2300 & 2300D	85
3" Hard Surface Casters	TC3	2300 & 2300D	149
Armless	07	2300 & 2300D	-50
Enersorb Foam Seat	E	2300 & 2300D	106
Polished Aluminum Base	CH	2300 & 2300D	149
Sit/Stand Stool - Swivel mechanism with pneumatic height adjustment and seat slide adjustment	DS	2300 & 2300D	78
Custom Embroidery*	EM	2300D	227

*Standard charge for customer embroidery assumes an approved DST file will be provided at time of order placement. If a DST file needs to be created an additional \$300 list fee will apply. Note, there is a minimum order quantity of 8 units.

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume cu ft
2300	26"	26.50"	45"	16.50-21.50"	53 lbs	16
2300D	26"	26.50"	55"	16.50-21.50"	55 lbs	16

Ergo-Learn is an ergonomic, multi-task chair. Its straightforward design and versatility make it ideal for the requirements of an active work environment.

STANDARD FEATURES
<ul style="list-style-type: none">Swivel tilt mechanism with infinite position tilt lock.
<ul style="list-style-type: none">Seat slider and back angle adjustment.
<ul style="list-style-type: none">6° forward tilt adjustment, back height adjustment, pneumatic height adjustment and tension control.
<ul style="list-style-type: none">Horizontal and vertical adjustable arms.
<ul style="list-style-type: none">Built-in lumbar support for proper posture and ergonomic support.
<ul style="list-style-type: none">Waterfall seat design to reduce muscle fatigue.
<ul style="list-style-type: none">ENERSORB™ seat foam provides optimal support all day long.
<ul style="list-style-type: none">5-prong, heavy-duty nylon base with 2" carpet casters.
<ul style="list-style-type: none">ANSI/BIFMA approved and TB117-2013 compliant.
GENERAL INFORMATION

- Upholstery: 2 yd/chair



Ergo-Learn 3280-TC

RATED FOR

300lbs



Ergo-Learn 3285-TC

Model	Description	1	2	3	4	5	6	7	8	Leather Plus	Madras Leather	Princess Leather
3280D	Large Task Chair	1183	1243	1312	1358	1419	1481	1541	1603	1367	1647	1817
3280	Medium Task Chair	1091	1152	1220	1266	1326	1388	1448	1511	1273	1564	1723
3285	Small Task Chair	1062	1121	1191	1236	1297	1359	1419	1481	1236	1526	1686



3280D



3280



3285

OPTIONS

Description	Suffix	Models	Upcharge
3" Carpet Casters	LG	All Models	85
2" Hard Surface Casters	TC	All Models	85
3" Hard Surface Casters	TC3	All Models	149
Armless	07	All Models	-125

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume
3280D	26.5" - 30"	26.5"	41.5" - 49"	17" - 22.5"	57 lbs	14 cu ft
3280	25" - 29"	26.5"	35.25" - 42.75"	17" - 22.5"	49 lbs	14 cu ft
3285	23.5" - 27.5"	26.5"	33.75" - 41.25"	17" - 22.5"	47 lbs	14 cu ft

An affordable, premium executive chair, the Khroma combines ergonomic support with exceptional styling. Its high-powered finish and comfortable seat lend a presidential feel to your office space.

STANDARD FEATURES

- Knee-tilt swivel mechanism (3400D), dual-position tilt lock, pneumatic height adjustment, and tension control.
- Energy absorbing ENERSORB™ seat foam conforms to your body and disperses your weight ergonomically to improve blood circulation and relieve pressure points.
- Ergonomically contoured back with ENERSORB™.
- Chrome plated arm rests with upholstered arm pads for comfort.
- 5-prong, polished-aluminum base with clear lacquer finish to maintain bright appearance.
- 2" dual wheel carpet casters.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 3 yd/chair
- **Note:** A pillow upholstery technique is used with vinyl, leather or leather plus to provide a wrinkled, plush appearance.



Khroma 3400D



Khroma 3400D-TC

Model	Description	1 Vinyl	4 Vinyl or Leather Plus	5 Vinyl	6 Vinyl	Madras Leather	Princess Leather
3400D	High Back Executive	1194	1405	1497	1590	1737	1970



3400D

OPTIONS

Description	Suffix	Models	Upcharge
3" Carpet Casters	LG	3400D	85
2" Hard Surface Casters	TC	3400D	85
3" Hard Surface Casters	TC3	3400D	149
Urethane Arms (Black Urethane Arms & Base)	UR	3400D	57
Custom Embroidery*	EM	3400D	227

*Standard charge for customer embroidery assumes an approved DST file will be provided at time of order placement. If a DST file needs to be created an additional \$300 list fee will apply. Note, there is a minimum order quantity of 8 units.

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
3400D	25"	28"	42"- 45"	17.5"- 21.5"	50 lbs	17 cu ft	16 cu ft

WXO™ the perfect working chair. It sports a refined, sleek profile with distinctive comfort and support. Its waterfall seat and lumbar support make it a top ergonomic, lightweight task chair.

STANDARD FEATURES

- Translucent ABLEX™ patterned weave mesh back and seat provides generous lumbar and pelvic support while promoting dynamic movement.
- ENERSORB™ seat foam conforms to your body and disperses your weight ergonomically to improve blood circulation and relieve pressure points (UF & UFST models).
- Synchronous knee-tilt torsion glide mechanism with preset tension and lock release. Pneumatic seat height adjustment.
- Contoured waterfall seat design helps to reduce sitting fatigue and promotes good posture.
- Easy to use height adjustable arms with lockable, pivoting, polyurethane arm pads and manual width adjustment (5800).
- Graphite frame, base and arms. Black mesh and seat fabric.
- Optional: White frame with silver mesh and chrome finish.
- 5-prong, heavy-duty nylon base.
- 2" dual wheel carpet casters.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery:
 - UFST - 1 yd/chair
 - UF - 3 yd/chair
- Patented Design.
- If DS option selected chair will not tilt.



WXO™ 5800M

RATED FOR

300lbs



WXO™ 5800M-CH-TC

Model	Description	Mesh	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
5800M	Mid Back Task Mesh Seat & Back	1298										
5800UFST	Mid Back Task Upholstered Seat		1441	1469	1488	1511	1533	1553	1576	1595	1561	1610
5800UF	Mid Back Upholstered Seat & Back		1674	1737	1801	1864	1928	1992	2055	2188	2020	2090
5802M	Bow Tie Guest Mesh Seat & Back	1159										
5802UFST	Bow Tie Guest Upholstered Seat		1298	1321	1346	1368	1390	1410	1433	1453	1418	1468
5802UF	Bow Tie Guest Upholstered Seat & Back		1518	1581	1646	1709	1772	1836	1900	1962	1864	1934



5800M



5800UFST



5800UF



5802M-CH



5800M-DS-CH

OPTIONS

Description	Suffix	Models	Upcharge
Silver Mesh Back + Seat	SM	5800M, 5807M, 5802M	149
3" Carpet Caster	LG	5800M, 5800UFST, 5800UF	85
2" Hard Surface Casters	TC	5800M, 5800UFST, 5800UF	85
3" Hard Surface Casters	TC3	5800M, 5800UFST, 5800UF	149
Chrome Finish	CH	5800M, 5800UFST, 5800UF	71
Chrome Frame Finish	CH	5802, 5802UFST, 5802UF	134
Sit / Stand Drafting Stool	DS	5800M, 5800UFST, 5800UF	176
White Frame (<i>Standard silver mesh and polished aluminum base</i>)	WH	All Models	240
Armless	07	All Models	-55
Smaller Seat	S	All Models	0

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
5800M	26"-28"	25"	36.5"- 40"	16"- 20.5"	40 lbs	16 cu ft	12 cu ft
5800UFST	26"-28"	25"	36.5"- 40"	16"- 20.5"	44 lbs	16 cu ft	12 cu ft
5802UFST	25.5"	24"	35.5"	18"	50 lbs	17 cu ft	14 cu ft
5800-DS	26"-28"	25"	41"- 49"	22"- 30"	50 lbs	16 cu ft	12 cu ft

The MXO™ is an innovative solution for meeting rooms, conference rooms, and training. Its pneumatic gas lift automatically returns the chair to centred position and uniform height when the user stands up.

STANDARD FEATURES

- Translucent ABLEX™ patterned weave, responsive mesh back creates a contoured shape that provides perfect support for all users automatically.
- Ultra-comfortable ENERSORB™ seat foam that allows for greater blood circulation, reducing pressure points.
- Fixed-height arm rests designed to fit under any standard height table.
- Swivel tilt mechanism with gas lift height adjustment and preset tension control.
- Waterfall seat design.
- Memory height and position gas lift which always returns the chair to a uniform height and position.
- 5-prong, heavy-duty nylon base.
- 2" carpet casters.
- Black mesh with graphite finish, frame, arms, base and trim.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 1 yd/chair
- Patented Design.



MXO™ 5900-CH



MXO™ 5900

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
5900	Mid Back Conference	1010	1058	1088	1109	1130	1151	1173	1194	1250	1321



5900



5900-07

OPTIONS

Description	Suffix	Models	Upcharge
3" Carpet Casters	LG	All Models	85
2" Hard Surface Casters	TC	All Models	85
3" Hard Surface Casters	TC3	All Models	149
Self Locking Casters (When standing)	LC	All Models	71
Silver Mesh Back	SM	All Models	71
Adjustable Arms	A	All Models	71
Armless	07	All Models	-25

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
5900	25"	24"	35.5" - 38.5"	17" - 20"	35lbs	14 cu ft	9 cu ft

One chair, multiple functions. Perfect for working, meeting, or training. The LXO's™ lightweight and well-proportioned design is the new standard for ergonomic affordable seating.

STANDARD FEATURES

- ABLEX™ patterned mesh back provides generous lumbar support and dynamic back movement. Air flows freely through this breathable mesh for added comfort.
- Synchro-tilt mechanism with 3 position tilt-lock, pneumatic height adjustment, seat depth adjustment and tension control (6000).
- Swivel mechanism (6000DS) Pneumatic height adjustment, seat depth adjustment and foot ring.
- Black mesh with graphite frame, arms, base and trim.
- Easy to use, height-adjustable arms for individual comfort and support. Arms can be manually adjusted for horizontal width.
- Energy absorbing dual density ENERSORB™ seat foam reduces sitting fatigue.
- Waterfall seat design gently slopes away from the legs, minimizing pressure on the thighs and promoting good posture.
- Model 6002 standard with oval reinforced tubular steel, graphite finish.
- 5-prong, heavy-duty nylon base.
- 2" carpet casters.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 1 yd/chair
- Patented Design.
- If DS option selected, chair will not tilt.



LXO™ 6000-CH

RATED FOR

300lbs



LXO™ 6000

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
6000	Mid Back Task	1159	1209	1237	1257	1279	1299	1321	1341	1399	1469
6002	Mid Back Sled	1095	1144	1174	1194	1215	1237	1258	1279	1335	1405



OPTIONS

Description	Suffix	Models	Upcharge
Polished Aluminum Base	CH	6000	71
Seat Slider <i>(Can not combine with "AA")</i>	SL	6000	185
4 Way Arm Adjustment <i>(Can not combine with "SL")</i>	AA	6000	85
3" Carpet Casters	LG	6000	85
2" Hard Surface Casters	TC	6000	85
3" Hard Surface Casters	TC3	6000	149
Self-Locking Casters	LC	6000	78
Glides	GL	6000	85
Armless	07	6000, 6002	-50
Sit / Stand Drafting Stool	DS	6000	78

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
6000	25.5"	24"	35.5"- 41"	16"- 21"	50 lbs	14 cu ft	9 cu ft
6002	25"	26"	35.25"	17.5"	41 lbs	13.25 cu ft	11.5 cu ft
6000-DS	25.5"	24"	41"- 49"	22"- 30"	50 lbs	14 cu ft	9 cu ft

The CXO™ is the most comfortable chair in the world. Enersorb™ foam seat and headrest, supportive mesh back, 4D adjustable lumbar support, and multi-adjustable arms are some of the features that make this our best-selling chair.

STANDARD FEATURES

- ABLEX™ patterned mesh back provides generous lumbar support and dynamic back movement.
- Easy to use, padded, 4D-adjustable arms with lockable vertical, horizontal, swivel, and front/back movement.
- Vertical and horizontal lumbar adjustment.
- Synchronous knee-tilt swivel mechanism with built-in seat slide depth adjuster, infinite position tilt-lock, pneumatic seat height adjustment and side tension control.
- Super soft, elongated polyurethane arm pads to help prevent Carpal Tunnel Syndrome.
- Headrest pivots horizontally and vertically on a contoured axis. Includes built in coat hook. (6200D).
- Energy absorbing, dual density ENERSORB™ seat foam reduces sitting fatigue.
- Contoured seat foam incorporates a waterfall design that gently slopes away from the legs, minimizing pressure on the thighs, promoting good posture.
- Contoured seat and back shell for ergonomic support.
- 5-prong die-cast aluminum base with anti-slip treads.
- 2" mag wheel carpet casters.
- Breathable 4-way stretch-knit fabric on seat, lumbar and headrest for improved air circulation.
- Black mesh with graphite frame, arms, base and trim.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 2 yd/chair
- Patented Design.



CXO™ 6200D-TC

RATED FOR

350lbs



CXO™ 6200D-CH

Model	Description	1 Mystic	5 Beehave	6 Moguls	7 Meridian	Madras Leather	Princess Leather
6200	Mid Back	2424	2479	2521	2739	2739	2817
6200D	Mid Back with Headrest	2591	2634	2683	2901	2901	2972



OPTIONS

Description	Suffix	Models	Upcharge
3" Carpet Casters	LG	All Models	85
2" Hard Surface Casters	TC	All Models	85
3" Hard Surface Casters	TC3	All Models	149
Polished Aluminum Package (Base, Arm Trim)	CH	All Models	71
Silver Mesh	SM	All Models	78
Non-Pivoting Arms	NP	All Models	163
Armless	07	All Models	-50
Original Style Headrest	OS	6200D	0
Upholstered Back	UPH	All Models	170

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
6200	27" - 29.5"	27" - 29.5"	36.5" - 41.5"	16"-21"	75 lbs	19 cu ft	16 cu ft
6200D	27" - 29.5"	27" - 29.5"	47.5" - 55"	16"-21"	77 lbs	19 cu ft	16 cu ft

The CXO™ Leather takes the classic CXO™ and wraps it in the finest leather available, for an even more luxurious finish.

STANDARD FEATURES

- Seat, back, lumbar, and headrest upholstered in leather.
- Easy to use 4D-adjustable arms with lockable, finger-tip vertical, horizontal, swivel, and front/back movements for individual comfort.
- Vertical and horizontal lumbar adjustment.
- Synchronous knee-tilt swivel mechanism with built-in seat slide depth adjuster, infinite position tilt-lock, pneumatic seat height adjustment and side tension control.
- Super soft, elongated polyurethane arm pads to help prevent Carpal Tunnel Syndrome.
- Headrest pivots horizontally and vertically on a contoured axis. Includes built in coat hook. (6200D).
- Energy absorbing dual density ENERSORB™ seat foam reduces sitting fatigue.
- Contoured seat foam incorporates a “waterfall” design that gently slopes away from the legs, minimizing pressure on the thighs, promoting good posture.
- Contoured seat and back shell for ergonomic support.
- Graphite frame, arms, base and trim.
- 2” mag wheel carpet casters.
- 5-prong die-cast aluminum base with anti-slip treads.
- Intuitive easy grip side tension adjustment.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 2 yd/chair
- Patented Design.



CXO™ L6200D-CH-TC

RATED FOR

350lbs



CXO™ L6200

Model	Description	Full Madras	Full Princess Leather
L6200	Mid Back	2979	3183
L6200D	Mid Back with Headrest	3134	3339



L6200

L6200D

OPTIONS

Description	Suffix	Models	Upcharge
3" Carpet Casters	LG	All Models	85
2" Hard Surface Casters	TC	All Models	85
3" Hard Surface Casters	TC3	All Models	149
Polished Aluminum Package (<i>Base and Arm Trim</i>)	CH	All Models	71
Heavy Duty	HD	All Models	473
Non-Pivoting Arms	NP	All Models	156
Armless	07	All Models	-50
Original Style Headrest	OS	L6200D	0
Custom Embroidery*	EM	L6200D	227

*Standard charge for customer embroidery assumes an approved DST file will be provided at time of order placement. If a DST file needs to be created an additional \$300 list fee will apply. Note, there is a minimum order quantity of 8 units.

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
L6200	27" - 29.5"	27"- 29.5"	36.5"- 41.5"	16"-21"	79 lbs	19 cu ft	16 cu ft
L6200D	27" - 29.5"	27"- 29.5"	47.5"- 55"	16"-21"	81 lbs	19 cu ft	16 cu ft



Still the most comfortable chair in the world, but engineered with greater strength and durability for weight demand up to 450 lbs.

STANDARD FEATURES

- ABLEX™ patterned mesh back provides generous lumbar support and dynamic back movement.
- Easy to use adjustable arms with lockable vertical and horizontal movements for individual comfort.
- Vertical and horizontal lumbar adjustment.
- Synchronous knee-tilt swivel mechanism (6200Dhd, 6200hd) with built-in seat slide depth adjuster, infinite position tilt-lock, pneumatic seat height adjustment and side tension control.
- Super soft, elongated polyurethane arm pads to help prevent Carpal Tunnel Syndrome.
- Headrest pivots horizontally and vertically on a contoured axis. Includes built in coat hook. (6200D).
- Energy absorbing dual density ENERSORB™ seat foam reduces sitting fatigue.
- Contoured seat foam incorporates a waterfall design that gently slopes away from the legs, minimizing pressure on the thighs, promoting good posture.
- Contoured seat and back shell for ergonomic support.
- 5-prong die-cast aluminum base.
- Breathable 4-way stretch-knit fabric on seat, lumbar and headrest for improved air circulation.
- Intuitive easy grip side tension adjustment.
- 3" carpet casters.
- Black mesh with graphite frame, arms, base and trim.
- Heavy duty class 4 gas lift.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 2 yd/chair



CXO™ 6200Dhd-CH-TC3

RATED FOR

450lbs



CXO™ 6200Dhd-TC3

CXO™ HEAVY DUTY | 6200hd

Model	Description	1 Mystic	5 Beehave	6 Moguls	7 Meridian	Madras Leather	Princess Leather
6200hd	Mid Back Heavy Duty	2949	2993	3050	3317	3317	3388
6200Dhd	Mid Back Heavy Duty with Headrest	3105	3148	3198	3416	3416	3541



6200hd



6200Dhd

OPTIONS

Description	Suffix	Models	Upcharge
3" Hard Surface Casters	TC3	All Models	149
Polished Aluminum Base	CH	All Models	71
Silver Mesh Back	SM	All Models	78
Armless	07	All Models	-80
Original Style Headrest	OS	6200Dhd	0

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
6200hd	27" - 29.5"	27" - 29.5"	36.5" - 41.5"	17.5" - 22"	95 lbs	19 cu ft	16 cu ft
6200Dhd	27" - 29.5"	27" - 29.5"	47.5" - 55"	17.5" - 22"	98 lbs	19 cu ft	16 cu ft



The most comfortable chair with reinforced supports, engineered for intensive use and 24hrs applications, for weights up to 350lbs.

STANDARD FEATURES

- ABLEX™ patterned mesh back provides generous lumbar support and dynamic back movement.
- Easy to use adjustable arms with lockable vertical and horizontal movements for individual comfort.
- Vertical and horizontal lumbar adjustment.
- Synchronous knee-tilt swivel mechanism (6200Dti, 6200ti) with built-in seat slide depth adjuster, infinite position tilt-lock, pneumatic seat height adjustment and side tension control.
- Super soft, elongated polyurethane arm pads over steel arm supports to help prevent Carpal Tunnel Syndrome.
- Headrest pivots horizontally and vertically on a contoured axis. Includes built in coat hook (6200D).
- Energy absorbing dual density ENERSORB™ seat foam reduces sitting fatigue.
- Contoured seat foam incorporates a waterfall design that gently slopes away from the legs, minimizing pressure on the thighs, promoting good posture.
- Heavy-duty class-4 gas lift.
- 5-prong die-cast aluminum base with anti-slip treads.
- Breathable 4-way stretch-knit fabric on seat, lumbar and headrest for improved air circulation.
- Intuitive easy grip side tension adjustment.
- Black mesh with graphite frame, arms, base and trim.
- 3" carpet casters.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 1 yd/chair
- Patented Design.



CXO™ 6200Dti

RATED FOR

350lbs

3
SHIFTS
A DAY



CXO™ 6200Dti

Model	Description	1 Mystic	5 Beehave	6 Moguls	7 Meridian	Madras Leather	Princess Leather
6200ti	Mid Back Task Intensive	2669	2710	2753	2971	2971	3050
6200Dti	Mid Back Task Intensive with Headrest	2817	2865	2915	3134	3134	3204



6200ti



6200Dti

OPTIONS

Description	Suffix	Models	Upcharge
3" Hard Surface Casters	TC3	All Models	149
Polished Aluminum Base	CH	All Models	71
Silver Mesh	SM	All Models	78
Armless	07	All Models	-80
Original Style Headrest	OS	6200Dti	0

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
6200	27" - 29.5"	27"- 29.5"	36.5"- 41.5"	16"-21"	84 lbs	19 cu ft	16 cu ft
6200D	27" - 29.5"	27"- 29.5"	47.5"- 55"	16"-21"	86 lbs	19 cu ft	16 cu ft

The GXO™ chair is designed to compliment the style and features of the XO™ executive chairs. Comfortable Enersorb™ seat, lumbar support, and mesh back provide a premium take on the conventional guest chair.

STANDARD FEATURES

- Translucent patterned, responsive ABLEX™ mesh back creates a contoured shape that provides perfect support for all users.
- Short arms provide comfortable support and easy access in and out of the chair. Polyurethane arm pads for comfort.
- Seat consists of a thin ultra-comfortable ENERSORB™ pillow-top layer of foam that allows for greater blood circulation, reducing seating pressure points and providing extreme comfort.
- Waterfall seat design that gently slopes away from the legs, minimizing pressure on the thighs and promoting good posture.
- Angled rear legs for stability.
- Black mesh with graphite back, legs and trim.
- Oval tubular reinforced steel legs, complete with adjustable non-marking floor glides.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 1 yd/chair
- Patented Design.



GXO™ 6301



GXO™ 6301

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
6301	Side Chair	1159	1186	1223	1250	1285	1307	1327	1350	1399	1448



6301



6301-CH

OPTIONS

Description	Suffix	Models	Upcharge
Chrome Legs	CH	All Models	78
Silver Mesh	SM	All Models	78

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume
6301	24"	26.5"	36"	18.5"	29lbs	11 cu ft

The NXO™ chair is a nesting, stacking, and storing chair that provides comfort, versatility, and style to any workplace. Available in classic or eye-catching colours, it is well-suited to any of your workspace needs.

STANDARD FEATURES

- Ergonomic support. Unique reclining motion of the back provides comfortable, relaxed support.
- Easy access. Folding seat allows the chair to nest horizontally, providing a smart storage solution.
- Seat consists of a ultra-comfortable ENERSORB™ foam that allows for greater blood circulation, reducing pressure points and providing extreme comfort.
- Space efficient. Vertical stacking capability of up to three chairs high provides even greater space efficient storage.
- Aeration. The perforated back with small holes enhances airflow and keeps the user cool and comfortable.
- Easy to move. Lightweight with durable casters.
- Frame, arms and trim standard in graphite.
- Light and clean aesthetic. Fits in without dominating the look or feel of the workspace.
- A visual companion to nontraditional work chairs, an ideal companion to the XO Collection of chairs.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 1 yd/ chair
 - UF - 1½ yd/ chair
- Optional field installable fold away arm tablet available.
- Patented Design.



NXO™ 6401



NXO™ 6401-ATR

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
6401	Nesting Chair	883	940	1002	1058	1116	1173	1228	1285	1179	1250



6401

6401 M

Shown nested and stacked

OPTIONS

Description	Suffix	Models	Upcharge
Floor Glides	GL	All Models	85
2" Hard Surface Casters	TC	All Models	85
Armless	07	All Models	-20
Upholstered Back	UF	All Models	71
Fold Away Tablet with Arm (Left handed)	ATL	All Models	353
Fold Away Tablet with Arm (Right handed)	ATR	All Models	353
Chrome Legs	CH	All Models	78
Mesh Back	M	All Models	30

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume
6401	22.5"	24"	34"	17.5"	25 lbs	14.5 cu ft

The OXO™ side chair offers minimalist beauty, performance, and unprecedented comfort. Add a modern spark to any office or home with OXO™, which automatically adjusts to the user’s movements to support good posture.

STANDARD FEATURES

- Translucent ABLEX™ mesh back and seat for perfect fit and customized support.
- Dynamic articulating back tilts with your body to provide exceptional ergonomic back and lumbar support.
- Generous seat size makes the OXO™ a very popular choice as it comfortably accommodates large and small users.
- Comfortable fixed polyurethane arm pads.
- Standard with glides.
- Easy to move. Lightweight and durable.
- Finish in black mesh with black back and seat shell.
- Frame is black epoxy powder coated.
- Waterfall seat design to reduce muscle fatigue.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Leather Plus is not available.
- Patent Pending.



OXO™ 6501UFST



OXO™ 6502-WH

Model	Description	Mesh
6501	Four Legged with Arms Guest All Mesh	798
6502	Sled Base with Arms Guest All Mesh	833



6501



6501-07



6502

OPTIONS

Description	Suffix	Models	Upcharge
Casters	CA	6501	85
White Package (White Seat and Back Shell, Chrome Frame, Silver Mesh)	WH	All Models	71
Armless	07	6501	-35
Upholstered Seat	UFST	All Models	Grade 1 - 161
Upholstered Seat	UFST	All Models	Grade 2 - 213
Upholstered Seat	UFST	All Models	Grade 3 - 264
Upholstered Seat	UFST	All Models	Grade 4 - 315
Upholstered Seat	UFST	All Models	Grade 5 - 373
Upholstered Seat	UFST	All Models	Madras Leather - 399

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
6501	25.5"	26"	35.5"	18.5"	22 lbs	15 cu ft	N/A
6501-07	24"	26"	35.5"	18.5"	20 lbs	15 cu ft	N/A
6502	26"	26"	35.5"	18.5"	23 lbs	15 cu ft	N/A

The 6800ti accommodates individuals up to 350 lbs for 24hrs a day. It fits any budget and works perfectly in any busy, high-performance space.

STANDARD FEATURES

- Swivel tilt mechanism (Type 17A) with infinite position swivel tilt lock, free float or variable back angle adjustment, pneumatic seat height, back height adjustment and tension control.
- Built-in lumbar support.
- Heavy duty back post for durability.
- Heavy duty arms are attached directly to steel support under seat. Height and width adjustable arms for comfort and durability (6800ti).
- 5-prong, heavy-duty nylon base.
- Seat and back are made from high density, high resiliency foam for comfort and durability.
- Plastic back shell for durability and protection.
- Waterfall seat design gently slopes away from the legs, minimizing pressure on the thighs and promoting good posture.
- Mechanism, base, arms and trim in black finish.
- 6800Dti built stronger with larger seat.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 1 yd/chair

6800Dti
RATED FOR

350lbs



Overtime 6800Dti

6800ti
RATED FOR

300lbs



Overtime 6800ti

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
6800ti	24hr Mid Back Task	1109	1137	1186	1228	1279	1321	1369	1405	1257	1327
6800Dti	24hr High Back Task	1350	1399	1448	1484	1547	1595	1646	1696	1504	1576



6800ti



6800Dti

OPTIONS

Description	Suffix	Models	Upcharge
2" Hard Surface Casters	TC	All Models	134
3" Carpet Casters	LG	All Models	134
3" Hard Surface Casters	TC3	All Models	169
Armless	07	All Models	-145
Fold Away Arms	FA	All Models	275

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
6800ti	26" - 28"	26"	37" - 42.5"	16.5" - 22"	66 lbs	14 cu ft	9.6 cu ft
6800Dti	28" - 29.5"	26"	41" - 45.75"	16.5" - 22"	69 lbs	16 cu ft	9.6 cu ft

The VXO™ offers a simple, lightweight design that delivers remarkable comfort and dynamic support. Its easy to adjust lumbar support keeps you focused on what's at hand.

STANDARD FEATURES

- Swivel-tilt mechanism with single position lock, pneumatic height adjustment and side tension control.
- Height adjustable lumbar support pad.
- High density, high resiliency seat foam for comfort and durability.
- Adjustable arm height with comfortable polyurethane arm pads.
- 5-prong heavy duty nylon base.
- 2" carpet casters.
- Mesh, mechanism, arms, base and trim black.
- NEBULA™ mesh backing allows for comfortable air circulation and dynamic back movement.
- Waterfall seat design gently slopes away from the legs, minimizing pressure on the thighs and promoting good posture.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 1 yd/chair
- If DS option selected, chair will not tilt.



VXO™ 7280-WH

RATED FOR

300lbs



VXO™ 7280

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
7280	Mid Back Task	792	841	890	940	988	1038	1088	1137	1045	1123



7280



7280-L



7280-DS

OPTIONS

Description	Suffix	Models	Upcharge
3" Carpet Casters	LG	All Models	85
2" Hard Surface Casters	TC	All Models	85
3" Hard Surface Casters	TC3	All Models	149
Polished Aluminum Base	CH	All Models	71
Enersorb Foam Seat	E	All Models	106
Fixed Loop Arms	L	All Models	0
Sit / Stand Drafting Stool	DS	All Models	204
Multi Position Tilt Lock Mechanism	MT	All Models	185
Armless	07	All Models	-40
White Package (White Frame, Silver Mesh, Chrome Base, White Arms)	WH	All Models	176

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
7280	24.5" - 25.5"	24.75"	35.25" - 40"	17"-22"	37 lbs	13 cu ft	11 cu ft
7280-DS	26" - 27"	26"	37.5" - 45.5"	20.5" - 28.5"	42 lbs	14 cu ft	11 cu ft

Perfectly balanced with smooth adjustments. IC2™ sets ergonomic and comfort standards that are second to none. Its curved, sleek design has been lauded by art specialists and users alike. It is lightweight, elegant, and functional.

STANDARD FEATURES

- Slow release synchronous knee tilt mechanism with dual-lever, integrated seat slide adjustment, pneumatic assist forward and recline adjustment, infinite tilt lock, pneumatic height adjustment and front tension control.
- NEBULA™ dual weave mesh back and seat allows air to pass freely, making it comfortable in all environments. It also boasts dynamic back movement.
- Headrest pivots in and out and adjusts up and down on a contoured axis.
- Leather-upholstered headrest.
- 5-prong, polished-aluminum base.
- 3" carpet casters.
- Upholstered seat models standard with ENERSORB™ seat foam.
- Dual-lever seat depth adjustment for those requiring more leg support.
- Arms are height, width, swivel, and forward/backward adjustable. Polyurethane arm pad for durability.
- The contoured polyurethane lumbar support pad can be height and depth adjusted for personalized comfort and support.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery
 - UFST - 0.75 yd/chair
 - UF - 1.5 yd/chair
 - Headrest - 0.25 yd/chair
- When UF/UFST models are selected, headrest upholstery will be in the same selected textile, unless otherwise specified when ordering.



IC2™ 7300D-UFST-TC3

RATED FOR

300lbs



IC2™ 7300D-UFST

Model	Description	Mesh	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
7300	Mid Back Task	1737										
7300UFST	Mid Back Task Upholstered Seat		1872	1891	1928	1971	2007	2041	2077	2111	2091	2131
7300UF	Mid Back Task Upholstered Seat and Back		1992	2012	2048	2091	2127	2161	2197	2231	2211	2281
7300D	Mid Back Task Adj. Headrest	1886										
7300D-UFST	Mid Back Task Adj. Headrest Upholstered Seat		2004	2027	2062	2104	2139	2174	2210	2244	2224	2267
7300D-UF	Mid Back Task Adj. Headrest Upholstered Seat and Back		2147	2160	2197	2240	2276	2309	2345	2379	2360	2428



OPTIONS

Description	Suffix	Models	Upcharge
3" Hard Surface Casters	TC3	All Models	149
White Package (White Frame, Silver Mesh, Polished Aluminum Base)	WH	All Models	141
Integrated Head Rest <i>Upholstered in black leather unless:</i> <ul style="list-style-type: none"> • UF-selected textile • UFST-selected textile • WH madras steel is selected 	INT	7300	141
Extra Thick Enersorb Seat Foam (2" Thick)	X	7300UF, 7300UFST, 7300DUF, 7300DUFST	71
Custom Embroidery*	EM	7300D, 7300DUFST, 7300DUF	227

*Standard charge for customer embroidery assumes an approved DST file will be provided at time of order placement. If a DST file needs to be created an additional \$300 list fee will apply. Note, there is a minimum order quantity of 8 units.

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
7300	26" - 28"	26"	38" - 43"	16" - 20.5"	49 lbs	16 cu. ft.	N/A
7300D	26" - 28"	26"	45" - 52"	16" - 20.5"	51 lbs	16 cu. ft.	N/A
7300INT	26" - 28"	26"	45" - 48.5"	16" - 20.5"	51 lbs	16 cu. ft.	N/A



The Presider's smooth upholstery and thick-backed design provide an authoritative finish to office, conference, and meeting spaces. With its top-notch ergonomic support, the Presider is an outstanding chair with an affordable price tag.

STANDARD FEATURES

- ENERSORB™ seat and back foam conforms to your body and disperses your weight ergonomically to improve blood circulation and relieve pressure points.
- Synchronous knee-tilt mechanism with dual position tilt lock, pneumatic height adjustment, tension control.
- Height adjustable arms with polyurethane arm pads.
- 5-prong heavy duty nylon base.
- 2" carpet casters.
- Compound curved back for ergonomic comfort and support.
- Built-in lumbar support.
- Built-in head rest support (7700D).
- Mechanism, arms, base and trim in black finish.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 3 yd/chair
- Pillow upholstery technique is used with vinyl, leather or leather plus to provide a wrinkled, plush appearance.



Presider 7700



Presider 7700D

Model	Description	1 Vinyl	4 Vinyl or Leather Plus	5 Vinyl	6 Vinyl	Madras Leather	Princess Leather
7700D	High Back Executive	1448	1737	1828	1914	2111	2408
7700	Mid Back Executive	1377	1665	1751	1842	2033	2294



Presider 7700D

OPTIONS

Description	Suffix	Models	Upcharge
3" Carpet Casters	LG	All Models	85
2" Hard Surface Casters	TC	All Models	85
3" Hard Surface Casters	TC3	All Models	149
Polished Aluminum Base & Arms (CXO Style without arm width adjustment)	CH	All Models	149
Armless	07	All Models	-70
Adjustable Lumbar Support	LU	All Models	141
Adjustable Seat Slider	SL	All Models	99
CXO Style Adjustable Arms (Graphite ONLY, without arm width adjustment)	A	All Models	71
Custom Embroidery*	EM	7700D	227

*Standard charge for customer embroidery assumes an approved DST file will be provided at time of order placement. If a DST file needs to be created an additional \$300 list fee will apply. Note, there is a minimum order quantity of 8 units.

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
7700D	26"	27"	46"- 49"	17"- 21.5"	55 lbs	16 cu ft	N/A
7700	26"	27"	38"- 41"	17"- 21.5"	50 lbs	16 cu ft	N/A

Sherman HD is designed for a 24-hour, 3-shift/day environment. The chair offers maximum comfort, support, and durability for active office spaces and users up to 450 lbs (350 lbs for the HD9000-DS).

STANDARD FEATURES

- Swivel tilt mechanism with infinite position tilt lock, seat depth adjustment, pneumatic height adjustment, and tension control.
- Built-in lumbar support.
- Reinforced steel seat with arms attached to bar for added strength.
- Swivel mechanism with pneumatic height adjustment and 2.5" seat depth adjustment (HD9000-DS).
- Oversized molded foam seat pan with a waterfall edge for greater comfort and to promote proper circulation. ENERSORB™ seat topper.
- Heavy duty steel fold-away arms that are height and width adjustable with ultra-comfortable polyurethane arm pads.
- Heavy duty height adjustable foot ring (HD9000DS).
- 28" 5-prong, structurally engineered aluminum base.
- 3" casters.
- ANSI/BIFMA approved and TB117-2013 compliant.

GENERAL INFORMATION

- Upholstery: 3 yd/chair

HD9000
RATED FOR

450lbs



Sherman HD9000

HD9000-DS
RATED FOR

350lbs



Sherman HD9000-DS

SHERMAN HD | HD9000

Model	Description	1	2	3	4	5	6	7	8	Madras Leather	Princess Leather
HD9000	Heavy Duty Task Chair with Fold Away Arms	1737	1821	1905	1992	2076	2160	2244	2330	2174	2323



HD9000



HD9000-DS

OPTIONS

Description	Suffix	Models	Upcharge
3" Hard Surface Casters	TC3	All Models	149
Armless	07	All Models	-155
Sit / Stand Drafting Stool	DS	All Models	0

DIMENSIONS

Model	Overall Width	Overall Depth	Overall Height	Seat Height	Weight	Volume	KD Volume
HD9000	27" - 30"	26.5"	41.5" - 47"	17" - 21.5"	92.4 lbs	17.18 cu ft	13.58 cu ft
HD9000DS	27" - 30"	26.5"	44" - 52"	23" - 31"	90 lbs	17.18 cu ft	13.58 cu ft

LIFETIME LIMITED WARRANTY

The Lifetime Limited Warranty applies only for **NIGHTINGALE** products listed herein, and manufactured after January 1st, 2018, and applies to products delivered to customers in Canada and the United States of America.

Under the **NIGHTINGALE** Warranty, all claims must be made within the time period specified herein.

This Warranty begins with the date of purchase from the Nightingale Dealer by the original purchaser, and applies as follows:

- Lifetime Limited: all non-moving metal parts.
- 10 Years: Control mechanisms, casters, pneumatic cylinders, self-skinned urethane parts, and plastic shells.
- 5 Years: Upholsteries.

The **NIGHTINGALE** Warranty is based on normal use within a normal commercial office setting of single shift, eight (8) hours per day, five (5) days per week, by individuals of 275 lbs or less.

Some natural variations occurring in wood, leather, or other natural materials are inherent to their character and are not considered defects. Nightingale Corp. does not warrant the colourfastness or matching of colours, grains, or textures of these materials. Additionally, a Customer's Own Material (COM) selected by, and used at the request of, a customer, is not warranted.

The Warranty does not apply to:

- Normal wear and tear over the course of ownership.
- Damage caused by abuse, misuse, accident, or negligence.
- Abnormal use or use within extreme climatic conditions. Normal climatic condition is defined as the temperature and moisture content range for human comfort and health.
- Alterations to or modifications of the product not approved by Nightingale Corp.
- Products not installed, used, or maintained in accordance with product instructions and warnings.
- Products used for rental purposes; and,
- Damage caused by the carrier-in-transit, which is handled under separate terms.

Compliance with applicable laws, regular codes, certificates, and manufacturing standards are disclaimed if this product is misused, improperly installed, or modified in any respect (including without limitation, any change in fabric or mechanical components affecting stability, load capacity, or load distribution) after shipment from Nightingale Corp.

The **NIGHTINGALE** Warranty does not cover the cost of transportation or labour, except as noted.

All Warranty claims must be submitted by the Nightingale Dealer that sold the product.

Nightingale Corp. reserves the exclusive and sole right to determine whether a **NIGHTINGALE** seating product is defective in material or workmanship.

In order for Nightingale Corp. to determine whether the Warranty applies, the following information must be supplied to Nightingale Customer Care:

- Original Purchase Order and Purchase Order Date.
- Nightingale Corp. Invoice Number and Invoice Date.
- Product Model Number.
- Reason for claim.
- Please note that Nightingale Corp. may also require that photographs be supplied, clearly depicting the defective part or product. Nightingale reserves the right to deny any Warranty claim that does not include photographs when requested.

Should a Warranty claim be approved by Nightingale, then Nightingale will issue a Warranty Ticket Number to that claim. Nightingale Corp. will then, at its exclusive and sole discretion, apply one of the following remedies:

1. Issue replacement parts only, at no charge and prepaid freight. The cost of transportation and labour is not covered.

or
2. On a **discretionary basis**, Nightingale may determine that replacement parts and more significant labour may be required. Nightingale may authorize the Dealer to carry out the repair either directly or via a bona fide third party approved by Nightingale. All Warranty claims are evaluated on a case by case basis. The following conditions apply:
 - No service work can be performed without prior written approval by an authorized Nightingale Corp. employee.
 - The Warranty policy does not apply to Damage Claims, which are processed separately. Please refer to the Terms and Conditions outlined in the current **NIGHTINGALE** price book, regarding Freight Damage.
 - Nightingale Corp. will only deal with the Dealer directly. Nightingale will not deal with any third party or end user.

LIFETIME LIMITED WARRANTY

- In order for approval to be given, the Dealer must submit a pro-forma invoice or quotation, based on the average hourly labour rate assigned by Nightingale Corp., as stated below. Once approved, an authorized Nightingale employee will provide written consent to proceed.
- The Warranty Ticket Number issued upon approval must be indicated on the pro-forma invoice or quotation.
- If the Dealer chooses to outsource service work to a bona fide third party, then the Dealer must provide a bona-fide invoice or quotation from the third party.
- For the purposes of the Warranty, Nightingale Corp. has assigned an average hourly wage rate of \$20/hr based on data provided by the Bureau of Labor Statistics (BLS) in the United States, and Statistics Canada (StatsCan) in Canada. Nightingale Corp. will not apply any amount greater than this. Nightingale Corp. reserves the right to adjust the rate without notice.
- Transportation time for only one employee will be reimbursed unless it is necessary for more than one service technician to perform the service. Transportation costs must be supplied with the pro-forma invoice or quotation. Nightingale Corp. reserves the right to decline submissions for transportation costs, if they are not within reason. Feedback will be provided with any declined submissions so that the request can be re-adjusted and re-submitted.
- All replacement parts will ship with an assigned Nightingale Acknowledgement Number.
- After service work is performed, the Dealer must submit an invoice. The assigned Warranty Ticket Number and the Acknowledgement Number for the replacement parts must be included on the invoice. Nightingale Corp. will not reimburse any amount greater than the amount provided in the pro-forma invoice or quotation.
- Nightingale Corp. will not reimburse for any service work performed on **NIGHTINGALE** product without prior written consent from Nightingale.

Over and above the description of the claim and any photographs supplied, Nightingale Corp may require that the defective part be returned collect. Nightingale reserves the right to charge for a replacement part, if a defective part is determined to not be covered under Warranty.

Warranty Exception:

- 247-HD, and Sherman (except HD9000DS which is rated to 350lbs only) is warranted for multiple shifts and users up to 450 lbs. Multiple shifts is defined as three (3) shifts, twenty-four (24) hours per day, seven (7) days per week.
- Weight capacity for all task seating only (Legacy, Ergo-Learn, Ultima II, Bless, Frio, EC1, EC2, EC3, EC5, EC6, WXO, LXO, Bradley, Veronna, VXO, IC2, Dany) is increased to 300lbs.
- Weight capacity for CXO and SXO series is increased to 350lbs.
- CXO-TI ("Task Intensive") and HD6800D is warranted for multiple shifts and users up to 350 lbs.
- CXO-HD is warranted for single shifts and users up to 450 lbs.
- Overtime is warranted for multiple shifts and users up to 300 lbs. Multiple shifts is defined as three (3) shifts, twenty-four (24) hours per day, seven (7) days per week.
- Nightingale Corp. warrants that the Nightingale products listed above are covered under the Nightingale General Warranty, as stated above. Due to the special application of these products, the following specific Warranty applies:

The Following Warranty Exception applies to 24hr Rated Items Only

- Lifetime: all non-moving metal components.
- 5 years: Heavy-duty control mechanisms, casters, pneumatic cylinders, self-skinned urethane parts, and plastic shells.
- 2 year: Upholsteries.

Nightingale Corp. offers no other warranty, either expressed or implied, including any warranty of merchantability or fitness for a particular purpose. Nightingale Corp. shall not be liable for consequential or incidental damages arising from any product defect.



GLOSSARY OF ABBREVIATIONS

SUFFIX	DESCRIPTION
04	Four Prong Base
07	Armless
A	Height Adjustable Arms
AA	4 Way Adjustable Arms - Height & Width
ATL	Left Handed Tablet
ATR	Right Handed Tablet
AR	Articulating Swivel Mechanism
BA	Back Angle Mechanism
BL	Black
BRK	Braking Casters
CA	Carpet Casters
CH	Chrome
CY	Cherry Stain
DS	Drafting Stool
DT	Dual Tone Upholstery
E	Enersorb Foam
EL	Electrical Outlet
EM	Custom Embroidery
FP	Four Prong Base
GANG	Ganging Guide
GL	Glides
GHG	Ganging Glide
GSN	Soft Plastic Glide
GHN	Hard Plastic Glide
GW	Ganging Welded Wire Hook
HA	Height Adjustable Arms & Lever Operated Width
HD	Heavy Duty
K	Knee-tilt Swivel Mechanism

SUFFIX	DESCRIPTION
L	Fixed Loop Arm
LC	Self Locking Caster (When Standing)
LG	3" Carpet Caster
LH	Left Handed
LU	Adjustable Lumbar Support
ME	Mellow Oak Stain
MF	Modern-Flair Arm Option
MH	Mahogany Stain
ML	Auto Return Gas Lift
MT	Multi Position Tilt Lock
NA	Natural Wood Stain
OS	Original Style Headrest
RD	Rolled Arm Option
RH	Right Handed
RLC	Self Locking Caster (When Sitting)
SL	Seat Sliding Mechanism
SM	Silver Mesh
TC3	3" Hard Surface Casters
TC	2" Hard Surface Casters
TL	Swivel-Tilt Lock Mechanism
UC	Upholstered Arm Caps
UF	Upholstered Seat and Back
UFST	Upholstered Seat
UPH	Upholstered Back
UR	Urethane Arms
WB	Wire Storage Basket (300 Series Only)
WB	Wood Base (8600 Series)
A	CXO Style Arms (Graphite Only) without arm width adjustment
X	Extra Thick Enersorb Seat Foam

ECOLOGICAL STATEMENT

Our mission is to reduce our carbon footprint however, wherever, and whenever we can.

We strive to build chairs that serve people and the planet and make the world a greener place. This is just one of the many ways that Nightingale puts purpose before profit, always.

At Nightingale Corp., we believe in respecting our employees, our customers, our vendors, and the environment. By respecting our planet's fragile ecosystem, we respect our children's future, their children's future...

Planet Nightingale is our environmental initiative. Our commitment to the environment is expressed in a variety of ways – from making smart choices when it comes to choosing materials and processes, to designing products that are simple, flexible, and durable. It's all about doing more with less.

Nightingale is proud to have developed and promoted an environmental policy long before government instituted mandatory recycling. We are committed to manufacturing our products utilizing methods and materials that help to reduce the adverse impact on our environment.

The basic elements of our plan are to use others' waste (recycled materials) or sustainable sources of raw materials to create our products, to ensure that our products are recyclable, to use as few resources as possible in the manufacturing process, and to ensure that we minimize or eliminate waste and emissions.

ISO 14001 & ISO 9001 CERTIFIED TB117-2013 COMPLIANT

Made in a 100% waste free manufacturing facility.



DIMENSIONS DISCLAIMER

Dimensions are subject to change without notice.

Dimensions may have a variance of up to 0.5”.

Contact Nightingale if more precise measurements are needed.

TEXTILE DISCLAIMER

Nightingale only upholsters with top quality materials.

Nightingale recommends ordering product samples at www.nightingalechairs.com/textiles before final purchase to get a more accurate representation of colour. However, due to slight variations in dye lots, there can be slight colour variations to received product.

Nightingale has made every effort to represent the colours and textures of these textiles, vinyls and leathers as accurately as possible. However, we cannot guarantee 100% accuracy, due to variations that occur in the printing process.

