

# First Nations Office Furniture PSIB SA#E60PQ-140003/111/PQ

General Inquiries: Terry Hickey 1-877-933-8566, Ext. 3 terry@fnofficefurniture.ca www.firstnationsofficefurniture.ca

SuppliersWorkCoverage.National

Price List 2023 [Effective May 5, 2023]

CHIKOPOKIN

DOVE

ENTAI

INNATE

REQUISITE

# AFFORDABLE INNOVATION. SERVICE EXCELLENCE. FLEXIBILITY.

Whether we're working, collaborating or learning, we spend a lot of time sitting.

At Allseating, we've spent over three decades designing and manufacturing seating solutions that are more comfortable, innovative and functional for the corporate, education and healthcare vertical markets.

From flexible chairs that accommodate your every move, to affordable and sustainable solutions that adjust to your evolving business needs, our seating solutions work with you, and for you. Plus, you'll find total peace of mind with our customer service and warranty.

3

YOU

TUCK

ZIF

# YOU WORK. YOU LEARN. YOU SUPPORT.

From versatile chairs that accommodate your every move, to service programs that adjust to your evolving business needs, our seating solutions are designed to work the way you do. This includes:

## **ACCESSIBLE DESIGN**

There's one philosophy that drives the design of all our products: to support any situation, any task, and virtually any budget. The result is that our products have a reputation for being highly adjustable, highly durable and still affordable.

From our Therapod<sup>®</sup> chair to the revolutionary You<sup>®</sup> chair to our latest Levo<sup>®</sup> chair, we have a track-record of designing innovative solutions that change the way we sit. We're proud that many of our chairs have been recognized in international competitions, such as GOOD Design and Best of NeoCon.

### MASS CUSTOMIZATION CAPABILITIES

As an independently owned company, we have the flexibility to run the type of business we've always wanted to work for: one that's flexible and nimble. We know every customer has a unique set of requirements, so we've established production practices that allow us to adjust to those needs, but without the cost of 'going custom'.

While we officially have 218 chairs in our line-up, when you add up all the various mechanisms, arm combinations, seat sizes and other options, our Allseating's mass customization capabilities allow for roughly 7-million variations. So you know we have the perfect one for you.

# **COMMITMENT TO CUSTOMER SERVICE**

From spec to delivery to maintenance support, we have earned a reputation as being the easiest, most enjoyable manufacturer to do business with – often surprising our partners with our solutions-driven approach to service, product quality and on-time delivery.

We're proud to be recognized as the Office Furniture Dealers Alliance's Seating Manufacturer of choice, and a big reason for this is our customer-centric approach.

We developed our innovative SpecAll<sup>™</sup> online specification tool so you can specify, customize, price, save and share your product from any computer or mobile device. Our entire product library is also available at 2020technologies.com.

While we're proud of our highly intuitive specification technologies, we're always happy to work the way you prefer – including supporting traditional order processes over the phone. Simply call our Sales Support representatives and they will assist on all aspects of our products, and can answer all your specification questions.

## THE INDUSTRY'S BEST WARRANTY

When your products are as well engineered as ours, you can back them with the best warranty in the business. Ours is simple: 12 years on all parts and approved labor with a 12 year 24|7 on specified product (10 years on Foster Sleep Chair and Recliners, 7 years on Eighty Two seat foam, 3 years on Allseating Pillows).

Of course, we pride ourselves on engineering products that stand up to today's demanding work environments. That said, if something goes wrong, we're known for making it right. So if you receive a product from us that doesn't measure up to your quality standards, we promise to swiftly investigate and solve the problem.

We understand that dealing with warranties is often frustrating. So we developed a dedicated Warranty Response Team to eliminate headaches. They're specially trained to expedite warranty-related issues, so you can get back to business.

# **DESIGN FOR THE ENVIRONMENT**

In addition to being ISO 14001 Certified, the gold standard for helping companies introduce and adopt environmental management systems, Allseating products are Indoor Advantage Gold – Furniture Indoor Air Quality certified, SCS Global Services' highest level of indoor air quality performance for furniture. This certification assures that furniture products support a healthy indoor environment by meeting strict chemical emission limits for volatile organic compounds (VOCs).

To be certified, our products must be tested by independent labs for compliance with the ANSI/BIFMA X7.1 and either ANSI/BIFMA e.3 or CDPH/EHLB Standard Method V1-1 for VOC emissions of concerns.

SCS Global Services has been providing global leadership in third-party quality, environmental and sustainability verification, certification, auditing, testing and standards development for three decades. Its programs span a cross-section of industries, recognizing achievements in green building, product manufacturing, food and agriculture, forestry, power generation, retail, and more.

SCS is accredited to provide services under a wide range of nationally and internationally recognized certification programs. Consistent with its mission, SCS is a chartered benefit corporation and Certified B Corp<sup>™</sup>, reflecting its commitment to socially and environmentally responsible business practices.

YOU

TUCK

INNATE

RAINBOW

REQUISITE

ASTUTE

CHIROFORM

DOVE

DOVE

5


# **QUICK SHIP**

It's one thing to find the right product for the right price, but it's another thing to get it when you need it. We have the most extensive quickship offering in the industry with over 75 percent of our task, conference and guest seating available to be shipped within 72 hours when specified with standard finishes and options (maximum of 25 units per order to qualify).

Most of our Foster collection is also available on Quick Ship with express 5 day shipping when standard finishes and options are selected (maximum of 25 seats per order to qualify; i.e. triple = 3 seats).

Quick Ship timelines exclude weekends and holidays. Simply pick the solution that best suits your needs, choose from any of our any of our carded quick ship fabrics\*, and submit your order to Allseating's order entry department via fax at 1 800 272 9911, or email us at orders@allseating.com.

Each product that has a configuration that is eligible for Quick Ship has a QS logo indicating as such at the bottom of the page (as shown below). The QS column on each product page allow you to quickly identify which models/options are eligible for QS.



QUICKSHIP

YOL

TUCK

### < васк то тор

ASTUTE

DOVE

RAINBOW


REQUISITE

# ONLINE SPECIFICATION HAS NEVER BEEN EASIER.

We're constantly developing new and evolving existing products - so no matter how much planning goes into this price book, details can change. That's why we developed SpecAll<sup>TM</sup> – a convenient online tool that enables you to specify and price your product in real-time without ever leaving the comfort of your chair.

It really is that easy. Simply visit allseating.com, choose your chair and customize it by selecting your preferred options, fabrics and finishes. When you're done you can email it, or save it for future reference.

- 1 | We start with the base model.
- 2 | Change and customize your chair's mechanism, armstyle, finish and any other options available for your model.
- 3 | Choose your textile by clicking on the fabric thumbnail.
- 4 | Share with colleagues, add to your wish list, print or email your model.
- 5 | Need More?? Online Product Support includes product specifications, supporting documentation, video and image library.



5

1


YOU

TUCK


# CONTROLS

## DELUXE TILTER HEAVY DUTY (DJ/DH) - 11

Overview: Task applications which require extensive adjustability. Center pivot tilting action with infinite tilt lock. Suitable for chairs with independent seat and back construction.



#### 1 | Seat Height Adjustment To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.




2 | Forward Seat Angle Adjustment To engage forward seat tilt, recline slightly in the chair and roll the bar backwards. As you bring the chair back to an upright position, the seat of the chair will angle forward. To disengage forward seat tilt, recline slightly in the chair and roll the bar forwards. As you bring the chair back to an upright position, the seat will return to a neutral position.



# 3 | Tension Control Leaning back in the chair, decide if the

resistance of the chair is comfortable. If it is too loose, rotate the tension knob counter-clockwise. If the chair has too much resistance, turn the knob clockwise.

paddle up to unlock it. Recline to the dedown to lock in place.




#### 4 | Back Height Adjustment To adjust back height, lean forward

and grasp the sides of the outside back. To raise, slide the back up. To lower, slide it all the way to the top and then lower to desired height. Release to lock in place.



#### 5 | Infinite Tilt Lock To adjust the recline angle, pull the sired position and push the paddle



### 6 | Back Angle Adjustment

To increase the angle of the back, lift the paddle up while putting your weight on the back of the chair until you reach the desired angle. Release the paddle to lock into place. To decrease the angle of the back, lift the paddle up while removing your weight from the back until you reach the desired angle. Release the paddle to lock into place.

# DELUXE SYNCHRO TILT (DST) - 12

Overview: Task applications, which require extensive adjustability. Suitable for chairs with independent seat and back construction. Synchronized tilting action allows user's feet to remain on the floor as they tilt backwards. Side-activated tension for ease of adjustment. "J-Bar" construction provides enhanced visual appeal.



#### 1 | Seat Height Adjustment To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place.

To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.

# $\bigcirc$ $\bigcirc$

3 | Tension Control Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too loose, rotate the tension knob counter-clockwise. If the chair has too much resistance, turn the knob clockwise.



2 | Seat Depth Adjustment (Optional) To adjust the seat depth, lift up on paddle and simultaneously lift your weight from the seat while sliding the seat forward or backward. Release the paddle to lock the seat in place.

# 4 | Tilt Lock

To adjust the recline angle, twist knob forward to unlock it. Recline to the desired position and twist knob backwards to lock in place.

ASTUTE

DOVE

REQUISITE

YOU

# **CONTROLS**

### DELUXE SYNCHRO TILT W/BACK ANGLE (DST2) - 18

Overview: Task applications, which require extensive adjustability. Suitable for chairs with independent seat and back construction. Synchronized tilting action allows user's feet to remain on the floor as they tilt backwards. Side-activated tension for ease of adjustment. "J-Bar" construction provides enhanced visual appeal.




🕿 васк то тор



#### 1 | Seat Height Adjustment To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.



Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, pull knob out and rotate counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.



### 2 | Seat Depth Adjustment


(Optional) To adjust the seat depth, lift up on paddle and simultaneously lift your weight from the seat while sliding the seat forward or backward. Release the paddle to lock the seat in place.



# ¢



 $\bigcirc$ 



#### 4 | Tilt Lock

To adjust the recline angle, twist knob forward to unlock it. Recline to the desired position and twist knob backwards to lock in place.



#### 5 | Back Angle Adjustment To increase the angle of the back,

rotate the knob in clockwise motion until desired angle is reached. To decrease the angle of the back, rotate the knob in a counter-clockwise motion.

# **KNEE TILT (KT2) - 25**

Overview: For use in boardroom, executive and management applications. Suitable for chairs with combined seat and back construction.





Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.

#### 3 | Tilt Lock

To adjust the recline angle, pull the paddle up to unlock it. Recline to the desired position and push the paddle down to lock in place.



### 2 | Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too loose, rotate the tension knob counter-clockwise. If the chair has too much resistance, turn the knob clockwise.



# RAINBOW REQUISITE



YOU

ASTUTE

DOVE

ENTAIL

INNATE

CHIROFORM

DOVE

RAINBOW

REQUISITE

# CONTROLS

### **ENHANCED TILT - 15**

**Overview:** Applications which require moderate adjustability. Center Pivot Tilting action with lock in upright position only.



#### 1 | Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.

#### 2 | Tension Control Leaning back in the chair, decide if the



#### 3 | Tilt Lock


To adjust the chair tilt, pull the paddle out to unlock it. Recline to the desired position. Push the paddle in to lock in the upright position only.



## If it is too stiff, rotate the tension knob counter-clockwise.

If the chair does not provide enough resistance, turn the knob clockwise.

resistance of the chair is comfortable.



### SYNCHRO TILT - 24

**Overview:** Task applications which require extensive adjustability. Suitable for chairs with independent seat and back construction. Synchronized tilting action allows user's feet to remain on the floor as they tilt backwards.




1 | Seat Height Adjustment For desired seat height use the lever under the right side of the seat. To raise the seat, lift the lever up while taking your weight off the chair. To lower the seat, stay seated and lift the lever.

Release the lever when you reach the desired height.



#### 2 Seat Depth Adjustment (Optional) The integrated seat slider control is naturally accessible under the right side of the seat. Push the button in and slide to the desired position. Release to lock the seat in place.





#### 3 | Tension Control

For tension, adjust by turning tension knob clockwise to tighten and counterclockwise to loosen.

#### 4 | Tilt Lock

To lock the recline of the backrest, lean back to the desired position, push the tilt lock lever down to lock in place. To release, pull the lever up to unlock.

лод

DOVE

# **CONTROLS**

# POSTURE BACK (P) - 30

Overview: Task applications which require moderate and affordable adjustability. Suitable for chairs with independent seat and back construction. Suitable for stool applications.



#### 1 | Seat Height Adjustment To raise the chair, lift the paddle up while

lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height.


Release the paddle to lock into place.

#### 3 | Back Angle Adjustment

To increase the angle of the back, lift the paddle up while putting your weight on the back of the chair until you reach the desired angle. Release the paddle to lock into place. To decrease the angle of the back, lift the paddle up while removing your weight from the back until you reach the desired angle. Release the paddle to lock into place.

# SYNCHRO TILT (TS70) - 32

Overview: Task applications which require moderate and affordable adjustability. Suitable with chairs with separate seat and back construction. Central pivot tilting action with lock in upright position only.



#### 1 | Seat Height Adjustment To raise the chair, lift the lever while lifting

your weight from the seat until you reach the desired height. Push lever back to lock into place.

To lower the chair, lift lever while allowing your weight to push the seat down tot he desired height. Push lever back to lock into place.



#### 2 | Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, turn hand-wheel clockwise to increase tension and counter clockwise to reduce tension

# KNEE-TILT (KT3) -35

**Overview:** For use in conference rooms, executive and management spaces. Suitable for chairs with combined seat and back construction. Side tension control provides a solid ergonomic solution to users.



#### 1 | Seat Height Adjustment


To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allow-

the desired height.

3 | Tilt Lock



To adjust the recline angle, pull the paddle up to unlock it. Recline to the desired position and push the paddle down to lock in place.



2 | Back Height Adjustment To increase the height of the back, rotate the knob in a counter-clockwise motion to release the back

Lift back up to the desired height and tighten the knob by turning it clockwise. To lower the back height, rotate the knob in a

counter- clockwise motion to release the back. Lower the back to the desired height and tighten the knob by turning it clockwise.





### 3 | Tilt Lock (4 positions) To adjust the recline angle, lift lever to

unlock it. Recline tot he desired position and push down on lever to lock in place.



2 | Tension Control Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.

ing your weight to push the seat down to Release the paddle to lock into place.



TUCK

REQUISITE



CHIROFORM

DOVE

INNATE

# CONTROLS

# SYNCHRO TILT (ST) - 40


**Overview:** Task applications which require extensive adjustability. Suitable for chairs with independent seat and back construction. Synchronized tilting action allows user's feet to remain on the floor as they tilt backwards. "J-Bar" construction provides enhanced visual appeal.



### 1 | Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.





#### 2 | Seat Depth Adjustment (Optional)

To adjust the seat depth, lift up on paddle and simultaneously lift your weight from the seat while sliding the seat forward or backward. Release the paddle to lock the seat in place.




### 3 | Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.



#### 4 | Tilt Lock

To adjust the recline angle, push the paddle forwards to unlock it. Recline to the desired position and push the paddle back to lock in place.




#### 5 | Back Height Adjustment (Optional) To adjust back height, lean forward and grasp

the sides of the outside back. To raise, slide the back up. To lower, slide the back all the way to the top then back to the bottom to reset it. Raise slowly in increments until desired height is reached.

Note: Fluid and Zip do not have this feature.

# DYNAMIC SYNCHRO TILT (DYT) - 46

**Overview:** Task applications which require moderate adjustability. The Dynamic Synchro mechanism adjusts the tilt tension based on the weight of the user when reclining.



#### 1 | Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.

own to the





3 | Seat Slider To adjust the seat depth, pull the paddle up to unlock it and adjust to the desired

position. Release the paddle.

To adjust the recline angle, push the

Recline to the desired position. Pull the

paddle up to lock in the upright position.

paddle down to unlock it.

2 | Tilt Lock

TUCK

RAINBOW

REQUISITE

лод

# CONTROLS

## **BASIC TILT - 57**

Overview: Task applications which require moderate and affordable adjustability. Suitable with chairs with separate seat and back construction. Central pivot tilting action with lock in upright position only.




#### 1 | Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.



### 3 | Tilt Lock

To adjust the chair tilt, pull the paddle out to unlock it. Recline to the desired position and push the paddle in to lock in place.




#### 2 | Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.



Overview: Task applications which require moderate adjustability. Suitable for chairs with separate seat and back construction.



#### 1 | Seat Height Adjustment


**BASIC SYNCHRO TILT WITH SEAT SLIDER (ST) - 88** 

To raise, push the paddle down while taking your weight off the chair. To lower, stay seated and push the paddle down. Release when you reach the desired height.



#### 3 | Tilt Tension

Adjust by turning the knob clockwise to loosen and counter-clockwise to tighten.



# 2 | Tilt Lock

To adjust the chair tilt, pull the paddle out to unlock, recline to desired position, push the paddle in to lock.

#### 4 | Seat Depth Adjustment

Pull lever, located under the chair on the right side, outward to unlock.

Slide into desired position and release to lock into place.

TUCK

лод

DOVE

ENTAIL

INNATE

RAINBOW

REQUISITE

CHIROFORM

DOVE

ENTAIL

INNATE

RAINBOW


REQUISITE

TUCK

# CONTROLS

# DELUXE TILT J-BAR (DJ) - 80

Overview: Task applications which require extensive adjustability. Center pivot tilting action with infinite tilt lock. Suitable forchairs with independent seat and back construction. "J-Bar" construction provides enhanced visual appeal.





## 3 | Seat Depth Adjustment (Optional)

paddle to lock into place.

1 | Seat Height Adjustment

To raise the chair, lift the paddle up while

lifting your weight from the seat until you

reach the desired height. Release the paddle

to lock into place. To lower the chair, lift the

paddle up allowing your weight to push the

seat down to the desired height. Release the


To adjust the seat depth, lift up on paddle and simultaneously lift your weight from the seat while sliding the seat forward or backward. Release the paddle to lock the seat in place.


#### 5 | Back Height Adjustment

To adjust back height, lean forward and grasp the sides of the outside back. To raise, slide the back up. To lower, slide it all the way to the top and then lower to desired height. Release to lock in place.

#### 7 | Back Angle Adjustment

To increase the angle of the back, lift the paddle up while putting your weight on the back of the chair until desired angle. Release the paddle to lock. To decrease the angle of the back, lift the paddle up while removing your weight from the back until you reach the desired angle. Release the paddle to lock into place.





#### 4 | Tension Control

counter-clockwise.

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.

To tilt the seat forward, first recline slightly

until desired angle is reached.

in the chair and then rotate handle clockwise

To return to a neutral position, rotate handle

#### 6 | Infinite Tilt Lock

To adjust the recline angle, pull the paddle up to unlock it. Recline to the desired position and push the paddle down to lock in place.

ALLSEATING | 2022 - 2023 | UPDATED MAY 5, 2023 14

Z₽

# **CONTROLS**

## BASIC SYNCHRO-TILT 4 (BT4) - 89

Overview: Task applications which require moderate and affordable adjustability. Suitable for chairs with separate seat and back construction. Synchro-Tilt action with lock in upright position only.



#### 1 | Seat Height Adjustment

To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.



#### 2 | Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.




#### 3 | Tilt Lock

To adjust the chair tilt, pull the paddle out to unlock it. Recline to the desired position. Push the paddle in to lock in the upright position only.

## VALUE PLUS (VP) - 90

Overview: Task applications which require extensive adjustability. Center pivot tilting action with infinite tilt lock. Suitable for chairs with independent seat and back construction. "J-Bar" construction provides enhanced visual appeal.



#### 2 | Forward Seat Angle Adjustment

To tilt the seat forward, first recline slightly in the chair and then rotate handle clockwise until desired angle is reached. To return to a neutral position, rotate handle counter-clockwise.




#### 1 | Seat Height Adjustment


To raise the chair, lift the paddle up while lifting your weight from the seat until you reach the desired height. Release the paddle to lock into place. To lower the chair, lift the paddle up allowing your weight to push the seat down to the desired height. Release the paddle to lock into place.

#### 3 | Seat Depth Adjustment

To adjust the seat depth, lift up on paddle and simultaneously lift your weight from the seat while sliding the seat forward or backward.

Release the paddle to lock the seat in place.








### 7 | Back Angle Adjustment

To increase the angle of the back, lift the paddle up while putting your weight on the back of the chair until desired angle. Release the paddle to lock. To decrease the angle of the back, lift the paddle up while removing your weight from the back until you reach the desired angle. Release the paddle to lock into place.





#### 4 | Tension Control

Leaning back in the chair, decide if the resistance of the chair is comfortable. If it is too stiff, rotate the tension knob counter-clockwise. If the chair does not provide enough resistance, turn the knob clockwise.

#### 6 | Infinite Tilt Lock

To adjust the recline angle, pull the paddle up to unlock it. Recline to the desired position and push the paddle down to lock in place. ASTUTE

DOVE

INNATE

RAINBOW


REQUISITE

YOU Ľ₽


TUCK

# **ARM ADJUSTMENTS**

## ARM WIDTH OPTION SPECIFICATIONS




AWK: Arm width adjustment with a turn knob. Available for: NA (No Arms), AT, WA, T2, 4D, MF, TW.



**AWL:** Arm width adjustment with lever. Available for: T2, 4D and TW only. Not available with AT arms or products with a shroud. Standard with MF Arms.

### **MULTI-FUNCTIONAL ARM - MF**

(Adjustable 4" height, pivots and slides side to side and front to back)



#### Arm Height Adjustment


To increase the arm height, press the button on the outside of the arm and pull up on the arm until the desired height is reached. The release the button. To lower the arm height, press the button again until desired height is reached and release the button.

#### Arm Cap Adjustment -Side to Side

Arm caps can be moved inward or outward by pressing the button on the inside of the arm cap and sliding the cap in the desired position.



#### Arm Cap Adjustment - Pivot To change the angle of the arm cap, press the button on the inside of the arm cap and twist the arm cap either left or right



#### Width Adjustment

To adjust the arm width, loosen the knob found under the seat, move the arm to the desired width and tighten the knob to lock in place.

AWL is standard, AWK optional on some models.




To change arm cap depth, press the button on the inside of the arm cap and slide forwards or backwards to desired position.



### 4 DIMENSIONAL ARM - 4D

È

(Adjustable 3.25" height, cap pivots inwards and slides side to side and front to back (width adjustment optional)



Arm Height Adjustment To adjust the arm height, push the button in and move the arm to the desired height. Release the button to lock in place.


Arm Cap Adjustment -

Arm caps can be moved in or out

by sliding the cap in the desired

Front and Back

direction.



#### Width Adjustment (Optional)

To adjust the arm width, loosen the knob found under the seat, move the arm to the desired width and tighten the knob to lock in place.

AWK and AWL available on most models.

Note: Optional on some models

Arm Cap Adjustment - Side to Side Arm caps can be moved in or out


by sliding the cap in the desired direction.

#### Pivot Inwards


Arm caps can be moved in or out by sliding the cap in the desired direction.


### ADJUSTABLE T ARM - AT

(Adjustable 2.5" height (width adjustment optional)



Arm Height Adjustment To adjust the arm height, push the button up and move the arm to the desired height. Release the button to lock in place.





#### Arm Width Adjustment (Optional) To adjust the arm width, loosen the

knob found under the seat, move the arm to the desired width and tighten the knob to lock in place. AWK is standard, AWL not available with this arm.

Note: Optional on some models

INNATI

ASTUTE

CHIROFORM

DOVE

\_\_\_\_\_

лод

# **ARM ADJUSTMENTS**


INFO

## **TASK 2 ARM - T2**

#### (Adjustable 4" height (width adjustment optional))



Arm Height Adjustment To adjust the arm height, push the button up and move the arm to the desired height. Release the button to lock in place.



Arm Width Adjustment (Optional) To adjust the arm width, loosen the knob found under the seat, move the arm to the desired width and tighten the knob to lock in place AWK and AWL available on most models.

L1 WITH ARM - WA

#### (Adjustable 4" height)



Arm Height Adjustment To adjust the arm height, push the button in at the front of the arm and move the arm to the desired height. Release the button to lock in place.



Arm Width Adjustment To adjust the arm width, pull the lever open to unlock the arm, move the arm

to the desired width and close the lever

to lock in place.

#### Arm Cap Adjustment - Front and Back

Arm caps can be moved forward or backwards by sliding the cap in the desired direction.

### **ENTAIL WITH ARM - WA**

#### (Adjustable 4" height)



#### Arm Height Adjustment

To adjust the arm height, press the lever located under the arm cap to raise or lower the arm. Release the lever to lock in place.





Arm Cap Adjustment - Front and Back

Arm caps can be moved forward or backwards by sliding the cap in the desired direction.

### **PROPRIETARY DUAL ARM - L2**

(Adjustable 2.5" height and rotates 30° inward)



#### Arm Height Adjustment

To adjust the arm height, press the button on the outside of the arm and pull the arm pad up to the desired height. There are 6 positions of height.



Arm Cap Adjustment Arm caps can be tilted inward to provide forearm support.

### T7 ARM - T7

(Adjustable 4" height and rotates 360°, width adjustment included)



Arm Height Adjustment To adjust the arm height, push the button in on the side and move the arm to the desired height. Release the button to lock in place.



Arm Cap Adjustment To adjust the arm cap inward,

#### Arm Width Adjustment

To adjust the arm width, loosen the knob found under the seat, move the arm to the desired width and tighten the knob to lock in place.

#### Arm Cap Swivel Adjustment

Arm caps can be rotated 360 degrees. Simply rotate to the desired position.

ALLSEATING | 2022 - 2023 | UPDATED MAY 5, 2023

лод

CHIROFORM

DOVE

INNATI

F

RAINBOW

REQUISITE

# CUSTOMER'S OWN MATERIAL (COM)/LEATHER (COL)

For any COM fabric application, please request the official COM notification form QSF 182. One memo sample (6" x 6") of all COM/COL fabrics must be submitted for approval with the following information:

- 1. Customer Purchase Order
- 2. Chair Name/Model Code/Quantity
- 3. Fabric Supplier
- 4. Fabric Name/Number/Color
- 5. Ship To: address

Memo samples to be shipped to:

ALLSEATING CORPORATION Attn: Customer Service Department 5800 Avebury Road, Unit #3 Mississauga, ON L5R 3M3 CANADA

Allseating is not responsible for the return of samples; nor the durability, color inaccuracies, dye lot variations, tailoring quality or other defects of any COM/COL.

Upon application approval of COM/COL, fabric must be sent to corporate headquarters with the following:

- 1. COM/COL Notification Form
- 2. Commercial Invoice
- 3. NAFTA Certificate If shipment originates from the U.S.A.
- 4. Your company name & contact person
- 5. Your purchase order number

On your Purchase Order, the following information must be supplied to the factory regarding COM/COL fabric:

- 1. Manufacturer's name
- 2. Correct model number to which COM or COL is to be applied
- 3. A sample (6" x 6") of the COM or COL
- 4. Instructions for proper application
- 5. Manufacturer's pattern and color number
- 6. Correct side of fabric

When no instructions are received with your COM or COL, Allseating will use our own judgment with no recourse. Extended lead times may occur if COM or COL is not properly identified when received by Allseating. Allseating is not responsible for any unclaimed COM/COL 30 days beyond shipment of goods. COM yardage shown in the Price Catalog is based on single chair requirements. For multiples, the yardage may be reduced, please call Customer Service for details. Regular COM orders will be charged at Group 2 pricing and regular COL orders will be charged at Group 4 pricing.

Allseating reserves the right to reject any COM Fabric or COL Material which, in our opinion, is unsuitable. COM fabric must be supplied in one piece. Where patterns or repeats are involved additional yardage may be required.

All COM/COL orders will not be scheduled for production until Customer Service receives confirmation from our warehouse or receiving department that the fabric has arrived. Shipping will be approximately 4 weeks from receipt of fabric.

All items are available with material furnished by the customer. Yardage requirements listed in our price list are based on 54" wide plain material. Generally, additional yardage is required if striped or patterned material is used, if pattern requires matching or if width of material is less than 54" wide. Please contact customer service to determine additional yardage requirements. Though every effort has been made to estimate additional yardage required, Allseating takes no responsibility where additional material must be ordered.

For patterns with a repeat distance of 0"- 9" please estimate an additional 10% in yardage. For a repeat distance of 10"- 20" please estimate an additional 20% in yardage. Any repeat higher than 20" please contact customer service to determine additional yardage requirements.

If you wish to provide your own leather, please estimate 17 square feet of leather per yard of material required, based on the yardage requirement listed for each piece. Allseating will not order special leather from any supplier other than their own.

Allseating can take no responsibility for tailoring, wearability or application of COM/COL covers. Allseating is not held responsible for receipt of defective fabrics, as they are all applied as first quality goods. COM/COL is applied at customer's own risk and Allseating assumes no liability

YOU

Ľ₽

TUCK

# **CUSTOMER'S OWN MATERIAL (COM)/LEATHER (COL)**

### ALL STANDARD SEATING FABRICS ARE APPLIED RIGHT WAY (OFF-THE-BOLT)

Usually, seating fabrics are patterned to run Right-Way (off-the-bolt). Allseating will upholster all seating products with the fabric pattern running off the bolt unless special instructions stating otherwise are received. (Upcharges may apply)

Right Way Application (Off The Bolt)

fabric width

To avoid unnecessary confusion, always specify Right Way or Railroad. Explanation of what Railroad and Right Way means.



### FABRIC UPGRADE CHART FOR FABRICS GRADED 9 – 12

Determine the amount of fabric required for the product by referencing the COM yardage requirements as published. Once yardage has been determined, add the indicated list amount in the chart below to the published Group 8 price and discount as required.

ge	Grade 9	Grade 10	Grade 11	Grade 12
	\$37	\$73	\$111	\$147
	\$56	\$110	\$166	\$220
	\$74	\$146	\$221	\$293
1.25	\$93	\$183	\$276	\$366
1.5	\$111	\$219	\$332	\$440
1.75	\$130	\$256	\$387	\$513
2	\$148	\$292	\$442	\$586
2.25	\$167	\$329	\$497	\$659
2.5	\$185	\$365	\$553	\$733
2.75	\$204	\$402	\$608	\$806
3	\$222	\$438	\$663	\$879
3.25	\$241	\$475	\$718	\$952
3.5	\$259	\$511	\$774	\$1,026
3.75	\$278	\$548	\$829	\$1,099
4	\$296	\$584	\$884	\$1,172
4.25	\$315	\$621	\$939	\$1,245
4.5	\$333	\$657	\$995	\$1,319
4.75	\$352	\$694	\$1,050	\$1,392
5	\$370	\$730	\$1,105	\$1,465
5.25	\$389	\$767	\$1,160	\$1,538
5.5	\$407	\$803	\$1,216	\$1,612
5.75	\$426	\$840	\$1,271	\$1,685
6	\$444	\$876	\$1,326	\$1,758
6.25	\$463	\$913	\$1,381	\$1,831
6.5	\$481	\$949	\$1,437	\$1,905
6.75	\$500	\$986	\$1,492	\$1,978
7	\$518	\$1,022	\$1,547	\$2,051
7.25	\$537	\$1,059	\$1,602	\$2,124
7.5	\$555	\$1,095	\$1,658	\$2,198
7.75	\$574	\$1,132	\$1,713	\$2,271



🕿 ВАСК ТО ТОР

ASTUTI

CHIROFORM

DOVE

INNATI

RAINBOW

REQUISITE

or Selvage to Top


TUCK

ALLSEATING | 2022 - 2023 | UPDATED MAY 5, 2023

Ľ₽

# HOW TO ORDER YOUR ALLSEATING CHAIR

Select your chair, follow the steps below and enter corresponding codes in the boxes along the bottom of the page:



# MODEL CODE

To determine your Model Code refer to the Series, Back Style, Controls (or Leg), available and the upcharge (if applicable) for each option. Select the desired configuration and place the corresponding number in the boxes noted at the bottom of the page.

# **OPTION CODE**

Refer to the Arms, Finishes, Option Code etc. for the availability and the upcharge for each option. Choose the options you require, and fill in the boxes with the appropriate code. If multiple options are desired, simply separate with a hyphen. If you do not fill in any option codes, you will be shipped the standard somponents.

# FABRIC CODE

Refer to the Allseating fabric cards, and select your fabric. The pricing pages indicate list prices for Group 1 - Group 8 Fabrics, as well as Leather 1-3 (for Groups 9 - 12 please see page 19 for pricing). Enter your selected Fabric Code into the appropriate box. Allseating customers may provide their own fabric or leather, and if you wish to do so, please see page 18 for COM and COL information. Check your completed codes for accuracy and YouToo with Synchro Tilt, M2 Mesh in Platinum, T2 Arms with AWK, Dual Surface Casters and Seat Slider with Atlantic Fabric (F-A66064), your completed model code should look like this:

84012-T2-BK-2PT-SS-AWK-LH-KD-F-OCDAN						
Model Code:	84012					
<b>Option Code:</b>	T2 - BK - 2PT - AWK - SS - LH					
Fabric Code:	F-A66064					

# **DETERMINE YOUR FINAL LIST PRICE**

The group of the fabric you select determines the list price of your chair. Please refer to the price chart at the top of the pricing page to determine the list price. If options are selected, add the corresponding upcharge to the list price.

For example, using the same model as above with a Grade 3 fabric the base list price will be: **\$1,070** 

With the options note: 84012 (with Grade 3 fabric) \$1,070 **T2 \$105 + 2PT \$25 + SS \$79 + AWK \$29 + LH \$28** 

## FINAL LIST PRICE = \$1,248

YOU

DOVE

# HOW TO ORDER YOUR ALLSEATING CHAIR

### PLACE YOUR ORDER!

Email the following information to Allseating's Order Entry Department at orders@allseating.com (or fax 1 800 272 9911):

- 1 | Completed Model Code with corresponding Options and Fabric codes.
- 2 | Final pricing. Please ensure that you calculate all of your selected options into your final price, as well as any discounts.
- 3 | Completed Purchase Order on company stationery
  - or company letterhead, and include:
  - a purchaser's signature
  - a ship to address
  - contact name, phone number and e-mail address
  - if available, please include SIF, XML or 20/20 Worksheet with purchase order.

Please ensure that the Purchase Order is made out to:

Allseating 5800 Avebury Road, Unit 3 Mississauga, Ontario Canada L5R 3M3

You will receive an automated order confirmation within 72 hours of receiving your Purchase Order, providing all correct information is received. Thank you in advance!

# **FREIGHT SERVICES**

Please be aware that Allseating's standard is to ship in KD (Knocked Down) format. However, in order for us to provide you with the best value and help you control your costs, Allseating offers 3 flat rate freight options: KD-Knocked Down, BW-Fully Assembled Blanket Wrapped and FA-Fully Assembled in a Carton (minimum order quantity of 25 units/seats applies). Where available, these options are detailed on each product page with a model code and price. For each of these freight options, Allseating will select carriers at their discretion. Allseating's standard shipping is "Best Way" which is typically "Dock to Dock". Recipients are required to arrange for people to receive and unload the contents of the trailer. Should an appointment be required with your receiving dock, this must be indicated on your purchase order and the freight company will reach out 24 hours in advance for a delivery appointment. Should you require any special freight services that are not included with our standard freight, the Allseating Sales Support Team will gladly assist you. However, for your convenience, we have provided an estimated price associated with the services commonly requested. Please ensure that you indicate one of the three (3) Freight Requirements offered in your model code: **AS** - Allseating Standard, **GD** - Guaranteed Delivery Date and Time (quote required) or **FQ** - Special Freight Service (quote required).

Please note the following freight service costs and ensure you indicate the quote reference # and charge provided by Sales Support on your Purchase Order:

ALLSEATING FREIGHT SERVICE*	NET PRICE	MODEL CODE
Guaranteed Delivery Date and Time	Call for quote	GD
Inside delivery	Call for quote	FQ
Residential Delivery	Call for quote	FQ
Shipments requiring to be palletized	Call for quote	FQ
Delivery before/after hours and/or weekends	Call for quote	FQ
Shipping points beyond standard zones (remote locations)	Call for quote	FQ
Overseas deliveries	Call for quote	FQ
Smaller truck required	Call for quote	FQ
Deliveries outside the 48 contiguous states and Canada (including NWT, YK, NU)	Call for quote	FQ
No Dock but accessible to 53 foot trailer	\$150 per truck	FQ
Not accessible to 53 foot trailer / small truck	\$300 per truck	FQ
Curbside delivery with 53 foot trailer	\$150 per truck	FQ
After hours	\$600 per truck	FQ
Power Tailgate	\$300 per truck	FQ
Military Base where US driver required for delivery	\$500 per truck	FQ
Driver Assist	\$300 per truck	FQ
Waiting*	\$125 /hour	]

\*Please note that ALL services (including Allseating's Standard delivery) have a specific window for trucks to be unloaded (LTL=1 hour, FTL=2 hours). Any wait time outside of that window will incur charges at \$125/hour.

TUC

# **MESH APPLICATION**

MESH	MODEL CODE	COLOR NAME	YOU	LEVO	EIGHTY TWO	ENTAIL	INERTIA	ZIP	L1	FLUID	FOSTER
I1 [ENTAIL]	10N	ONYX		•	1110	•	•				
	1CN	CARBON		•		•	•				
	100	CAROB		•		•	•				
	1CR	CRIMSON		•		•	•				
	1CU	CURRANT				•					
	1DU	DUNE				•	•				
	1HZ	HAZE									
	1MA	MAIZE									
	1MI	MIDNIGHT									
	1PC	PACIFIC		•							
	15A	SAGE									
	15A 1SK	SMOKE									
	13K 1CV	COVE									
				•		•	•				
	1AU	AUTUMN		•		•	•				
M2 [FLUID, FOSTER, YOU MESH]	2IR	IRON	•			•	•	•	•	•	•
	2PT	PLATINUM	•			•	•	•	•	•	•
	2ZC	ZINC	•			۰	•	•	•	۰	۰
	2CP	COPPER	•			٠	•	۰	•	۰	•
	2PW	PEWTER	•			٠	•	٠	٠	۰	•
	2BR	BRONZE	•			٠	•	٠	٠	٠	•
	2PA	PATINA	•			٠	•	٠	٠	۰	•
	2G0	GOLD	•			•	•	•	•	•	•
	2RH	RHODIUM	•			٠	•	٠	٠	•	•
<b>13</b> [FLUID, FOSTER, YOU MESH]	3EB	EBONY	•			•	•	•		•	•
	3CB	COBALT	•			٠	•	٠		•	•
	351	SILICA	•			•	•	٠		•	•
	3SD	SANDSTONE	•			•	•	•		•	•
	3DG	DARK GREY	•			•		•		•	
14 [HONEYCOMB]	4BH	BLACK HONEYCOMB	•			•	•	•		•	
M7 [INERTIA]	7BK	BLACK					•				
	7NY	NAVY									
	7SB	SKY BLUE									
	7GR	GREY									
	7GK 7SV	SILVER									
	7SD	SANDSTONE					•				
	7GA	GREEN APPLE					•				
	7FL	FLARE					•				
<b>M8</b> [ZIP]	8HM	HORIZONTAL						٠			
	8SM	SHEER LATTITUDE						٠			
M9	9PE	PETAL	•	٠					•		
	9FL	FLAME	٠	٠					•		
	9SU	SUNFLOWER	•	•					٠		
	9BS	BLUE SPRUCE	•	•					٠		
	9RE	REEF	•	٠					•		
	9BA	BAMBOO	•	•					•		
	9CH	CHESTNUT	•	•							
	9FR	FROST	•	•							
	9GR	GRANITE	•	•							
	900	COSMOS	•	•							
/10	10C	CHARCOAL									
	10N	NICKLE									
	10F	FOG									
	10F	BLACK									
M11		MIXTAPE							•		
M11	11M				•						
	115	STARDUST			•						
	11N	NEW WAVE			•						
	11A	ARCADE			٠						

ZIP

Leather 2

\$959

QS

Leather 3

\$1,062

\$

\$10

\$70

\$120

\$65

VAR

\$48

\$55

\$26

\$16

\$16

\$21

\$35

VAR

VAR

\$515



# **ASTUTE<sup>®</sup> GUEST POLY**

Grade 5

\$753

Grade 6

\$781

Grade 7

\$813

Grade 8

\$848

Grade 4/

COL

\$738

Astute

Cove

Maize

Dune

Pacific

BASE PRICE | \$615

Grade 2/

сом

\$706

Grade 3

\$720

24

0

54

50

Ν

G

н

PA

РМ

CM

MON

MSK

PON

PSK

PMI

BKN

SKN

ON

SK

МΙ

UPH

CA

тс

CR

FG

FG

GB

FA

BW

AS

FQ

GD

ASTUTE

Dolly 14

CODE

ΗZ

СТ

CU

CR

SA

C٧

MA

DU

PC

24054-NPA/NPM

Grade 1

\$685

Polypropylene Seat and Back

\$615

SERIES

LEG

ARM

BACK STYLE

ARM FINISH

FRAME FINISH

POLYPROPYLENE

B for Back | S for Seat

FREIGHT OPTIONS

FREIGHT REQUIREMENTS

COLORS AVAILABLE

Painted frames add

Indicate:

B for Back

S for Seat

P for Paint

\$30 List

Indicate:

OPTIONS

TRIM FINISH (glides + shroud)

### **FEATURES**


- Standard nylon glide
- · Reinforced polypropylene seat and back
- Polished aluminum arms
- · Wall-Saving designed frame · Shroud included with optional upholstered seat
- · Stacks 14 high on dolly, 7 with upholstered seats
- · Stacks 6 on the floor, 4 with upholstered seats
- · Caster stacking

#### DIMENSIONS

- Overall Armless: 33.88"H | 20.93"W | 22.75"D
- Overall Penguin Arm 4-Leg: 33.88"H | 26.5"W | 22.75"D
- Overall Loop Arm 4-Leg: 33.88"H | 24.25"W | 22.75"D
- Seat: 18"W | 17.38"D | 18"H • Back: 14"H | 18"W
- · Upholstered seat will add 0.75" to
- seat height · COM Seat: 0.75 yards

#### NOTES

- · Ships full assembled, for BW Freight Option, a 25 unit minimum order applies.
- · For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- Ganging brackets shipped separately: Requires Installation.
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- · Felt covered glides are suitable for use on hardwood, marble.
- Chrome Rockers best used on uneven floors, but are also suitable for all floor types



	24	

#### DESIGN | BUSK + HERTZOG | OPEN MARKET

Leather 1

\$925

Astute	
Midback	
Stackable 4-Leg	
Stackable Sled (will not stack with loop arm)	
No Arm [Arm Finish Selection Still Required]	
Penguin Arm	
Loop Arm (will not stack with sled base)	
Polished Aluminum	
Painted to Match Frame	
Chrome	
Matte Onyx	
Matte Smoke	
Onyx	
Smoke	
Midnight	
Black	
Smoke	
Onyx	
Smoke	
Midnight	
Fully Upholstered Seat with Poly Back	
Carpet Casters [Black Trim Only]	
Dual Surface Casters [Black Trim Only]	
Chrome Rocker [Black Trim Only]	
Felt Glides (4-Leg + Black Trim only)	
Felt Glides (Sled)	
Ganging Bracket (No Arm only)	
Fully Assembled in a Carton	
Blanket Wrapped Fully Assembled [25 Unit Minimum]	
Allseating Standard	
Special Freight Instructions (Call for Quote)	
Guaranteed Delivery Date and Time (Call for Quote)	
Please ensure dolly has separate model/line item with quantities specified	
WHILE QUANTITIES LAST [25 UNIT MINIMUM ORDER QUANTITY	1
Haze	
Cotton	
Currant	
Crimson	
Sage	



#### **FEATURES**

- Standard nylon glide · Reinforced polypropylene seat and back
- Polished aluminum arms
- · Wall-Saving designed frame Shroud included with optional
- upholstered seat · Stacks 10 high on dolly, 7 with upholstered seats
- · Stacks 4 on the floor, 4 with upholstered seats


### DIMENSIONS

- · Bar Overall Armless:
- 46.9"H | 21.8"W | 22.75"D • Bar Overall Penguin Arm:
- 46.9"H | 26.6"W | 22.75"D Bar Overall Loop Arm:
- 46.9"H | 24.3"W | 22.75"D • Bar Seat: Seat:
- 31.1"H | 18.2"W | 17.2"D Counter Overall Armless:
- 41.5"H | 21.4"W | 22.74"D • Counter Overall Penguin Arm: 41.5"H | 26.6"W | 22.75"D
- Counter Overall Loop Arm: 41.5"H | 24.3"W | 22.75"D
- Counter Seat:
- 25.7"H | 18.2"W | 17.2"D · COM Seat: 1.25 yds

### NOTES

- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is war
- Dimer selecte to com Guide
- Felt co on har
- Chrom floors, types

	icate: HZ	Haze
arranted for users up to 350 lbs. B fo	or Back CT	Cotton
ensions are dependant on options cted. Product can be configured <b>S</b> fo	or Seat CU	Currant
	or Paint CR	Crimson
lelines.	SA	Sage
	nted frames add CV	Cove
ardwood, marble. me Rockers best used on uneven \$30	D List MA	Maize
s, but are also suitable for all floor	DU	Dune
S	PC	Pacific
ORDER SIMPLY FILL IN THE B	BLANKS	- S



## BASE PRICE | \$665 24052-NPA/NPM

Polypropylene Seat and Back	Grade 1	Grade 2/ COM	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$665	\$735	\$756	\$770	\$788	\$803	\$831	\$863	\$898	\$975	\$1,009	\$1,112
SERIES			24	Astute						QS	\$
BACK STYL	F		0	Midback						23	Ψ -
LEG	-		52	Counter							-
			53		Sled (will n	ot stack wi	th loop arn	1)			\$10
			55	Bar 4-Le				,			\$30
			56		(will not sta	ack with lo	op arm)				\$40
ARM			N		Arm Finish			red]			-
			G	Penguin	•						\$70
			L	-	n (will not s	tack with sl	ed base)				\$120
ARM FINIS	н		PA		Aluminum		,				-
			РМ	Painted t	o Match Fra	ame					-
FRAME FIN	ISH		СМ	Chrome							\$65
			MON	Matte On	ух						-
			MSK	Matte Sm	noke						-
			PON	Onyx							-
			PSK	Smoke							-
			PMI	Midnight							-
TRIM FINIS	H (glides +	shroud)	BKN	Black							-
			SKN	Smoke							-
POLYPROP	YLENE		ON	Onyx							-
Indicate:			SK	Smoke							-
B for Back	S for Seat		МІ	Midnight							-
OPTIONS			UPH	Fully Uph	olstered Se	at with Pol	y Back				VAR
			CR	Chrome I	Rocker [Bla	ck Trim On	ly]				\$26
			FG	Felt Glide	es (4-Leg +	Black Trim	only)				\$16
			FG	Felt Glide	es (Sled)						\$16
FREIGHT O	PTIONS		FA	Fully Ass	embled in a	Carton					-
			BW	Blanket V	Vrapped Fu	lly Assemb	led [25 Uni	t Minimum	]		\$35
FREIGHT R	EQUIREME	NTS	AS	Allseating	g Standard						-
			FQ	Special F	reight Instri	uctions (Ca	II for Quote	)			VAR
			GD	Guarante	ed Delivery	Date and	Fime (Call f	or Quote)			VAR
			ASTUTE Dolly 14	Please er	isure dolly h	nas separate	e model/line	e item with	quantities spe	cified.	\$515
COLORS A	AILABLE		CODE	WHILE	QUANTITI	ES LAST	25 UNIT M	ілімим о	RDER QUAN	ΤΙΤΥ]	
Indicate:			HZ	Haze							
B for Back			СТ	Cotton							
S for Seat			CU	Currant							
P for Paint			CR	Crimson							
			SA	Sage							
Painted frai	mes add		cv	Cove							
\$30 List			MA	Maize							
			DU	Dune							
			PC	Pacific							
IE BLANI	KS										

**ASTUTE<sup>®</sup> STOOL POLY** 






# ASTUTE<sup>®</sup> FULLY UPHOLSTERED

# BASE PRICE | \$572

	Grade 2/										
Grade 1	COM	Grade 3	Grade 4	1/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$572	\$607	\$630	\$66	50	0 \$686 \$732 \$785 \$843 \$971 \$1,028						
SERIES			25	Astute	e Fully Uph	olstered				QS	\$
BACK STYLE			0	Midba	ick						-
LEG			54	Stack	able 4-Leg						-
			50	Stacka	able Sled (v	ill not stacl	k with loop a	arm)			\$10
ARM			Ν	No Ar	m [Arm Fin	ish Selectio	n Still Requ	ired]			-
			G	Pengu	iin Arm						\$70
			L	Loop	Arm (will no	ot stack with	n sled base)				\$120
ARM FINISH			PA	Polish	ed Aluminu	ım					-
			PM	Painte	d to Match	Frame					-
FRAME FINISH	l		СМ	Chron	ne						\$65
			MON	Matte	Onyx						-
			MSK	Matte	Smoke						-
			PON	Onyx							-
			PSK	Smoke							-
			PMI	Midnight							-
TRIM FINISH (	glides + shr	oud)	BKN	Black							-
			SKN	Smoke							-
OPTIONS			CA		t Casters [B						\$48
			тс		Surface Cast	-					\$55
			CR	Chrome Rocker [Black Trim Only]							\$26
			FG	Felt Glides (4-Leg + Black Trim only)							\$16
			FG	Felt Glides (Sled)							\$16
			GB	-	ng Bracket (		y)				\$21
FREIGHT OPTI	ONS		FA		ssembled i						-
			BW			-	ibled [25 Ur	iit Minimum	]		\$35
FREIGHT REQU	JIREMENTS		AS		ting Standa						-
FQ				Special Freight Instructions (Call for Quote) Guaranteed Delivery Date and Time (Call for Quote)						VAR	
			GD	Guara	nteed Delive	ery Date and	1 Time (Call	tor Quote)			VAR
			ASTUTE Dolly 14	Please	e ensure dol	ly has sepa	rate model/l	ine item wit	h quantities s	pecified.	\$515



GSA Contract Holder	
Contract GS-29F-0144C	NECCH ADAMFREE COLD

# BACK TO TOP DESIGN | BUSK + HERTZOG GSA SIN | 33721

INFO

PILLOWS

AYLES

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATE

≒

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOU

ZIP

FEATURES

- Standard nylon glide
- Polished aluminum armsWall-Saving designed frame
- Stacks 7 high on dolly, 4 on the floor
- Caster stacking
- Shroud included

#### DIMENSIONS

- Overall Armless:
- 33.88"H | 20.93"W | 22.75"D • Overall Penguin Arm 4-Leg:
- 33.88"H | 26.5"W | 22.75"D • Overall Loop Arm 4-Leg:
- 33.88"H | 24.25"W | 22.75"D
- Seat: 18"W | 17.38"D | 19"H
- Back: 14"H | 18"W
- COM Back: 0.75 yards
- COM Seat: 0.75 yards
- COM: 1.25 yards

#### NOTES

- Ships fully assembled for BW Freight Options, a 25 unit minimum order applies
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- Ganging brackets shipped separately: Requires Installation.
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- Felt covered glides are suitable for use on hardwood, marble.
- Chrome Rockers best used on uneven floors, but are also suitable for all floor types

🕿 ВАСК ТО ТОР

INFO

PILLOWS

DESIGN | BUSK + HERTZOG GSA SIN | 33721

Leather 2

\$1,068

0S

Leather 3

\$1,240

\$

\$10

\$30

\$40

\$70

\$120

-

\$65



#### FEATURES


- Standard nylon glide
- Polished aluminum arms
- Wall-Saving designed frame
- Stacks 7 high on dolly, 4 on the floor
- Shroud included

#### DIMENSIONS

- Bar Overall Armless: 46.9"H | 21.8"W | 22.75"D
- Bar Overall Penguin Arm: 46.9"H | 26.6"W | 22.75"D
- Bar Overall Loop Arm: 46.9"H | 24.3"W | 22.75"D
  Bar Seat: Seat:
- Bar Seat: Seat: 31.1"H | 18.2"W | 17.2"D
   Counter Overall Armless:
- Counter Overall Armiess: 41.5"H | 21.4"W | 22.74"D
   Counter Overall Bonguin Ar
- Counter Overall Penguin Arm: 41.5"H | 26.6"W | 22.75"D
- Counter Overall Loop Arm: 41.5"H | 24.3"W | 22.75"D
- Counter Seat: 25.7"H | 18.2"W | 17.2"D
- COM Seat: 1.25 yds

#### NOTES

- Ships fully assembled for BW Freight Options, a 25 unit minimum order applies
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- Felt covered glides are suitable for use on hardwood, marble.
- Chrome Rockers best used on uneven floors, but are also suitable for all floor types



**ASTUTE® FULLY** 

Grade 4/COL

\$700

Midback

Bar 4-Leg

Penguin Arm

Chrome

Onyx

Black

Smoke

Felt Glides (Sled)

Allseating Standard

Smoke

Midnight

Matte Onvx

Matte Smoke

Polished Aluminum

Painted to Match Frame

Chrome Rocker [Black Trim Onlv]

Fully Assembled in a Carton

Felt Glides (4-Leg + Black Trim only)

Blanket Wrapped Fully Assembled [25 Unit Minimum]

Guaranteed Delivery Date and Time (Call for Quote)

Please ensure dolly has separate model/line item with quantities specified.

Special Freight Instructions (Call for Quote)

Counter 4-Leg

25

0

52

53

55

56

Ν

G

L.

PA

PM

СМ

MON

MSK

PON

PSK

РМІ

BKN

SKN

CR

FG

FG

FA

BW

AS

FQ

GD

ASTUTE Dolly 14

BASE PRICE | \$612

Grade 3

\$670

Grade 2/

COM

\$647

25052-NPA/NPM

Grade 1

\$612

BACK STYLE

ARM FINISH

FRAME FINISH

OPTIONS

FREIGHT OPTIONS

FREIGHT REQUIREMENTS

TRIM FINISH (glides + shroud)

SERIES

LEG

ARM

UPHOLSTERED STOOL

Grade 5

\$726

Astute Fully Upholstered

Grade 6

\$772

Counter Sled (will not stack with loop arm)

No Arm [Arm Finish Selection Still Required]

Bar Sled (will not stack with loop arm)

Loop Arm (will not stack with sled base)

Grade 7

\$825

Grade 8

\$883

Leather 1

\$1,011

27	



GSA Contract Holder

- -\$26 \$16 \$35 -VAR VAR \$515
- AYLES CHIROFORM DOVE EIGHTY TWO EXCHANGE FLUID FOSTER HALSA INERTI/ INNATE Ę LEVO PRATA PRESTO RAINBOW REQUISITE RES RUHE THERAPOD TUCK WATSON YOU



DESIGN | BUSK + HERTZOG GSA SIN | 33721

\$1,671

QS

Leather 3

\$2,013

\$

-

\$65

\_

\_

\_

\_

\$16

-

\$35

VAR

VAR



# **ASTUTE® +PLUS** FULLY UPHOLSTERED

### **BASE PRICE | \$758** 25454-LPA/LPM

FREIGHT REQUIREMENTS

Grade 2/ Grade 1 Grade 3 Grade 4/COL Grade 5 Grade 6 Grade 7 Grade 8 Leather 1 Leather 2 COM \$758 \$828 \$873 \$933 \$986 \$1,078 \$1,183 \$1,301 \$1,557 SERIES 25 Astute Fully Upholstered BACK STYLE 4 Plus LEG 54 4-Leg ARM L Loop Arm **ARM FINISH** PA Polished Aluminum РМ Painted to Match Frame FRAME FINISH СМ Chrome MON Matte Onyx MSK Matte Smoke PON Onyx PSK Smoke РМІ Midnight TRIM FINISH (glides + shroud) BKN Black OPTIONS FG Felt Glides FREIGHT OPTIONS FA Fully Assembled in a Carton BW Blanket Wrapped Fully Assembled [25 Unit Minimum]

Allseating Standard

Special Freight Instructions (Call for Quote)

Guaranteed Delivery Date and Time (Call for Quote)

### **FEATURES**

- Standard nylon glide
- · Polished aluminum loop arms • Wall-Saving designed frame
- · Does not stack
- · Loop arms allow for easy ingress/egress

#### DIMENSIONS

- Overall:
- 34"H | 32"W | 24"D
- Seat: 18"H | 26"W | 18"D
- Back: 17"H | 26"W
- COM: 2.5 yd.

#### NOTES

- · Ships fully assembled for BW Freight Options, a 25 unit minimum order applies
- · For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 500 lbs.
- · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- · Felt covered glides are suitable for use on hardwood, marble.



AS

FQ

GD



PILLOWS

AYLES



# **ASTUTE<sup>®</sup> GUEST WOC**

BASE PRICE | \$815

24054-NPA/NPM

DESIGN | BUSK + HERTZOG OPEN MARKET

#### **FEATURES**

- Standard nylon glide
- A choice of either Beech ply in 3 finishes: Light, Medium, and Dark or Walnut ply in 2 finishes: Medium and Dark
- · Polished aluminum arms
- · Wall-Saving designed frame
- · Optional upholstered seat · Stacks 14 high on dolly, 7 with
- upholstered seats · Stacks 6 on the floor, 4 with upholstered seats
- Caster stacking
- · Shroud included with optional upholstered seat


#### DIMENSIONS

- Overall Armless: 33.88"H | 20.93"W | 22.75"D
- Overall Penguin Arm 4-Leg: 33.88"H | 26.5"W | 22.75"D
- Overall Loop Arm 4-Legs 33.88"H | 24.25"W | 22.75"D • Seat: 18"W | 17.375"D
- Back: 14"H | 18"W
- Upholstered seat will add 0.75" to seat height
- COM: 0.75 yd.

#### NOTES

- · Ships fully assembled, for BW Freight Option, a 25 unit minimum order applies.
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- · Ganging brackets shipped separately: Requires Installation.
- · This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- · Felt covered glides are suitable for use on hardwood, marble.
- Chrome Rockers best used on uneven floors, but are also suitable for all floor types

Wood Seat and Back	Grade 1	Grade 2/ COM	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$815	\$764	\$785	\$799	\$817	\$832	\$860	\$892	\$927	\$1,004	\$1,038	\$1,141
SERIES			24	Astute						QS	\$
BACK STYL	.Е		0	Midback							-
LEG			54	Stackabl	e 4-Leg						-
			50	Stackabl	e Sled (will	not stack v	with loop a	rm)			\$10
ARM			N	No Arm	[Arm Finish	Selection	Still Requir	red]			-
			G	Penguin	Arm						\$70
			L	Loop Arr	n (will not s	stack with s	led base)				\$120
ARM FINIS	н		PA	Polished	Aluminum						-
			PM	Painted t	o Match Fra	ame					-
FRAME FIN	ISH		СМ	Chrome							\$65
			MON	Matte On	5						-
			MSK	Matte Sm	noke						-
			PON	Onyx							-
			PSK	Smoke							-
			PMI	Midnight						_	-
TRIM FINIS	H (glides +	shroud)	BKN	Black							-
			SKN	Smoke							-
WOOD			LB		Beech   Ligh						-
			MB DB		Beech   Meo						-
			MW	Walnut	Beech   Dar	к					\$160
			DW	Walnut							\$160
OPTIONS			UPH		iolstered Se	at with Wo	nd Back				VAR
of nons			CA		asters [Blac						\$48
			тс		face Casters		-				\$55
			CR		Rocker [Bla	-					\$26
			FG		es (4-Leg +						\$16
			FG	Felt Glide							\$16
			GB		Bracket (No	o Arm onlv)					\$21
FREIGHT O	PTIONS		FA		embled in a						-
			BW	-	Vrapped Fu		ed [25 Uni	t Minimum	l		\$35
FREIGHT R	EQUIREME	NTS	AS		g Standard	-					-
	-		FQ		reight Instr	uctions (Ca	II for Quote	)			VAR
			GD		ed Delivery						VAR
			ASTUTE Dolly 14	Please er	nsure dolly h	nas separate	e model/line	e item with o	quantities spe	cified.	\$515









ΖĮΡ

RUHE

THERAPOD

TUCK

WATSON

YOU

PILLOWS



# **ASTUTE<sup>®</sup> STOOL WOO**

DESIGN | BUSK + HERTZOG OPEN MARKET

# BASE PRICE | \$868 24052-NPA/NPM


Wood Seat and Back	Grade 1	Grade 2/ COM	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$868	\$806	\$827	\$841	\$859	\$874	\$902	\$934	\$969	\$1,046	\$1,080	\$1,183
SERIES			24	Astute						QS	\$
BACK STYL	E		0	Midback							-
LEG			52	Counter	4-Leg						-
			53	Counter	Sled (will n	ot stack wi	th loop arn	n)			\$10
			55	Bar 4-Le	g						\$30
			56	Bar Sled	(will not st	ack with lo	op arm)				\$40
ARM			N	No Arm	Arm Finish	Selection	Still Requir	red]			-
			G	Penguin	Arm						\$70
			L	Loop Arn	n (will not s	tack with sl	ed base)				\$120
ARM FINISH	1		PA	Polished	Aluminum						-
			PM	Painted t	o Match Fra	ame					-
FRAME FIN	ISH		СМ	Chrome							\$65
			MON	Matte On	ух						-
			MSK	Matte Sm	noke						-
			PON	Onyx							-
			PSK	Smoke							-
			PMI	Midnight							-
TRIM FINIS	H (glides +	shroud)	BKN	Black							-
			SKN	Smoke							-
WOOD			LB		eech   Ligh						-
			MB		eech   Meo						-
			DB	Striped E	eech   Dar	k					-
			MW	Walnut	Medium						\$160
			DW	Walnut	Dark						\$160
OPTIONS			UPH	1 1		eat with Wo					VAR
			CR	Chrome I	Rocker [Bla	ck Trim On	y]				\$26
			FG	Felt Glide	s (4-Leg +	Black Trim	only)				\$16
			FG	Felt Glide	s (Sled)						\$16
FREIGHT O	PTIONS		FA		embled in a						-
			BW	Blanket V	Vrapped Fu	lly Assembl	ed [25 Uni	t Minimum			\$35
FREIGHT R	EQUIREME	NTS	AS		g Standard						-
			FQ			uctions (Ca					VAR
			GD	Guarante	ed Delivery	Date and 1	Time (Call f	or Quote)			VAR
			ASTUTE Dolly 14	Please er	isure dolly h	nas separate	e model/line	e item with o	quantities spe	cified.	\$515

#### **FEATURES**

- · Standard nylon glide
- A choice of either Beech ply in 3 finishes: Light, Medium, and Dark or Walnut ply in 2 finishes: Medium and Dark
- Polished aluminum arms
- Wall-Saving designed frame
- Optional upholstered seat
- Stacks 10 high on dolly, 7 with upholstered seats
- · Stacks 4 on the floor, 4 with upholstered seats
- Shroud included with optional upholstered seat


#### DIMENSIONS

- · Bar Overall Armless: 46.9"H | 21.8"W | 22.75"D
- Bar Overall Penguin Arm: 46.9"H | 26.6"W | 22.75"D
- Bar Overall Loop Arm: 46.9"H | 24.3"W | 22.75"D
- · Bar Seat: Seat: 31.1"H | 18.2"W | 17.2"D
- Counter Overall Armless: 41.5"H | 21.4"W | 22.74"D
- Counter Overall Penguin Arm: 41.5"H | 26.6"W | 22.75"D
- Counter Overall Loop Arm: 41.5"H | 24.3"W | 22.75"D
- Counter Seat: 25.7"H | 18.2"W | 17.2"D
- COM Seat: 1.25 yds
- NOTES
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- · Felt covered glides are suitable for use on hardwood, marble.
- · Chrome Rockers best used on uneven floors, but are also suitable for all floor types









AYLES CHIROFORM DOVE EIGHTY TWO ENTAIL EXCHANGE FLUID FOSTER HALSA NERTI/ INNATE ≒ LEVO PRATA PRESTO RAINBOW REQUISITE RES RUHE THERAPOD TUCK WATSON YOU ΖĮΡ

DESIGN | ALLEX HARLEY

GSA SIN | 33721

INFO

PILLOWS

ASTUTE

AYLES



#### **FEATURES**


- 3.5" cylinder
- For arm features and travel specifications, see page 16
- Carpet casters · High density foam
- 24|7 Warranty on Synchro (40) and Deluxe Synchro (12) mechanisms, options included are T2 arms and Seat Slider

#### DIMENSIONS

- Overall [Synchro Tilt]: 36.5"- 40"H | 28"W | 28"D
  Overall [Deluxe Tilt J-Bar]:
- 38" 41.5"H | 28"W | 28"D
- Seat [Synchro Tit]: 16.5"- 20"H | 21.5"W | 21"D Seat [Deluxe Tilt J-Bar]: 18.25"-21.75"H | 21.5"W | 21"D
- Back: 20"H | 19"W
- COM FULL: 1.5 yds

### NOTES

- · Ships knocked down.
- For BW and FA freight options, minimum quantities apply, please check with Sales Support for details.
- · All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features. • Tension is adjustable on OHC and
- OHH casters to accommodate various surfaces
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.
- If requiring a 3" seat slider, please specify with code SE rather than SS. • \*\*\* High profile base N/A with SS or
- LS options



BASE PRICE	\$702
96040-NA	

Grade 2/

MIDBACK

Grade 1	COM	Grade 3	Grade	4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$702	\$744	\$771	\$8	07	\$839	\$894	\$957	\$1,028	\$1,181	\$1,250	\$1,455
SERIES			96	Chirof	orm Ultra					QS	\$
BACK STYLE			0	Midba	ck					•	-
CONTROL			40	Synch	ro Tilt [ST]	]				•	-
			80	Deluxe	e Tilt J-Bar	[D]]				•	\$58
ARM			NA	No Ari	m					•	-
			Т2	Task 2	Arm					•	\$115
			4D	4 Dim	ensional A	rm				•	\$130
			MF	Multi-	functional	Arm [Widtl	n Adjustme	nt Not Incl	uded]	•	\$158
			Т7	Ergon	omic Task	Arm [Inclu	des AWK]			•	\$295
OPTIONS			AWK	Adjusta	able Width B	racket [Knob	][Not Includ	ed with MF A	(rm]	•	\$30
			AWL	· ·			[Lever][Not	Included	with MF Arm	] •	\$40
			LH		Surface Ca					•	\$32
			онн			e Casters [a	, -			•	\$95
			онс			ers [adjusta	ble]			•	\$63
			BU		er Trim					•	\$30
			SS		-	ndard 2.5" i	01			•	\$85
			SE		-	ended 3" ra	nge]			•	\$85
			BN		ic Nylon B					•	\$48
			LS			with 5" Tra	vel***			•	\$53
			CL	CAL T							\$95
FREIGHT OP	TIONS		KD		ed Down					•	-
			BW			d - Fully As	-		imum]		\$75
			FA			in Carton	25 unit mi	nimum]			\$115
FREIGHT REC	QUIREMEN	TS	AS								-
			FQ	· ·				-			VAR
			GD	Guran	teed Deliv	ery Date ar	d Time [Ca	all for Quot	e]		VAR

**CHIROFORM<sup>™</sup> ULTRA** 

#### ALLSEATING | 2022 - 2023 | UPDATED MAY 5, 2023





PILLOWS

ASTUTE

AYLES

DOVE

EIGHTY

TWO

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATI

Ę

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOL



96140-NA

#### FEATURES

- 3.5" cylinder
- For arm features and travel specifications, see page 16
- Carpet castersHigh density foam
- 24|7 Warranty on Synchro (40) and Deluxe Synchro (12) mechanisms, options included are T2 arms and Seat Slider

#### DIMENSIONS

- Overall [Synchro Tilt]: 39.5"- 43"H | 28"W | 28"D
- Overall [Deluxe Tilt J-Bar]: 41"-44.5"H | 28"W | 28"D
  Seat [Synchro Tilt]:
- 16.5"- 20"H | 21.5"W | 21"D • Seat [Deluxe Tilt J-Bar]:
- 18.25"-21.75"H | 21.5"W | 21"D • Back: 23"H | 18.5"W
- COM FULL: 1.75 yds

### NOTES

- Ships knocked down.
- For BW and FA freight options, minimum quantities apply, please
- check with Sales Support for details.
  All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.
- If requiring a 3" seat slider, please specify with code SE rather than SS.
- \*\*\* High profile base N/A with SS or LS options



# HIGHBACK BASE PRICE | \$738

**CHIROFORM<sup>™</sup> ULTRA** 

DESIGN | ALLEX HARLEY GSA SIN | 33721

#### Grade 2/ Grade 1 Grade 3 Grade 4/COL Grade 5 Grade 6 Grade 7 Grade 8 Leather 1 Leather 2 Leather 3 COM \$738 \$787 \$819 \$861 \$897 \$962 \$1,036 \$1,118 \$1,297 \$1,377 \$1,617 SERIES **Chiroform Ultra** 96 QS \$ BACK STYLE 1 Highback CONTROL 40 Synchro Tilt [ST] • 80 Deluxe Tilt J-Bar [DJ] • \$58 NA ARM No Arm Т2 Task 2 Arm \$115 • 4D 4 Dimensional Arm \$130 MF Multi-functional Arm [Width Adjustment Not Included] • \$158 Τ7 \$295 Ergonomic Task Arm [Includes AWK] OPTIONS AWK Adjustable Width Bracket [Knob][Not Included with MF Arm] • \$30 AWL Adjustment Width Bracket [Lever][Not Included with MF Arm] • \$40 \$32 LH **Dual Surface Casters** онн OH Dual Surface Casters ]adjustable] \$95 онс OH Carpet Casters ]adjustable] \$63 • ΒU Bumper Trim \$30 • SS Seat Slider [Standard 2.5" range]\*\*\* \$85 • SE Seat Slider [Extended 3" range] \$85 ΒN Ballistic Nylon Back \$48 LS Low Seat Height with 5" Travel\*\*\* \$53 CL CAL TB133 \$95 FREIGHT OPTIONS KD Knocked Down BW Blanket Wrapped - Fully Assembled ]25 unit minimum] \$75 FA Fully Assembled in Carton [25 unit minimum] \$115 FREIGHT REQUIREMENTS AS Allseating Standard FQ VAR Special Freight Instructions [Call for Quote] GD Guranteed Delivery Date and Time [Call for Quote] VAR





PILLOWS

ASTUTE

AYLES

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATE

≒

LEVO

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOU



#### **FEATURES**

- 5.5" heavy duty cylinder
- · Heavy duty base
- Memory foam
- For arm features and travel specifications, see page 16
- Heavy duty carpet casters

#### HIGHBACK DIMENSIONS

- Overall [Deluxe Tilter Heavy Duty]: 40"- 43.5"H | 27"W | 27"D
- Seat [Deluxe Tilter Heavy Duty]: 17.5"- 21"H | 21.5"W | 21"D • Back: 23"H | 19"W
- · COM FULL: 1.75 yds

#### MIDBACK DIMENSIONS

- Overall [Deluxe Tilter Heavy Duty]: 37"- 40.5"H | 27"W | 27"D
- Seat [Deluxe Tilter Heavy Duty]: 17.5"- 21"H | 21.5"W | 21"D
- Back: 20"H | 19"W
- COM FULL: 1.5 yds

# CHIROFORM<sup>™</sup> ULTRA 24:7

DESIGN | ALLEX HARLEY GSA SIN | 33721


## BASE PRICE | \$902 97011-NA

Code	Grade 1	Grade 2	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
97011-NA	\$902	\$944	\$971	\$1,007	\$1,039	\$1,094	\$1,157	\$1,228	\$1,381	\$1,450	\$1,655
97111-NA	\$1,006	\$1,055	\$1,087	\$1,129	\$1,165	\$1,230	\$1,304	\$1,386	\$1,565	\$1,645	\$1,885

SERIES	97	Chiroform Ultra	QS	\$
BACK STYLE	0	Midback	•	VAR
	1	Highback	•	VAR
CONTROL	11	Deluxe Tilter Heavy Duty (DJ/DH)	•	-
ARM	NA	No Arm	•	-
	T2	Task 2 Arm	•	\$115
	4D	4 Dimensional Arm	•	\$130
OPTIONS	AWL	Adjustment Width Bracket (Lever)	•	\$40
	н	Hard Surface Casters	•	\$30
	SS	Seat Slider (Standard 2.5" range)***	•	\$85
	BN	Ballistic Nylon Back	•	INCL
	CL	CAL TB133		\$95
	BU	Bumper Trim		\$30
FREIGHT OPTIONS	KD	Knocked Down	•	-
	BW	Blanket Wrapped - Fully Assembled [25 unit minimum]		\$75
	FA	Fully Assembled in Carton [25 unit minimum]		\$115
FREIGHT REQUIREMENTS	AS	Allseating Standard		-
	FQ	Special Freight Instructions (Call for Quote)		VAR
	GD	Guranteed Delivery Date and Time (Call for Quote)		VAR

#### NOTES

- · Ships knocked down.
- For BW and FA freight options, minimum quantities apply, please check with Sales Support for details.
- · All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.
- If requiring a 3" seat slider, please specify with code SE rather than SS.







PILLOWS

ASTUTE

AYLES

DOVE

EIGHTY

TWO

ENTAIL

Leather 3

\$1,510

\$



#### **FEATURES**

- 8" cylinder
- · For arm features and travel specifications, see page 16
- Carpet casters
- · Includes adjustable foot ring

#### DIMENSIONS

- Overall [Basic Stool]: 40"- 47.5"H | 28"W | 28"D • Overall [Posture Back]:
- 40.5"-48"H | 28"W | 28"D · Seat [Basic Stool]:
- 19.5"- 27"H | 21.5"W | 21"D Seat [Posture Back]:
- 21"-28.5"H | 21.5"W | 21"D
- Back: 20"H | 19"W
- 10" Stool Package
- Seat: 18.5"- 28.5"H, 19"W, 18.5"D

	н	Dual Surface Casters [10" Stool Only]	•
	LH	Dual Surface Casters [8" Stool Only]	•
	G	Glides [10" Stool Only]	•
	онн	OH Hard Surface Casters [adjustable   8" Stool Only]	•
	онс	OH Carpet Casters [adjustable   8" Stool Only]	•
	BU	Bumper Trim	•
	10	10" Stool Package (N/A with P Control)	•
	AB	Aluminum Base [8" Stool Only]	•
	BN	Ballistic Nylon Back	•
	CL	CAL TB133	
FREIGHT OPTIONS	KD	Knocked Down	•
	BW	Blanket Wrapped - Fully Assembled [25 unit minimum]	
	FA	Fully Assembled in Carton [25 unit minimum]	
FREIGHT REQUIREMENTS	AS	Allseating Standard	
	FO	Special Freight Instructions (Call for Ouote)	

**CHIROFORM<sup>™</sup> ULTRA** 

Grade 5

\$894

**Chiroform Ultra** 

Basic Stool [B2]

Posture Back [P]

4 Dimensional Arm

Midback

No Arm

Task 2 Arm

Grade 6

\$949

Grade 7

\$1,012

Multi-Functional Arm [Width Adjustment Not Included]

Guranteed Delivery Date and Time (Call for Quote)

Adjustment Width Bracket [Lever][Not Included with MF Arm]

Grade 8

\$1,083

Leather 1

\$1,236

STOOL

96019-NA

Grade 1

\$757

BACK STYLE

CONTROL

OPTIONS

ARM

SERIES

BASE PRICE | \$757

Grade 3

\$826

Grade 4/COL

\$862

96

0

19

30

NA

Т2

4D

MF

AWL

GD


Grade 2/

COM


\$799

#### NOTES

- · Ships knocked down. • For BW and FA freight options, minimum quantities apply, please
- check with Sales Support for details. • All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full
- description of available features. · Tension is adjustable on OHC and OHH casters to accommodate
- various surfaces This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.



- COM FULL: 1.5 yds







TUCK

WATSON

YOU

### DESIGN | ALLEX HARLEY GSA SIN | 33721

Leather 2

\$1,305

QS

•

•

•

.

•

PILLOWS

ASTUTE

AYLES

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTIA

INNATE

١

F

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RÜHE

THERAPOD

TUCK

WATSON

YOU

ZIP

#### **FEATURES**

- 5.5" heavy duty cylinder
- Heavy duty base
- Memory foam
- Adjustable loop arm (2.375")
- Heavy duty carpet casters

# BASE PRICE | \$1,286


**CHIROFORM<sup>™</sup> BIG** 

Grade 1	Grade 2/ COM	Grade 3	Grade	4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3			
\$1,286	\$1,349	\$1,390	\$1,	444	\$1,491	\$1,574	\$1,669	\$1,774	\$2,005	\$2,107	\$2,416			
SERIES			99	Chirot	Chiroform Big QS									
BACK STYLE			1	Highb	ack						-			
CONTROL			11	Delux	Deluxe Tilter Heavy Duty (DJ/DH)									
ARM			NA	No Ar	m						-			
			AL	Adjustable Loop Arm										
OPTIONS			н	Hard S	Surface Ca	sters					\$30			
			BU	Bump	er Trim						\$30			
			CL	CAL T	B133						\$140			
FREIGHT OP	TIONS		KD	Knock	ed Down						-			
			BW	Blank	et Wrapped	d - Fully As	sembled [2	25 unit min	imum]		\$75			
			FA	Fully A	ssembled	in Carton	25 unit mi	nimum]			\$115			
FREIGHT RE	QUIREMEN	TS	AS	Allseating Standard										
			FQ	Specia	al Freight Ir	nstructions	(Call for Q	uote)			VAR			
			GD	Guranteed Delivery Date and Time (Call for Quote)										


#### DIMENSIONS

- Overall [Deluxe Tilter Heavy Duty]: 41"- 46.5"H | 27"W | 27"D
- Seat [Deluxe Tilter Heavy Duty]: 17.75"- 23.25"H | 23.5"W | 21"D
  Back: 22"H | 22.25"W
- COM FULL: 2.75 yds

- NOTES
- Ships knocked down.
- For BW and FA freight options, minimum quantities apply, please check with Sales Support for details.
   Switch for us to 500 km
- Suitable for up to 500lbs.
- All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.



GSA Contract Holder





### **FEATURES**

- 4.25" cylinder
- Seat Slider comes standard
- Black nylon base
- · Molded seat foam
- Optional adjustable lumbar,
- · headrest and aluminum base
- · Sit to counter includes height adjustable foot ring

### DIMENSIONS

- Overall [Basic Synchro Tilt]: 37"- 40.5"H | 27"W | 27"D
- Seat [Basic Synchro Tilt]: 16"- 20.5"H | 18.5"W | 18.75"D
- Back: 21"H | 18.5"W
- COM: 0.75 yd.

# **ENTAIL® MIDBACK**


DESIGN: ALLSEATING OPEN MARKET

## BASE PRICE | \$504 90088-NA

Grade 1	Grade 2/ COM	Grade 3	Grade	4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$504	\$525	\$539	\$5	57	\$572	\$600	\$632	\$667	\$744	\$778	\$881
SERIES			90	Entail						QS	\$
BACK STYLE			0	Midba	ick					•	-
CONTROL			88	Basic	Synchro Ti	lt (BST)				•	-
ARM			NA	No Ar	m					•	-
			WA	With A	٨rm					•	\$58
FRAME FINIS	SH		BKN	Black	Nylon					•	-
BACK OPTIC	NS		M1	M1 M	esh						-
(see page 22	for mesh		M2	M2 M	esh						\$63
model code)			M3	M3 M	esh						\$63
			M4	M4 M							\$63
OPTIONS			SS	Seat S						•	INCL
			LH		n Dual Surf		-			•	\$32
			онн		al Surface	-					\$95
			онс			ce Casters	[adjustabl	e]			\$63
			SC		Counter					•	\$138
			HS	0	Seat 5.5"*					•	-
			HRC		•		chair fram	·			\$50
			HRF		•		seat fabric	)			\$50
			AWK		table Width		Knob			•	\$30
			LU		table Lumb					•	\$32
			HAB	0	Profile Alun	ninum Bas	е			•	\$65
FREIGHT OP	TIONS		KD		ed Down					•	-
			BW				sembled [2		nmum]		\$75
			FA	-			[25 Unit Mi	nimum]			\$115
FREIGHT RE	QUIREMEN	15	AS		ting Stand						-
			FQ		•		(Call for Q				VAR
			GD	Guran	teed Delive	ery Date ar	id Time (Ca	all for Quot	e)		VAR

### NOTES

- Ships knocked down.
- Warranted for users up to 325lbs.
- For BW and FA freight options,
- minimum quantities apply, please This product meets the requirements
- set forth in ANSI/BIFMA X5.1-2011. • Arms, base and casters will match
- frame finish selection.
- For mesh model code see page 22.
- \*Composite base will be substituted if HS option is selected







HALSA

INERTI/

INNATE

١

F

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RÜHE

THERAPOD

INFO

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY -TWO

TUCK WATSON YOU

QUICKSHIP

ZIP

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INNATE

≒

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK


WATSON



# **INERTIA® MESH** MIDBACK

### BASE PRICE | \$525 77089-NA

Grade 1	Grade 2/ COM	Grade 3	Grade 4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather
\$525	\$546	\$560	\$578	\$593	\$621	\$653	\$688	\$765	\$799	\$902
SERIES		77	Inertia M	esh Back					QS	\$
BACK STYL	.Е	0	Midback						•	-
CONTROL		89	Basic Syr	ichro Tilt [E	3T-4]				•	-
		40	Synchro <sup>-</sup>	Filt [ST]					•	\$78
		80	Deluxe Ti	lt J-Bar [DJ	]				•	\$16
ARM		NA	No Arm						•	-
		CA		-				r, AWK, or A	WL] •	\$48
		L2		ction Arm [	Not Availal	ole with AM	/K or AWL]			\$9
		T2	Task 2 Ar						•	\$11
		4D		ional Arm	F14/: .111. A .	P		.0	•	\$13
		MF		ctional Arm	-	•	vot include	a]	•	\$15
FRAME FIN	licu	T7 BKN	Black Nyl	ic Task Arm	i Linciudes	AWKJ				\$29
FRAME FIN	131	SKN		ylon [Availa	bla arms l	נחג כד 2				\$48
		BRN		on [Availab			nd T71			\$4
BACK MES	н	M1	M1 Mesh	on producto		, .D, LZ, ai	ia i/]			\$4
[see page 2		M2	M2 Mesh							\$12
model code		M3	M3 Mesh							\$12
		M4	M4 Mesh							\$12
		M7	M7 Mesh						•	· · -
		M10	M10 Mes	'n						\$4
OPTIONS		SC	Sit to Cou	inter [Black	k frame an	d Synchro	Tilt only]		•	\$13
		AWK	Adjustabl	e Width Br	acket [Kno	b][Not Incl	uded with	MF Arm]	•	\$3
		AWL	Adjustme	nt Width B	racket [Lev	er][Not Ind	cluded with	MF Arm]	•	\$4
		LH	65mm [2	.5"] Dual S	urface Cas	ters			•	\$3
		ОНН	OH Dual	Surface Ca	sters [adju	stable]			•	\$9
		ОНС	OH Carpe	t Casters [	adjustable				•	\$6
		BC	Birch 65r	nm [2.5"] [	Dual Surfac	ce Casters				\$3
		HAB	•	ile Aluminu					•	\$6
		SS		er [Standar				SC option	•	\$8
		SE		3" Seat Sli	der [N/A w	ith IES or S	SC]		•	\$8
		LU	Lumbar S							\$7
		BHA		ght Adjustn	-	-				N/A
		BHA		ght Adjustn	-	-				-
		BHA		ght Adjustn	-	-				\$9
		LS		gonomic Sı Height witl	-		vv ]			\$5
		HS		nder 5.5"**						φ0.
		CL	CAL TB13							\$9
FREIGHT O	PTIONS	KD	Knocked							
		BW		/rapped - F	ully Assem	bled [25 u	nit minimu	ml		\$7
		FA		embled in (		-				\$11
FREIGHT R	EQUIREMEN			standard						-
		FQ	-	reight Instr	uctions [Ca	all for Quot	e]			VAF
		GD		ed Delivery	-	-	-			VAF



122

#### FEATURES • 4.25" cylinder

- · Black or smoke nylon base
- Mesh back
- · Molded seat foam with upholstered stitch · For arm features and travel specifications
- page 16 Carpet casters
- 24|7 Warranty on Synchro Tilt [40] mech options included are T2 arms and Seat SI
- For more details see page 161 Lumbar Support: Raise or flatten the curv of the lumbar using Inertia's Lumbar Sup Inflate the lumbar to increase support or to decrease support.

#### DIMENSIONS

- Overall [Synchro Tilt]: 35.5"- 39.75"H | 28.5"W | 28.5"D
- Overall [Deluxe Tilt J-Bar]:

   37"-41.25"H | 28.5"W | 28.5"D

   Overall [Basic Synchro Tilt]:

   36"-40.5"H | 28.5"W | 28.5"D
- Seat [Synchro Tilt]: 16.75"- 21"H | 20"W | 19.5"D Seat [Deluxe Tilt J-Bar]: 17"-21.25"H | 20"W | 19.5"D
- · Seat [Basic Synchro Tilt]:
- 17"-21.5"H | 20"W | 19.5"D
- Back: 19"H | 19"W • COM: 0.75 yd.

#### NOTES

- · Ships knocked down. · For BW and FA freight options, minimum
- quantities apply
- All other features are dependant on the control specified. Please refer to Control Choice on page ?? for full description of available features.
- Tension is adjustable on OHC and OHH casters to accommodate various surface
- This product meets the requirements se forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.
- Smoke Finish | L2, T2 and 4D arms are only arms available in Smoke and will m base when selected.
- If requiring a 3" seat slider, please specir
- with code SE rather than SS \*\*\*Composite base and casters will be substituted if HS or LS is selected.
- · For mesh model code see page 22.





ZIP

YOU

DESIGN | ALLSEATING GSA SIN | 33721

DESIGN | ALLSEATING

GSA SIN | 33721



#### FEATURES

- 4.25" cylinder
- Black or smoke nylon base Mesh back
- · Molded seat foam with upholstered
- stitch detail · For arm features and travel
- specifications, see page 16 Carpet casters
- 24|7 Warranty on Synchro Tilt [40] mechanism, options included are T2 arms and Seat Slider. For more details see page 161
- Lumbar Support: Raise or flatten the curvature of the lumbar using Inertia's Lumbar Support. Inflate the lumbar to increase support or deflate to decrease support.

#### DIMENSIONS

- Overall [Synchro Tilt]: 38.75"- 43"H | 28.5"W | 28.5"D
- 38.75 475 H
   26.5 W
   26.5 D

   Overall [Deluxe Tilt J-Bar]:
   40.75"-45"H
   28.5"W
   28.5"D

   Overall [Basic Synchro Tilt]:
   39.25"-43.5"H
   28.5"W
   28.5"D
- Seat [Synchro Tilt]: 16.75"- 21"H | 20"W | 19.5"D Seat [Deluxe Tilt J-Bar]: 17"-21.25"H | 20"W | 19.5"D
- Seat [Basic Synchro Tilt]: 17"-21.5"H | 20"W | 19.5"D
- Back: 21"H | 19"W
- COM: 0.75 yd.

#### NOTES


· Ships knocked down.

- For BW and FA freight options, minimum quantities apply
- Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- · All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- · This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- · Dimensions are dependant on options Selected. Product can be configured to comply with BIFMA G1-2002 guidelines.
  Smoke Finish | L2, T2 and 4D arms are the
- only arms available in Smoke and will match base when selected.
- \*\*\*Composite base and casters will be substituted if HS or LS is selected.
- · For mesh model code see page 22.

# **INERTIA® MESH** HIGHBACK

### BASE PRICE | \$562 77189-NA

	ide 2/ CM	Grade 3	Grade 4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leath	1er 2	Leather
\$562 \$	583	\$597	\$615	\$630	\$658	\$690	\$725	\$802	\$8	36	\$939
SERIES		77	Inertia M	lesh Back						QS	\$
BACK STYLE		1	Highback	(						•	-
CONTROL		89	Basic Syr	nchro Tilt [	BT-4]					•	-
		40		Tilt [ST]						•	\$78
		80		ilt J-Bar [D.	J]					•	\$16
ARM		NA								•	-
		CA		-				r, AWK, or A	NL]	•	\$43
		L2			Not Availa	ole with AV	/K or AWL]				\$95
		T2								•	\$11
		40		sional Arm						•	\$13
		MF			n [Width Ad		Not Include	ed]		•	\$15
		T7	0.0		n [Includes	AWK]					\$29
FRAME FINISH		BK								•	-
		SK			able arms L						\$4
		BR		-	ole arms T2	, 4D, L2, ai	nd I/j				\$4
BACK MESH		M1									\$4
see page 22 for r	nesh	M2									\$12
model code]		MS									\$12
		M4									\$12
		M7								•	-
OPTIONS		M1 SC			l fromo on	d Supahra	Tilt only]				\$4
OPTIONS		AW		-	k frame an 'acket [Kno	-		ME Arm]		•	\$13 \$3
		AW			Bracket [Lev			-		•	\$4
		LH			Surface Cas			i wii Annij			\$3
		OH		-	sters [adju					•	\$9
		OH			adjustable	-				•	\$9
		BC			Dual Surfac					•	\$3
		HA			um Base w		store				\$6
		SS	0					SC option]			\$8
		SE		-	ider [N/A v			co option]			\$8
											\$7
		BH			nent with [	BT-41 Cont	rol				N/
		BH		• •	nent with [	-					-
		BH		• •	nent with [	-					\$9
		IES		• •	mall Seat [	-					-
		LS		-	h 5" Travel		-				\$5
		HS		nder 5.5"**						•	-
		CL	0.7								\$9
FREIGHT OPTION	١S	KD								•	-
		BW			- ully Assem	nbled [25 u	nit minimu	ım]			\$7
		FA			Carton [25	-		-			\$11
FREIGHT REQUIE	REMEN	TS AS		g Standard			-				-
		FQ		-	ructions [Ca	all for Quot	e]				VAI
		GC		ed Deliver	-	-	-				VAI



GSA Contract Holder



ZIP

INFO PILLOWS ASTUTE AYLES CHIROFORM DOVE EIGHTY TWO ENTAIL EXCHANGE FLUID FOSTER HALSA ERIT INNATE ≒ LEVO MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RÜHE

THERAPOD

TUCK

WATSON

YOU

DESIGN | ALLSEATING

**OPEN MARKET** 

INFO

PILLOWS

ASTUTE

AYLES



#### FEATURES

- 4.25" cylinder
- · Black or smoke nylon base
- Mesh back
- · Molded seat foam with upholstered stitch detail · For arm features and travel specifications,
- see page 16
- · Carpet casters · 24|7 Warranty on Synchro Tilt [40] mechanism, options included are T2 arms
- and Seat Slider. For more details see page 161 · Lumbar Support: Raise or flatten the curvature of the lumbar using Inertia's Lumbar Support. Inflate the lumbar to increase support or deflate to decrease support.

#### DIMENSIONS

- Overall [Synchro Tilt]: 38.75"- 43"H | 28.5"W | 28.5"D
- Overall [Deluxe Tilt J-Bar]: 40.75"-45"H | 28.5"W | 28.5"D
- Overall [Basic Synchro Tilt]: 39.25"-43.5"H | 28.5"W | 28.5"D
- Seat [Synchro Tilt]: 16.75"- 21"H | 20"W | 19.5"D
- Seat [Deluxe Tilt J-Bar]: 17"-21.25"H | 20"W | 19.5"D
- Seat [Basic Synchro Tilt]: 17"-21.5"H | 20"W | 19.5"D
- Back: 21"H | 19"W
- COM: 0.75 yd.


#### NOTES

- · Ships knocked down. · For BW and FA freight options, minimum
- quantities apply Tension is adjustable on OHC and OHH
- casters to accommodate various surfaces · All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of
- available features. · This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.
- Smoke Finish | L2, T2 and 4D arms are the only arms available in Smoke and will match base when selected.
- · \*\*\*Composite base and casters will be substituted if HS or LS is selected.
- · For mesh model code see page 22.

# **INERTIA® MESH** EXTRA HIGHBACK

### BASE PRICE | \$603 77389-NA

Grade 1	Grade 2/ COM	Grade 3	Grade 4	/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Lea	ther 2	Leather 3
\$603	\$624	\$638	\$65	6	\$671	\$699	\$731	\$766	\$843	\$	877	\$980
SERIES		77	/ Ine	rtia Mes	h Back						QS	\$
BACK STYLE		3	Ext	ra Hight	back						•	-
CONTROL		89		sic Syncl	hro Tilt [[	3T-4]					•	-
		40		nchro Til							•	\$78
		80			J-Bar [D.	]					•	\$168
ARM		N/		Arm				<b>T</b> :11 1 D			•	-
		C/ L2			-				r, AWK, or A	WLJ	•	\$48 ¢05
				ai Functi sk 2 Arm	-	Not Availa	Die with Aw					\$95 \$115
		40		)imensio							•	\$130
		M				n [Width Ad	liustment l	Not Include	be		•	\$158
		Т7				n [Includes			1			\$295
FRAME FINIS	H	BK		ick Nylor		-					•	-
		SK	N Sm	ioke Nylo	on [Availa	able arms L	2, T2, 4D]					\$48
		BR	N Bir	ch Nylor	n [Availab	ole arms T2	2, 4D, L2, ai	nd T7]				\$48
BACK MESH		M		Mesh								\$42
[see page 22	for mesh	M		Mesh								\$126
model code]		M		Mesh								\$126
		M		Mesh Mesh								\$126
		M1		0 Mesh							•	- \$45
OPTIONS		SC			ter [Blacl	k frame an	d Synchro	Tilt only]			•	\$138
		AW			-	acket [Kno	-		MF Arm]		•	\$30
		AW				racket [Lev			-		•	\$40
		LF	<b>I</b> 65	mm [2.5	"] Dual S	urface Cas	ters				•	\$32
		ОН	н он	Dual Su	irface Ca	sters [adju	stable]				•	\$95
		ОН			-	adjustable					•	\$65
		BO				Dual Surfac						\$32
		HA				um Base w			SC ortiger		•	\$65 ¢95
		SS			-	ider [N/A v			SC option]		•	\$85 \$85
				nbar Su			and 125 of	50]			•	\$85
		BH				nent with [	BT-4] Cont	rol				√/S N/A
		BH				nent with [	-					-
		вн			•	nent with [	-				•	\$90
		IE	S Ine	rtia Ergo	onomic S	- mall Seat [	16"D   19"	W]			•	-
		LS			-	h 5" Travel <sup>:</sup>	***				•	\$53
		H			ler 5.5"**	÷*					•	-
		CI		L TB133								\$95
FREIGHT OP	HONS	BV		ocked Do		ully Acces	blod [25	nit minir-	m		•	- ¢75
		EV FA				<sup>-</sup> ully Assem Carton [25			111]			\$75 \$115
FREIGHT REC	UIREMEN				Standard	5011011 [2:5	aniciniiii	ang				-
	e on chick	FC				uctions [Ca	all for Ouot	e]				VAR
		GI			•	/ Date and	-	-				VAR







PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY

TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INNATE

Ę

LEVO

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOU

VAR



#### **FEATURES**


- 4.25" cylinder
- · Black nylon base
- Mesh back
- · Molded seat foam with upholstered stitch detail
- · For arm features and travel specifications, see page 16
- · Carpet casters
- Lumbar Support: Raise or flatten the curvature of the lumbar using Inertia's Lumbar Support. Inflate the lumbar to increase support or deflate to decrease support.

#### DIMENSIONS

- · Overall [Synchro Tilt]: 42.5"-46.75"H | 28.5"W | 28.5"D
- · Seat [Synchro Tilt]: 18"- 22.25"H | 22"W | 20.5"D • Back: 24"H | 22.5"W
- COM: 1 yd.

#### NOTES

- · Ships knocked down. • For BW and FA freight options, minimum
- quantities apply · All other features are dependant on the control specified. Please refer to Control Choice on page ?? for full description of available features.
- Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.
- Smoke Finish | L2, T2 and 4D arms are the only arms available in Smoke and will match base when selected.
- \*\*\*Composite base and casters will be substituted if HS or LS is selected.
- For mesh model code see page 22.



GD

# INERTIA<sup>®</sup> +PLUS **MESH BACK**

### BASE PRICE | \$688 77440-NA

Grade 2/ Grade 4/COL Grade 1 Grade 5 Grade 6 Grade 3 Grade 7 Grade 8 сом \$688 \$716 \$734 \$758 \$779 \$816 \$858 \$905 SERIES 77 Inertia Mesh Back BACK STYLE 4 +Plus CONTROL 40 Synchro Tilt [ST] ARM NA No Arm CA Conference Arm [Not Available with AWK or AWL] Τ2 Task 2 Arm **4**D 4 Dimensional Arm MF Multi-functional Arm [Width Adjustment Not Included] Ergonomic Task Arm [Includes AWK] Τ7 BACK MESH M1 M1 Mesh [see page 22 for mesh MO M2 Moch model code

[see page 22 for mesh	M2	M2 Mesh		\$126
	M3	M3 Mesh		
model code]				\$126
	M4	M4 Mesh		\$126
	M7	M7 Mesh	•	-
	M10	M10 Mesh		\$42
OPTIONS	AWK	Adjustable Width Bracket [Knob][Not Included with MF Arm]	•	\$30
	AWL	Adjustment Width Bracket [Lever][Not Included with MF Arm]	•	\$40
	LH	65mm [2.5"] Dual Surface Casters	•	\$32
	онн	OH Dual Surface Casters [adjustable]	•	\$95
	онс	OH Carpet Casters [adjustable]	•	\$63
	G	Glides*** [N/A with HAB]	•	\$30
	HAB	High Profile Aluminum Base w/65mm Casters	•	\$65
	SS	Seat Slider [Standard 2.5" range]	•	\$85
	LU	Lumbar Support		\$75
	CL	CAL TB133		\$95
FREIGHT OPTIONS	KD	Knocked Down		-
	BW	Blanket Wrapped - Fully Assembled [25 unit minimum]		\$75
	FA	Fully Assembled in Carton [25 unit minimum]		\$115
FREIGHT REQUIREMENTS	AS	Allseating Standard		-
	FQ	Special Freight Instructions [Call for Quote]		VAR

Guaranteed Delivery Date and Time [Call for Quote]

ALLSEATING | 2022 - 2023 | UPDATED MAY 5, 2023





ZIP

**DESIGN | ALLSEATING** GSA SIN | 33721

Leather 2

\$1,053

QS

•

•

Leather 3

\$1,190

\$

\_

\$48

\$115

\$130

\$158

\$295

\$42

Leather 1

\$1,008

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INNATE

١

F

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOU




#### **FEATURES**

- 8" cylinder
- Composite base
- Molded seat foam
- For arm features and travel specifications, see page ??
- Adjustable Foot ring
- Carpet casters
- Includes height adjustable foot ring
- Air pump controls
- Lumbar Support: Raise or flatten the curvature of the lumbar using Inertia's Lumbar Support. Inflate the lumbar to increase support or deflate to decrease support.

- Overall [Basic Stool]: 38"- 45.5"H | 28"W | 28"D
- Seat [Basic Stool]: 20.25"- 27.75"H | 20"W | 19.5"D
- Overall [10" Stool]: 38.5"-48.5"H | 27"W | 27"D
- Seat [10" Stool]: 20.75"-30.75"H | 20"W | 19.5"D
- Back: 19"H | 19"W
- COM Full: 1.75 yd.

- Ships knocked down
- For BW and FA freight options, minimum quantities apply
- Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.
- For mesh model code see page 22.



# INERTIA® MESH STOOL

BASE PRICE | \$676

77019-NA

DESIGN | ALLSEATING GSA SIN | 33721

Grade 1	Grade 2/ COM	Grade 3	Grade 4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather
\$676	\$697	\$711	\$729	\$744	\$772	\$804	\$839	\$916	\$950	\$1,053
SERIES		77	7 Inertia	Mesh Back	:				QS	\$
BACK STYLE		0	Midba	ck					•	-
CONTROL		19	Basic	Stool [B2]					•	-
ARM		N/	A No Ari	n					•	-
		Т	2 Task 2	Arm					•	\$115
		40	<b>)</b> 4 Dim	ensional Arm	ı				•	\$130
		м	F Multi-1	unctional Ar	rm [Width A	Adjustment	Not Includ	ded]	•	\$158
FRAME FINIS	н	BK	N Black	Nylon					•	-
		SK	N Smoke	Nylon [Avai	ilable arms	L2, T2, 4D	]			\$48
		BR	N Birch	Nylon [Availa	able arms T	2, 4D, L2,	and T7]			\$48
BACK MESH		M	1 M1 Me	sh						\$42
[see page 22	for mesh	M	2 M2 M6	sh						\$126
model code]		M	3 M3 M6	sh						\$126
		M	4 M4 M6	sh						\$126
		M	7 M7 M6	sh					•	-
		M1	.0 M10 N	lesh						\$42
OPTIONS		AW	/L Adjust	ment Width	Bracket [L	ever][Not li	ncluded wi	th MF Arm]	•	\$40
		н	Dual S	urface Caste	ers [10" Sto	ol Only]			•	\$30
		L	I Dual S	urface Caste	ers [8" Stoo	ol Only]			•	\$32
		он	H OH Du	al Surface C	asters [adj	ustable   8	" Stool On	ly]	•	\$95
		он	C OH Ca	rpet Casters	[adjustabl	e   8" Stoo	l Only]		•	\$63
		G	Glides	[10" Stool C	)nly]				•	\$30
		AE	3 Alumii	num Base					•	\$65
		SS	S Seat S	lider Seat Sl	ider [Stand	lard 2.5" ra	inge] [8" C	ylinder Only	•	\$85
		LL	J Lumba	ar Support						\$75
		10	) 10" St	ool Package					•	\$36
		IE	S Inertia	Ergonomic	Small Seat	[16"D   19	9"W]			-
		CI	CAL T	3133						\$95
FREIGHT OPT	TIONS	к	Knock	ed Down						-
		BV	V Blanke	t Wrapped -	Fully Asse	mbled [25	unit minim	num]		\$75
		F/	Fully A	ssembled in	Carton [2	5 unit mini	mum]			\$115
FREIGHT REQ	UIREMENT	S AS	S Allsea	ing Standar	d					-
		FC	2 Specia	l Freight Ins	tructions [(	Call for Que	ote]			VAR
		G	Guara	nteed Delive	ry Date and	Time ICa	I for Quote	1		VAR





ZIP

DESIGN | ALLSEATING

Leather 2 Leather 3

GSA SIN | 33721

INFO

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE



#### **FEATURES**

- Mesh back
- · Upholstered seat
- Black non-maring glides
- · Stacks 10 on a dolly
- · Stacks 5 on the floor
- Stacks 2 high with casters

#### DIMENSIONS

- Side Overall NA: 32"H | 18"W | 24"D
- Side Overall WA: 32"H | 24"W | 24"D
- Seat: 17.5"H | 18"W | 18.5"D
- Back: 14.5"H | 18"W
- COM Full: 0.75 yd.
- +Plus Overall NA: 32"H | 20"W | 24"D
- +Plus Overall WA: 32"H | 26"W | 24"D
- Seat: 17.5"H | 19"W | 18.5"D
- Back: 14.5"H | 20"W
- COM Full: 0.75 yd.
- Dolly-10: 48"H | 22"W | 32"D
- Dolly-10 Fully Loaded: 66"H | 24"W | 36"D

· Ships fully assembled.

quantities apply

• For BW freight option, minimum

Tension is adjustable on OHC and

OHH casters to accommodate various

• For orders of less than 2, a cartoning

surcharge of \$22 net will be incurred

· Inertia Dolly-10 not available for +Plus

• This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and

is warranted for users up to 350 lbs. • For mesh model code see page 22.

NOTES

surfaces

per order.

Side.

\$358	\$379	\$393	\$	411	\$426	\$454	\$486	\$521	\$598	\$632	\$735
SERIES		7	7	Inertia N	/lesh Back					QS	\$
BACK STYLE		(	)	Midback						•	-
			1	+Plus						•	\$30
LEG		5	4	4 Leg						•	-
ARM		N	A	No Arm						•	-
		w	A	Inertia G	uest Arm					•	\$45
FRAME FINIS	н	S	IL	Silver						•	-
		В	к	Black						•	-
		G	м	Metallic	Gunmetal						-
BACK MESH		M	1	M1 Mest	ı						\$21
(see page 22 f	for mesh	M	2	M2 Mes	ı						\$63
model code)		M	3	M3 Mes	ı						\$63
		M	4	M4 Mes	ı						\$63
		M	7	M7 Mes	ı					•	-
			-	M10 Mes							\$42
OPTIONS			A	Carpet C						•	\$48
			-	Tile Cast						•	\$55
			WA		Brackets wi					•	\$35
			NA		Brackets	No Arms				•	\$35
			L	CAL TB1							\$95
FREIGHT OPT	TIONS	-		Fully Ass							-
		_	W			Fully Asse	mbled (25	unit minim	num)		\$35
FREIGHT REQ	UIREMEN				g Standaro						-
			Q			tructions (0					VAR
		G	D	Guarant	eed Delive	ry Date and	d Time (Cal	I for Quote	)		VAR
			ertia Ily -10		or +Plus) I uantities s		ure Dolly ha	as separate	e model/line	item	\$360

**INERTIA® MESH SIDE** 

BASE PRICE | \$358

Grade 3

Grade 4/COL

Grade 5

Grade 6

Grade 7

Grade 8


Leather 1

Grade 2/

сом

77054-NA

Grade 1



127





DESIGN | ALLSEATING GSA SIN | 33721 INFO

PILLOWS

ASTUTE

AYLES



#### FEATURES

- Mesh back
- Upholstered seat
- · Wall-saving designed frame
- Black non-maring glides

#### DIMENSIONS


- Overall NA: 43.5"H | 21"W | 25"D
- Overall WA: 43.5"H | 24"W | 25"D
- Seat: 29"H | 17"W | 18.5"D
- Back: 14.5"H | 18"W
- COM Full: 0.75 yd.

## INERTIA<sup>®</sup> MESH BAR STOOL

## BASE PRICE | \$483

Grade 1	Grade 2/ COM	Gra	de 3	Gra	de 4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3	
\$483	\$504	\$5	518		\$536	\$36         \$551         \$579         \$611         \$646         \$723         \$757							
SERIES			77	,	Inertia I	/lesh Back					QS	\$	
BACK STYLE			0		Midback	τ						-	
LEG			56	5	Bar Stoc	bl						-	
ARM			NA	۹.	No Arm							-	
			W	4	Inertia E	Barstool Ari	m					\$45	
FRAME FINIS	H		SI	L	Silver							-	
			Bł	(	Black							-	
			GI	/	Metallic	Gunmetal						-	
BACK MESH			M:	1	M1 Mes	n						\$21	
(see page 22	for mesh		M	2	M2 Mes	h						\$63	
model code)			M	3	M3 Mes	h						\$63	
			M	4	M4 Mes	h						\$63	
			M	7	M7 Mes	h						-	
			M1	0	M10 Me	sh						\$42	
OPTIONS			CI	-	CAL TB1	.33						\$95	
FREIGHT OP	TIONS		FA	۱.	Fully Ass	sembled						-	
			BV	V	Blanket	Wrapped -	Fully Asse	mbled [25	unit minim	num]		\$35	
FREIGHT REC	QUIREMEN	TS	AS	5	Allseatin	ig Standaro	b					-	
			FÇ	2	Special	Freight Inst	tructions [(	Call for Quo	ote]			VAR	
			G	)	Guarant	eed Deliver	ry Date and	d Time (Cal	l for Quote	)		VAR	

- Ships fully assembled, 1 per box.
- For BW freight option, minimum
- quantities apply
  This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- For mesh model code see page 22.





DESIGN | ALLSEATING

GSA SIN | 33721

INFO

PILLOWS

ASTUTE

AYLES



### **FEATURES**

#### • 4.25" cylinder


- · Black nylon base
- · Molded seat foam with stitched upholstery detail
- · For arm features and travel specifications, see page 16
- Carpet casters
- 24|7 Warranty on Synchro Tilt (40) mechanism, options included are T2 arms and Seat Slider. For more details see page 161

#### DIMENSIONS

- Overall [Synchro Tilt]: 35.5"- 39.75"H | 28.5"W | 28.5"D
- Overall [Deluxe Tilt J-Bar]: 37"-41.25"H | 28.5" W | 28.5"D
- Overall [Basic Synchro Tilt]: 36"-40.5"H | 28.5"W | 28.5"D
- Seat [Synchro Tilt]: 16.75"-21"H | 20"W | 19.5"D
- Seat [Deluxe Tilt J-Bar]: 17"- 21.25"H | 20"W | 19.5"D
- Seat [Basic Synchro Tilt]: 17"-21.5"H | 20"W | 19.5"D
- Back: 21"H | 19"W
- COM Full: 1.75 yd.

#### NOTES

- · Ships knocked down.
- For BW and FA freight options, minimum quantities apply
- All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- Tension is adjustable on OHC and OHH casters to accommodate various surface
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.
- Smoke Finish | L2, T2 and 4D arms are the only arms available in Smoke and will match base when selected
- \*\*\*Composite base and casters will be substituted if LS is selected.



## BASE PRICE | \$655 79089-NA

MIDBACK

	rade 2/ COM	Grade 3	Grade 4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather	
\$655	\$704	\$736	\$778	\$814	\$879	\$953	\$1,035	\$1,214	\$1,294	\$1,53	
SERIES		79	Inertia U	pholstered					QS	\$	
BACK STYLE		0	Midback						•	-	
CONTROL		89	Basic Syr	nchro Tilt [E	3T-4]				•	-	
		40	Synchro <sup>-</sup>	Tilt [ST]					•	\$78	
		80	Deluxe Ti	lt J-Bar [DJ	ני				•	\$16	
ARM		NA	No Arm						•	-	
		CA		ce Arm [No	ot Available	with Delux	e Tilt J-Ba	r, AWK, or AW	L] •	\$4	
		L2		ction Arm [	Not Availat	ole with AW	'K or AWL]			\$9	
		T2	Task 2 Ar	m					•	\$11	
		40		ional Arm					•	\$13	
		MF		ctional Arm	-		lot Include	ed]	•	\$15	
		T7	Ergonom	ic Task Arm	n [Includes	AWK]				\$29	
FRAME FINISH		BK	N Black Nyl	on					•	-	
		SKI	Smoke N	moke Nylon [Available arms L2, T2, 4D]							
		BR	N Birch Nyl	on [Availab	le arms T2	, 4D, L2, ar	nd T7]			\$48	
OPTIONS		SC	Sit to Cou	inter [Black	k frame and	d Synchro <sup>-</sup>	Filt only]		•	\$13	
		AW	K Adjustabl	e Width Br	acket [Kno	b][Not Incl	uded with	MF Arm]	•	\$30	
		AW	L Adjustme	nt Width B	racket [Lev	er][Not Inc	luded with	I MF Arm]	•	\$40	
		LH	65mm [2	.5"] Dual S	urface Cas	ters			•	\$32	
		ОН	H OH Dual	Surface Ca	sters [adjus	stable]			•	\$95	
		ОН	C OH Carpe	et Casters [	adjustable]				•	\$63	
		BC	Birch 65r	nm [2.5"] [	Dual Surfac	e Casters				\$32	
		HA	B High Prof	ile Aluminu	ım Base w/	65mm Cas	sters		•	\$6	
		SS	Seat Slide	er [Standar	d 2.5" rang	e] [not ava	ilable with	SC option]	•	\$8	
		SE	Extended	3" Seat Sli	der [N/A w	ith IES or S	SC]		•	\$8	
		BH	A Back Hei	ght Adjustn	nent with [[	3T-4] Conti	rol			N/A	
		BH	A Back Hei	ght Adjustn	nent with [[	DJ] Control				-	
		BH	A Back Heig	ght Adjustn	nent with [S	ST] Control	l		•	\$90	
		IES	Inertia Er	gonomic Si	mall Seat [	16"D   19"'	W]		•	-	
		LS	Low Seat	Height with	n 5" Travel*	**			•	\$53	
		HS	High Cyli	nder 5.5"**	*				•	-	
		CL	CAL TB13	33						\$9	
FREIGHT OPTIO	NS	KD	Knocked	Down					•	-	
		BW	Blanket V	Vrapped - F	ully Assem	bled [25 u	nit minimu	ım]		\$75	
		FA	Fully Asse	embled in (	Carton [25	unit minim	um]			\$11	
FREIGHT REQUI	REMEN	TS AS	Allseating	g Standard						-	
-		FQ	Special F	reight Instr	uctions [Ca	III for Quot	e]			VAF	
		GD	Guarante	ed Delivery	Date and	Time [Call :	for Quotel			VAF	

INERTIA<sup>®</sup> UPHOLSTERE





ALLSEATING | 2022 - 2023 | UPDATED MAY 5, 2023

ZIP

CHIROFORM DOVE EIGHTY TWO ENTAIL EXCHANGE FLUID FOSTER HALSA INNATE ≒ LEVO MANTRA PRATA PRESTO RAINBOW REQUISITE RES RUHE THERAPOD TUCK WATSON YOU

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY

TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALS/

Ę

LEVO

PRATA

PRESTO

RAINBOW

REQUISITE

RES

THERAPOD

TUCK

WATSON


YOL



## **INERTIA® UPHOLSTERED** HIGHBACK

## BASE PRICE | \$740 79189-NA

Grade 2/ Grade 4/COL Grade 1 Grade 3 Grade 5 Grade 6 Grade 7 Grade 8 Leather 1 Leather 2 Leather 3 сом \$740 \$796 \$832 \$880 \$922 \$996 \$1,080 \$1,174 \$1,379 \$1,470 \$1,744 SERIES 79 Inertia Upholstered QS \$ BACK STYLE 1 Highback • CONTROL 89 Basic Synchro Tilt (BT-4) . 40 Synchro Tilt (ST) \$78 . 80 Deluxe Tilt J-Bar (DJ) \$168 ٠ ARM NA No Arm CA Conference Arm (Not Available with Deluxe Tilt J-Bar, AWK, or AWL] • \$48 Dual Function Arm [Not Available with AWK or AWL] 12 \$95 т2 Task 2 Arm \$115 4D 4 Dimensional Arm \$130 MF Multi-functional Arm [Width Adjustment Not Included] \$158 Т7 Ergonomic Task Arm [Includes AWK] \$295 FRAME FINISH BKN Black Nylon Smoke Nylon (Available arms L2, T2, 4D) SKN \$48 BRN Birch Nylon [Available arms T2, 4D, L2, and T7] \$48 OPTIONS SC Sit to Counter (Black frame and Synchro Tilt only) \$138 AWK Adjustable Width Bracket [Knob][Not Included with MF Arm] \$30 AWL Adjustment Width Bracket [Lever][Not Included with MF Arm] \$40 LH 65mm (2.5") Dual Surface Casters \$32 онн OH Dual Surface Casters [adjustable] \$95 онс OH Carpet Casters [adjustable] . \$63 BC Birch 65mm (2.5") Dual Surface Casters \$32 HAB High Profile Aluminum Base w/65mm Casters \$65 \$85 SS Seat Slider (Standard 2.5" range) (not available with SC option) SE Extended 3" Seat Slider [N/A with IES or SC] \$85 BHA Back Height Adjustment with (BT-4) Control N/A BHA Back Height Adjustment with (DJ) Control BHA Back Height Adjustment with (ST) Control \$90 IES Inertia Ergonomic Small Seat (16"D | 19"W) LS Low Seat Height with 5" Travel\*\*\* \$53 High Cylinder 5.5"\*\*\* HS CAL TR133 \$95 CL FREIGHT OPTIONS КD Knocked Down \$75 BW Blanket Wrapped - Fully Assembled [25 unit minimum] FA Fully Assembled in Carton [25 unit minimum] \$115 FREIGHT REQUIREMENTS AS Allseating Standard FQ Special Freight Instructions (Call for Quote) VAR GD VAR Guaranteed Delivery Date and Time (Call for Quote)



**FEATURES** · 4.25" cylinder · Black nylon base

- · Molded seat foam with upholstered stitch detail
- · For arm features and travel specifications, see page 16
- Carpet casters
- 24|7 Warranty on Synchro Tilt (40) mechanism, options included are T2 arms and Seat Slider. For more details see page 161

#### DIMENSIONS

- Overall [Synchro Tilt]: 38.75"- 43"H | 28.5"W | 28.5"D • Overall [Deluxe Tilt J-Bar]: 40.75"-45"H | 28.5" W | 28.5"D
- Overall [Basic Synchro Tilt]: 39.25"-43.5"H | 28.5"W | 28.5"D
- Seat [Synchro Tilt]: 16.75"-21"H | 20"W | 19.5"D
- Seat [Deluxe Tilt J-Bar]:
- 17"- 21.25"H | 20"W | 19.5"D
- Seat [Basic Synchro Tilt]:
- 17"-21.5"H | 20"W | 19.5"D • Back: 21"H | 19"W
- · COM Full: 2 yd.

#### NOTES

- · Ships knocked down. • For BW and FA Freight Options, minimum quantities apply, please check with Sales Support for details.
- All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- · Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.
- Smoke Finish | L2, T2 and 4D arms are the only arms available in Smoke and will match base when selected
- If requiring a 3" seat slider, please specify with code SE rather than SS
- \*\*\*Composite base and casters will be substituted if LS is selected





Ľ₽

DESIGN | ALL SEATING GSA SIN | 33721

DESIGN | ALLSEATING

OPEN MARKET

#### **FEATURES**


- 4.25" cylinder
- Black nylon base · Molded seat foam with upholstered stitch detail
- · For arm features and travel specifications, see page 16
- Carpet casters
- 24|7 Warranty on Synchro Tilt (40) mechanism, options included are T2 arms and Seat Slider. For more details see page 161

#### DIMENSIONS

- Overall [Synchro Tilt]: 38.75"- 43"H | 28.5"W | 28.5"D
- Overall [Deluxe Tilt J-Bar]: 40.75"-45"H | 28.5" W | 28.5"D
  Overall [Basic Synchro Tilt]: 39.25"-
- 43.5"H | 28.5"W | 28.5"D · Seat [Synchro Tilt]:
- 16.75<sup>"</sup>-21"H | 20"W | 19.5"D • Seat [Deluxe Tilt J-Bar]:
- 17"- Ž1.25"H | 20"W | 19.5"D · Seat [Basic Synchro Tilt]:
- 17"-21.5"H | 20"W | 19.5"D • Back: 21"H | 19"W
- · COM Full: 2 yd.

#### NOTES

- · Ships knocked down. • For BW and FA Freight Options, minimu quantities apply, please check with Sale Support for details.
- · All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- · Tension is adjustable on OHC and OHH casters to accommodate various surfac
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines
- Smoke Finish | L2, T2 and 4D arms are the only arms available in Smoke and w match base when selected
- If requiring a 3" seat slider, please spec with code SE rather than SS
- \*\*\*Composite base and casters will be substituted if LS is selected.



## EXTRA HIGHBACK BASE PRICE | \$828

79389-NA

Grade 1	Grade 2/ COM	Grade 3	Grade 4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leath
\$828	\$884	\$920	\$968	\$1,010	\$1,084	\$1,168	\$1,262	\$1,467	\$1,558	\$1,8
SERIES		79	Inertia Up	holstered					QS	
BACK STYLE		3	Extra High	iback					•	
CONTROL		89	Basic Syne	chro Tilt (B	T-4)				•	
		40	Synchro T	ilt (ST)					•	\$
		80	Deluxe Tilt	t J-Bar (DJ)					•	\$1
ARM		NA	No Arm						•	
		CA	Conferenc	e Arm (Not	Available	with Deluxe	e Tilt J-Bar	AWK, or AW	/L] •	\$
		L2	Dual Func	tion Arm [N	Not Availab	le with AWI	K or AWL]			\$
		T2	Task 2 Arr	n					•	\$1
		4D	4 Dimensi	onal Arm					•	\$1
		MF	Multi-func	tional Arm	[Width Adj	ustment N	ot Include	d]	•	\$1
3		T7	Ergonomio	c Task Arm	[Includes /	AWK]				\$2
FRAME FINISH		BKN	Black Nylo	on					•	
		SKN	Smoke Ny	lon (Availal	ole arms L2	2, T2, 4D)				\$
		BRN	Birch Nylc	n [Availabl	e arms T2,	4D, L2, an	d T7]			\$
OPTIONS		SC	Sit to Cour	nter (Black	frame and	Synchro T	ilt only)		•	\$1
		AWM	Adjustable	e Width Bra	icket [Knob	][Not Inclu	Ided with N	/IF Arm]	•	\$
		AWL	. Adjustmer	nt Width Br	acket [Leve	er][Not Incl	uded with	MF Arm]	•	\$
		LH	65mm (2.	5") Dual Su	irface Cast	ers			•	\$
		OHH	I OH Dual S	urface Cas	ters [adjus	table]			•	\$
		оно	OH Carpet	t Casters [a	djustable]				•	\$
		BC	Birch 65m	ım (2.5") D	ual Surface	e Casters				\$
		HAB	High Profi	le Aluminui	m Base w/e	55mm Cas	ters		•	\$
		SS	Seat Slide	r (Standard	1 2.5" range	e) (not avai	lable with :	SC option)	•	\$
		SE	Extended	3" Seat Slid	der [N/A wi	th IES or S	C]		•	\$
		BHA	Back Heig	ht Adjustm	ent with (B	T-4) Contr	ol			N
		BHA	Back Heig	ht Adjustm	ent with (D	J) Control				
		BHA	Back Heig	ht Adjustm	ent with (S	T) Control				\$
		IES	Inertia Erg	onomic Sn	nall Seat (1	6"D   19"V	V)			
		LS	Low Seat I	Height with	5" Travel*	<del>**</del>				\$
		HS	High Cylin	der 5.5"**	÷					
		CL	CAL TB13	3						\$
FREIGHT OPTI	ONS	KD	Knocked E	Down						
		BW	Blanket W	rapped - Fu	ully Assemb	oled [25 ur	nit minimui	n]		\$
		FA	Fully Asse	mbled in C	arton [25 ι	init minimi	um]			\$1
FREIGHT REQU	JIREMEN	TS AS	Allseating	Standard						
		FQ	Special Fr	eight Instru	ictions (Ca	l for Quote	)			V
		GD	Guarantee	d Delivery	Date and T	ime (Call f	or Quote)			V

**INERTIA<sup>®</sup> UPHOLSTERE** 



QUICKSHIP

GSA Contract Holder

DESIGN | ALLSEATING

GSA SIN | 33721



#### **FEATURES**

- 4.25" cylinder
- · Black nylon base
- · Molded seat foam with stitched upholstery detail
- For arm features and travel specifications, see page 16
- · Carpet casters

#### DIMENSIONS


- Overall [Synchro Tilt]: 42.5"- 46.75"H | 28.5"W | 28.5"D
- Seat: 18"- 22.25"H | 22"W | 20.5"D
- Back: 24"H | 22.5"W
- COM Full: 2 yd.

Grade 1	Grade 2/ COM	Grade 3	Grade 4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$870	\$926	\$962	\$1,010	\$1,052	\$1,126	\$1,210	\$1,304	\$1,509	\$1,600	\$1,874
SERIES		79	Inertia Up	holstered					QS	\$
BACK STYLE		4	+Plus						•	-
CONTROL		40	Synchro Ti	lt (ST)					•	-
ARM		NA	No Arm						•	-
		CA	Conference	e Arm [Not	Available v	vith AWK o	r AWL]		•	\$48
		T2	Task 2 Arm	ı					•	\$115
		4D	4 Dimensio	onal Arm					•	\$130
		MF	Multi-funct	tional Arm	[Width Adj	ustment No	ot Included	]	•	\$158
		T7	Ergonomic	Task Arm	[Includes A	WK]				\$295
OPTIONS		AWK	Adjustable	Width Bra	cket [Knob	][Not Inclu	ded with N	IF Arm]	•	\$30
		AWL	. Adjustmen	t Width Bra	acket [Leve	r][Not Incl	uded with I	MF Arm]	•	\$40
		SS	Seat Slider	· (Standard	2.5" range	) (not avail	able with S	C option)	•	\$85
		LH	65mm (2.5	5") Dual Su	rface Caste	rs			•	\$32
		ОНН	I OH Dual S	urface Cast	ters [adjust	able]			•	\$95
		оно	OH Carpet	Casters [a	djustable]				•	\$63
		HAB	High Profil	e Aluminur	n Base w/e	5mm Cast	ers (Black	frame only)	•	\$65
		CL	CAL TB133	3						\$95
FREIGHT OP	TIONS	KD	Knocked D	lown						-
		BW	Blanket Wr	rapped - Fu	lly Assemb	led [25 un	it minimur	n]		\$75
		FA	Fully Asser	nbled in Ca	arton [25 u	nit minimu	ım]			\$115
FREIGHT REG	QUIREMEN	TS AS	Allseating	Standard						-
		FQ	Special Fre	eight Instru	ctions (Cal	for Quote	)			VAR
		GD	Guarantee	d Delivery	Date and T	me (Call fo	or Quote)			VAR

INERTIA<sup>®</sup> UPHOLSTERED

#### NOTES

- · Ships knocked down. • For BW and FA Freight Options, minimum quantities apply, please check with Sales Support for details.
- All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.
- \*\*\*Composite base will be substituted if these options are selected.







ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INNATE

١

F

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RUHE

THERAPOD

TUCK

WATSON

YOU

79440-NA

+PLUS

BASE PRICE | \$870



#### **FEATURES**

- 8" cylinder
- · Composite base · Molded seat foam with stitched
- upholstery detail • For arm features and travel
- specifications, see page 16 · Adjustable foot ring
- Carpet casters
- · Includes height adjustable foot ring

#### DIMENSIONS

- Overall [Basic Stool]: 38"- 45.5"H | 28"W | 28"D
- Seat [Basic Stool]: 20.25<sup>-</sup> 27.75"H | 20"W | 19.5"D • Overall [10" Stool]:
- 38.5"-48.5"H | 27"W | 27"D • Seat [10" Stool]:
- 20.75<sup>"</sup>-30.75"H | 20"W | 19.5"D • Back: 19"H | 19"W
- COM Full: 1.75 yd.

## **INERTIA® UPHOLSTERE** STOOL DESIGN | ALLSEATING GSA SIN | 33721

## BASE PRICE | \$800 79019-NA

Grade 1 G	irade 2/ COM	Grade 3	Grade 4/CO	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$800	\$849	\$881	\$923	\$959	\$1,024	\$1,098	\$1,180	\$1,359	\$1,439	\$1,679
SERIES		79	Inerti	Upholstere	d				QS	\$
BACK STYLE		0	Midba	ck					•	-
CONTROL		19	Basic	Stool [B2]					•	-
ARM		N/	No Ar	m					•	-
		Т2	2 Task 2	Arm					•	\$115
		40	0 4 Dim	ensional Arn	•	\$130				
		M	Multi-	unctional A	rm [Width A	Adjustment	Not Includ	led]	•	\$158
FRAME FINISH		BK	N Black	Nylon					•	-
		SK	N Smok	e Nylon (Ava	ilable arms	L2, T2, 4D	)			\$48
		BR	N Birch	Nylon [Availa	able arms T	2, 4D, L2, a	and T7]			\$48
OPTIONS		AW	,	ment Width	•	\$40				
		н		urface Cast	-				•	\$30
		LF		urface Cast	-				•	\$32
		он	-	al Surface C		-			•	\$95
		он		rpet Casters	- /	e]			•	\$63
		G		[10" Stool C	)nly]				•	\$30
		AE		num Base					•	\$65
		SS		lider [Availa	be on 8" Cy	linder Only	/]		•	\$85
		10		ool Package					•	\$36
		IES		Ergonomic	Small Seat	[16"D   19	"W]			-
		CL								\$95
FREIGHT OPTIO	INS	K		ed Down			.,			-
		BV		et Wrapped -	2	-		numj		\$75
EDELOUT DEOL		FA		ssembled ir	-	o unit mini	mumJ			\$115
FREIGHT REQUI	IREMENT			ting Standar			1.7			-
		FÇ		I Freight Ins	-		-	-		VAR
		G	Guara	nteed Delive	ry Date and	1 Time [Ca	I for Quote			VAR

- · Ships knocked down.
- For BW and FA Freight Options, minimum quantities apply, please check with Sales Support for details.
- Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 guidelines.





PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHA

NGE

FLUID

FOSTER

HALSA

INNATE

۶

F

LEVO

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOU



## **INERTIA® UPHOLSTERE** SIDE

DESIGN | ALLSEATING GSA SIN | 33721

## BASE PRICE | \$436 79054-NA

CODE	Grade 1	Grade 2/ COM	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
79054	\$436	\$478	\$505	\$541	\$573	\$628	\$691	\$762	\$915	\$984	\$1,189
79454	\$468	\$517	\$549	\$591	\$627	\$692	\$766	\$848	\$1,027	\$1,107	\$1,347

#### **FEATURES**

- Upholstered seat
- · Wall-saving designed frame
- · Black non-maring glides
- · Stacks 10 on a dolly
- Stacks 5 on the floor
- Stacks 2 high with casters

#### DIMENSIONS

- Side Overall NA: 32"H | 18"W | 24"D
- Side Overall WA: 32"H | 24"W | 24"D
- Seat: 17.5"H | 18"W | 18.5"D
- Back: 14.5"H | 18"W
- COM Full: 1.5 yd.
- +Plus Overall NA: 32"H | 20"W | 24"D
- +Plus Overall WA: 32"H | 26"W | 24"D
- +Plus Seat: 17.5"H | 19"W | 18.5"D
- +Plus Back: 14.5"H | 20"W
- +Plus COM Full: 1.75 yd.
- Dolly-10: 48"H | 22"W | 32"D
- · Dolly-10 Fully Loaded: 66"H | 24"W | 36"D

SERIES	79	Inertia Upholstered	QS	\$			
BACK STYLE	0	Midback	•	VAR			
	4	+Plus	•	VAR			
LEG	54	4 Leg	•	-			
ARM	NA	No Arm	•	-			
	WA	Inertia Guest Arm	•	\$45			
FRAME FINISH	SIL	Silver	•	-			
	BK	Black	•	-			
	GM	Metallic Gunmetal		-			
OPTIONS	CA	Carpet Casters	•	\$48			
	тс	Dual Casters	•	\$55			
	GBWA	Ganging Brackets with Arms	•	\$35			
	GBNA	Ganging Brackets No Arms	•	\$35			
	CL	CAL TB133		\$95			
FREIGHT OPTIONS	FA	Fully Assembled in Carton [25 unit minimum]		-			
	BW	Blanket Wrapped - Fully Assembled [25 unit minimum]		\$35			
FREIGHT REQUIREMENTS	AS	Allseating Standard		-			
	FQ	Special Freight Instructions (Call for Quote)		VAR			
	GD	Guaranteed Delivery Date and Time (Call for Quote)		VAR			
	Inertia Dolly -10	(					

#### NOTES

- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- Inertia Dolly-10 not available for +Plus Side.
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011 and is warranted for users up to 350 lbs.







ZIP

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY

TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INNATE

≒

F

LEVO

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOU

ΖĮΡ



#### FEATURES

- Upholstered seat and back
- Wall-saving designed frame

• Black non-maring glides

## INERTIA® UPHOLSTERED BAR STOOL DESIGN | ALLSE ATING GA SIN | 33721

## BASE PRICE | \$514


Grade 2/ Grade 4/COL Grade 1 Grade 3 Grade 5 Grade 6 Grade 7 Grade 8 Leather 1 Leather 2 Leather 3 сом \$514 \$556 \$583 \$619 \$651 \$706 \$769 \$840 \$993 \$1,062 \$1,267 SERIES Inertia Upholstered 79 QS \$ BACK STYLE 0 Midback \_ LEG 56 Bar Stool -ARM No Arm NA WA Inertia Barstool Arm \$45 FRAME FINISH SIL Silver вк Black Metallic Gunmetal GM OPTIONS CL CAL TB133 \$95 FREIGHT OPTIONS FA Fully Assembled in Carton BW Blanket Wrapped - Fully Assembled [25 unit minimum] \$35 FREIGHT REQUIREMENTS AS Allseating Standard FQ Special Freight Instructions (Call for Quote) VAR GD Guaranteed Delivery Date and Time (Call for Quote) VAR

#### DIMENSIONS

- Overall NA: 43.5"H | 21"W | 25"D
- Overall WA: 43.5"H | 24"W | 25"D
- Seat: 29"H | 17"W | 18.5"D
- Back: 14.5"H | 18"W

• COM Full: 1.5 yds.

- Ships 1 per box.
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATE

١

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RÜHE

THERAPOD

TUCK



# L1<sup>®</sup> MIDBACK


#### DESIGN | ALLSEATING OPEN MARKET

## BASE PRICE | \$592

L1024-NA

CODE	Grade 1	Grade 2/ COM	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
L1024	\$592	\$613	\$627	\$645	\$660	\$688	\$720	\$755	\$832	\$866	\$969
UPH	\$100	\$128	\$146	\$170	\$191	\$228	\$270	\$317	\$420	\$465	\$602
HEADREST	\$80	\$87	\$92	\$98	\$103	\$112	\$123	\$134	\$160	\$171	\$206
SERIES			L1	L1						QS	\$
BACK STY	'LE		0	Midback						_	-
CONTROL			24	Synchro <sup>-</sup>	Tilt [ST]						-
ARM			NA	No Arm							-
			T1		justable Ar						\$70
			CA			-			able with AWL	.]	\$80
			WA	-		Arm with	-	mcaps			\$110
ARM CAP			PV PB			rame Only yurethane					\$125
			PR			yurethane					
FRAME FI	NISH		BRN	Birch	Biron roi	yarothano	oup				\$48
			BKN	Black							-
BACK TYP	Έ		10C	M10 Mes	h Charcoa	ıl					-
			10N	M10 Mes	h Nickle						-
			10F	M10 Mes	h Fog						-
			10B	M10 Mes	h Black						-
			M2	M2 Mesh							\$68
			M9	M9 Mesh							\$68
ODTIONS	ID ACE1		UPH			Not Availa	ible with L	U or HR]			VAR
OPTIONS	[BASE]		RB KB	Birch Bas Black Bas							-
			AB	Aluminur							- \$65
OPTIONS	[OTHER]		AWL			racket   Le	ver [Availa	ble on WA	and CA Arm	5]	\$37
			AWK	· ·			-		nd PV Arms]	-	\$30
			HR	Headrest [c	annot be inst	talled in field	, fabric matcl	hes seat fabr	ic, N/A with UPI	-1]	VAR
			LU	Adjustabl	le Lumbar	[cannot b	e installed	d in field, N	V/A with UPH	4]	-
			SS	Seat Slide	er [Standa	ard 2" rang	ge] [not av	ailable wit	h SC option		\$53
			LH					vill match fram	e finish selection	]	\$32
			ОНН			ters [adjus					\$95
			онс			[adjustable	-				\$63
			BC SC	Sit to Cou	•	Casters [Availab]	e with birch fram	e only   not avail	able with Blanket Wr	арј	\$32 \$138
			HS		ider 5.5" **						\$150
FREIGHT	OPTIONS		KD	Knocked [							_
			BW			embled [not a	vailable when	Birch Casters E	3C option selected	1]	\$75
			FA		mbled in C	-				-	\$115
FREIGHT	REQUIREN	IENTS	AS	Allseating	Standard						-
			FQ	Special Fr	eight Instru	uctions [Cal	I for Quote	]			VAR
			GD	Guarantee	d Delivery	Date and T	ime [Call fe	or Quote]			VAR

#### TO ORDER SIMPLY FILL IN THE BLANKS







#### **FEATURES**

- 4.5" cylinder
- · Birch frame and base features black mechanism and black carpet casters
- · Molded seat foam
- Optional 2.5" seat slider
- Optional adjustable headrest [fabric matches seat]
- Optional adjustable lumbar
- Headrest and Lumbar cannot be field installed
- For arm details and travel specifications, see page 17
- Sit to counter includes height adjustable foot ring

#### DIMENSIONS

- Overall [Synchro Tilt]: 38.5" - 43<sup>°</sup> H | 27.5<sup>°</sup> W | 27.5" D
- Seat [Synchro Tilt]: 15.5" 20" H | 20" W | 20" D
- Back: 22" H | 19.5" W
- COM Seat: 0.75 yd

#### NOTES

- · Ships knocked down
- For BW and FA Freight Options minimum quantities apply, please check with Sales Support for details.
- · This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 an is warranted for users up to 350 lbs.
- For M2 and M9 mesh see page 22 for model codes

WATSON YOU ZIP

PILLOWS



# **RAINBOW<sup>™</sup> SQUARE BACK**

BASE PRICE | \$384

33654-NA

DESIGN | ALLSEATING GSA SIN | 33721

#### **FEATURES**

- Double curve and open back • 4 leg features a wall saver design unless ordered with casters
- Wall-saving designed frame
- · Black non-marring glides
- Stacks 4 on the floor
- Stacks 7 on Dolly-7
- · Stacks 14 on Dolly-14
- Caster Stacking

#### DIMENSIONS

- 4-LEG
- Overall NA: 34"H | 20.5"W | 25"D
- Overall WA: 34"H | 23.5"W | 25"D
- Seat: 17.5"H | 18"W | 17.5"D
- Back: 16.5"H | 18.5"W

#### SLED


- Overall NA: 34"H | 23"W | 26"D
- Overall WA: 34"H | 23.5"W | 26"D


#### DOLLY

- Rainbow Dolly-7: 43.75"H | 21"W | 47"D
- Rainbow Dolly-14: 57"H | 21"W | 81"D
- COM Seat: 0.75 yds.
- · COM Back: 0.75 yds.
- COM full: 1.25 yds.

- · Ships fully assembled in a box. For BW freight option, 25 unit minimum quantities apply, please check with Sales Support for details.
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order. WTR & WTL excluded.
- Sled frames cannot be used with Dolly.
- · Sled base with arm is non-stackable.
- · This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- \*Adjustable swivel glides ship un-installed.

Grade 1	Grade 2/ COM	Grade 3	Grade 4/0	COL Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$384	\$419	\$442	\$472	\$498	\$544	\$597	\$655	\$783	\$840	\$1,012
SERIES			33	Rainbow					QS	\$
BACK STYL	E		6	Square Back					•	-
LEG			54	4 Leg Stacka	able				•	-
ARM			NA	No Arm					•	-
			WA	With Arm					•	\$42
ARM CAP			BK	Black						-
FRAME FIN	SH		EB	Epoxy Black					•	-
			SIL	Silver						-
			СМ	Chrome (CA a	and TC Opti	ons not ava	lable.			\$85
ARM FINISH	ł		BK	Black					•	-
OPTIONS			AG	Adjustable Sv	vivel Glide*				•	\$18
			CR	Chrome Roc	ker				•	\$26
			CA	Casters					•	\$48
			тс	Dual Surface	e Casters				•	\$55
			1	1" Extra Sea	t Foam				•	\$30
			GB	Ganging Bra	ckets (set c	f 2)			•	\$38
			BN	Ballistic Nylo	on Back				•	\$40
			CL	CAL TB133						\$95
FREIGHT OF	PTIONS		FA	Fully Assemb	oled					-
			BW	Blanket Wra	oped - Fully	Assemble	d [25 unit	minimum]		\$35
FREIGHT RE	QUIREMEN	TS	AS	Allseating St	andard					-
			FQ	Special Freig	ght Instruct	ions (Call f	or Quote)			VAR
			GD	Guaranteed	Delivery Da	te and Tim	ie (Call for	Quote)		VAR









PILLOWS



## **RAINBOW<sup>™</sup> ROUND BACK**

BASE PRICE | \$384

33554-NA

DESIGN | ALLSEATING GSA SIN | 33721

PRODUCT BEING PHASED OUT

### FEATURES

- Double curve and open back
- Wall-saving designed frame4 leg features a wall saver design
- unless ordered with casters
- Black non-marring glides
- Stacks 4 on the floor
- Stacks 7 on Dolly-7
- · Stacks 14 on Dolly-14
- Caster Stacking

#### DIMENSIONS

- 4-LEG
- Overall NA: 34"H | 20.5"W | 25"D
- Overall WA: 34"H | 23.5"W | 25"D
- Seat: 17.5"H | 18"W | 17.5"D
- Back: 16.5"H | 18.5"W


#### SLED

- Overall NA: 34"H | 23"W | 26"D
- Overall WA: 34"H | 23.5"W | 26"D
- DOLLY
- Rainbow Dolly-7: 43.75"H | 21"W | 47"D • Rainbow Dolly-14: 57"H | 21"W | 81"D
- COM Seat: 0.75 yds.
- COM Seat: 0.75 yds.
   COM Back: 0.75 yds.
- COM full: 1.25 yds.

#### NOTES

- Ships fully assembled in a box. For BW freight option, 25 unit minimum quantities apply, please check with Sales Support for details.
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order. WTR & WTL excluded.
- Sled frames cannot be used with Dolly.
- Sled base with arm is non-stackable.
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- \*Adjustable swivel glides ship un-installed.

Grade 1	Grade 2/ COM	Grade 3	Grade 4/	COL Gr	ade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$384	\$419	\$442	\$472	\$	498	\$544	\$597	\$655	\$783	\$840	\$1,012
SERIES			33	Rainbo	w					QS	\$
BACK STYL	Ξ		5	Round	Back					•	-
LEG			54	4 Leg S	itackab	le				•	-
ARM			NA	No Arm	ı					•	-
			WA	With Ar	m					•	\$42
ARM CAP			BK	Black							-
FRAME FINI	SH		EB	Ероху Е	Black					•	-
			SIL	Silver							-
			СМ	Chrome	e (CA ar	nd TC Optio	ns not avai	lable.			\$85
ARM FINISH	l		BK	Black						•	-
OPTIONS			AG	Adjusta	ble Sw	ivel Glide*				•	\$18
			CR	Chrome	e Rocke	er				•	\$26
			CA	Casters	5					•	\$48
			тс	Dual Su	urface (	Casters				•	\$55
			1	1" Extra	a Seat I	Foam				•	\$30
			GB	Ganging	g Bracl	kets (set of	2)			•	\$38
			BN	Ballistic	c Nylon	Back				•	\$40
			CL	CAL TB	133						\$95
FREIGHT OF	TIONS		FA	Fully As	sembl	ed					-
			BW	Blanket	t Wrapp	bed - Fully	Assembled	l [25 unit r	ninimum]		\$35
FREIGHT RE	QUIREMEN	тs	AS	Allseati	ng Stai	ndard					-
			FQ	Special	Freigh	t Instructio	ons (Call fo	r Quote)			VAR
			GD	Guaran	teed D	elivery Dat	e and Time	e (Call for (	Duote)		VAR







PILLOWS



# **RAINBOW<sup>™</sup> WIDE**

Grade 4/

COL

BASE PRICE | \$620

Grade 2/ Grade 3

33754/33954-NA

Grade 1

Code

DESIGN | ALLSEATING GSA SIN | 33721

PRODUCT BEING PHASED OUT

Grade 5 Grade 6 Grade 7 Grade 8 Leather 1 Leather 2 Leather 3

#### **FEATURES**

- Double curve and open back
- · Wall-saving designed frame
- Black non-marring glides
- · Black frame

#### DIMENSIONS SQUAREBACK AND ROUNDBACK:

- Overall NA: 34"H | 24"W | 26"D
- Overall WA: 34"H | 26.75"W | 26"D
- Seat: 20"H | 22"W | 21.5"D
- Back: 14"H | 22"W
- · COM Back: 0.85 yds.
- COM Seat: 0.85 yds
- COM Full: 1.5 yds.


		COM		COL										
33754/ 33954-NA	\$620	\$662	\$689	\$725	\$757	\$812	\$875	\$946	\$1,099	\$1,168	\$1,373			
Phlebotomy Arm	\$195	\$209	\$218	\$230	\$241	\$259	\$280	\$304	\$355	\$378	\$446			
SERIES			33	Rainb	Rainbow QS									
BACK STY	'LE		7	Wide F	Wide Roundback									
			9	Wide S	Squarebac	k								
LEG			54	4 Leg	Stackable						-			
ARM			NA	No Arr	n						-			
			WA	With A	rm						\$52			
ARM CAP			BK	Black			-							
			SK	Smoke	9		-							
FRAME FI	NISH		BK	Black							-			
			SIL	Silver							-			
OPTIONS			BN	Ballist	Ballistic Nylon Back									
			PH	Phlebo	Phlebotomy Arm									
			PHL	Phlebo	lebotomy Arm   Left Side [From Seated Position]									
			PHR		-	n   Right S	ide [From	Seated Po	osition]		VAR			
			CL	CAL TI							\$115			
FREIGHT	OPTIONS		FA		ssembled						-			
			BW			-	ssembled	[25 unit m	ninimum]		\$35			
FREIGHT	REQUIREM	ENTS	AS		ting Stand						- VAR			
			FQ		Special Freight Instructions [Call for Quote]									
			GD	Guara	nteed Deli	very Date	and Time	(Call for Q	uote)		VAR			
•	Use the foll	owing mo	del codes	to order t	he Phlebo	omoty Arr	n by itself	f for insta	llation on e	xisting chai	rs			

the Phlebomoty Arm

*33APH-PHL	Phlebotomy Arm   Left Side [From Seated Position]	VAR
*33APH-PHR	Phlebotomy Arm   Right Side [From Seated Position]	VAR

#### NOTES

- Ships fully assembled in a box. For BW freight option, 25 unit minimum quantities apply, please check with Sales Support for details.
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order. WTR & WTL excluded.
- Rainbow Wide is suitable for up to 500lbs.
- · Does not stack
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.



ALLSEATING | 2022 - 2023 | UPDATED MAY 5, 2023



PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY

TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATE

١

F

LEVO

MANTRA

PRATA

PRESTO

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOU



# RAINBOW<sup>™</sup> PLUS

Grade 4/

COL

\$852

Grade 5

\$894

Grade 6

\$968

Grade 7

\$1,052

Grade 8

\$1,146

BASE PRICE | \$712

Grade 1

\$712

Grade 2/

сом

\$768

Grade 3

\$804

33454-WA

Code

33454-WA

Phlohote

DESIGN | ALLSEATING GSA SIN | 33721

Leather 2

\$1,442

Leather 3

\$1,716

Leather 1

\$1,351

FEATURES

Double curve and open back

Wall-saving designed frameBlack non-marring glides


Arm \$195 \$209	\$218	\$230	\$241	\$259	\$280	\$304	\$355	\$378	\$446
SERIES	33	Rainbo	DW					QS	\$
BACK STYLE	4	Plus S	quareback		-				
LEG	54	4 Leg							-
ARM	WA	With A	rm		-				
ARM CAP	BK	Black			-				
	SK	Smoke	9		-				
FRAME FINISH	EB	Epoxy	Black						-
	SIL	Silver							-
OPTIONS	BN	Ballist	ic Nylon B	lack					\$40
	PHL	Phlebo	otomy Arm		VAR				
	PHR	Phlebo	otomy Arm	n   Right S	ide [From	Seated Po	osition]		VAR
	CL	CAL TE	3133						\$115
FREIGHT OPTIONS	FA	Fully A	ssembled						-
	BW	Blanke	et Wrappe	d - Fully A	ssembled	[25 unit m	iinimum]		\$35
FREIGHT REQUIREMENTS	AS	Allseat	ting Stand		-				
	FQ	Specia	al Freight I		VAR				
	GD	Guara	nteed Deli		VAR				

• Use the following model codes to order the Phlebomoty Arm by itself for installation on existing chairs

*33APH-PHL	Phlebotomy Arm   Left Side [From Seated Position]	VAR
*33APH-PHR	Phlebotomy Arm   Right Side [From Seated Position]	VAR

#### NOTES

- Ships fully assembled in a box. For BW freight option, 25 unit minimum quantities apply, please check with Sales Support for details.
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- Rainbow Plus is suitable for up to 500lbs.
- Does not stack
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





DIMENSIONS

- Overall: 34.2"H | 33.3"W | 23.25"D • Seat: 17"H | 30"W | 20"D
- Back: 16.3"H | 30"W

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY

TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTIA

INNATE

≒

LEVO

MANTRA

PRATA

PRESTO

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOU



# RAINBOW<sup>™</sup> HIP

Grade 3 Grade 4/COL

BASE PRICE | \$645

Grade 2/

COM

33613-WA

Grade 1

Leather 1 Leather 2 Leather 3

#### **FEATURES**

- Double curve and open back
- Wall-saving designed frame
- Black non-marring glides
- Standard footrest in black nylon

	COM										
\$645	\$687	\$714	\$750		\$782	\$837	\$900	\$971	\$1,124	\$1,193	\$1,398
SERIES			33	Rai	nbow					QS	\$
BACK STYLE			6	Wid	e Squareb	ack					-
LEG			13	4 Le	eg						-
ARM			WA	Witl	n Arm						-
FRAME FINIS	H		EB	Epo	xy Black						-
			SIL	Silv	er						-
OPTIONS			BN	Ball	istic Nylor	n Back					\$40
FREIGHT OP	TIONS		FA	Full	y Assembl	ed					-
			BW	Blai	nket Wrap	ped - Fully	Assembled	l [25 unit n	ninimum]		\$35
FREIGHT REC	QUIREMEN	TS	AS	Alls	eating Sta	ndard					-
			FQ	Spe	cial Freigh	it Instructio	ons [Call fo	r Quote]			VAR
			GD	Gua	ranteed D	elivery Dat	e and Time	e (Call for Q	)uote)		VAR

Grade 5 Grade 6


Grade 7

Grade 8

#### DIMENSIONS

- Overall WA: 34"H | 26.5"W | 24.5"D
- Seat: 24"H | 22"W | 21.5"D
- Back: 14"H | 22"W
- Footrest: 6.625"H [from the floor] 21"W | 5.5"D
- COM Back: 0.85 yds.
- COM Seat: 0.85 yds
- COM Full: 1.5 yds.

- Ships fully assembled in a box. For BW freight option, 25 unit minimum quantities apply, please check with Sales Support for details.
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order. WTR & WTL excluded.
- Rainbow Hip is suitable for up to 500lbs.
- Does not stack
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.





PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY

TWO ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATE

١

F

LEVO

MANTRA

PRATA

PRESTO

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOU

ZIP



# **RAINBOW<sup>™</sup>JUNIOR**

Grade 4/COL Grade 5 Grade 6

DESIGN | ALLSEATING GSA SIN | 33721

Grade 8 Leather 1 Leather 2 Leather 3

### BASE PRICE | \$296 33854-NA

Grade 3

Grade 2/

COM

Grade 1

#### PRODUCT BEING PHASED OUT

Grade 7


- Double curve and open back
- Wall-saver designed frame
- Black non-marring glides
- Black frame
- Stacks 4 on the Floor

	COM											
\$296	\$313	\$324	\$3	38	\$351	\$373	\$398	\$426	\$488	\$515	\$597	
SERIES			33	Rainbo	w					QS	\$	
BACK STYLE			8	Junior							-	
LEG			54	4 Leg	Stackable						-	
ARM			NA	No Arr	n						-	
FRAME FINIS	SH		EB	Ероху	Black						-	
			SIL	Silver							-	
OPTIONS			AG	Adjust	able Swive	l Glide*					\$18	
			CR	Chrom	e Rocker						\$26	
			BN	Ballist	ic Nylon Ba	ack					\$35	
			CL	CAL TE	3133						\$95	
FREIGHT OP	TIONS		FA	Fully A	ssembled						-	
			BW	Blanke	et Wrapped	l - Fully Ass	embled [2	5 unit mini	mum]		\$35	
FREIGHT RE	QUIREMEN	ITS	AS	Allseating Standard								
			FQ	Special Freight Instructions (Call for Quote)								
			GD	Guara	nteed Deliv	very Date a	nd Time (C	all for Quo	te)		VAR	

#### DIMENSIONS

- Overall: 26"H | 15"W | 15"D
- Seat: 14"H | 15"W | 13.75"D
- Back: 12"H | 14"W
- COM: 0.60 yd.

- Ships fully assembled in a box. For BW freight option, 25 unit minimum quantities apply, please check with Sales Support for details.
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011 and is warranted for users up to 350 lbs
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- \*Adjustable Swivel Glides ship un-installed.





PILLOWS



#### **FEATURES**


- 4" Cylinder
- Side tension control
- · Black nylon base standard
- · Molded seat and foam back
- Standard carpet casters

#### DIMENSIONS

- · Overall [Knee Tilt]: 39-43.25"H | 28.5"W | 28.5"D
- Overall [Synchro Tilt]: 39"-43.25"H | 28.5"W | 28.5"D • Seat [Knee Tilt]:
- 18"- 22.25"H | 20.5"W | 19.5"D · Seat [Synchro Tilt]:
- 18"-22.25"H | 20.5"W | 19.5"D • Back: 22"H | 20"W
- COM Full: 1.75 yds.

#### NOTES

- · Ships knocked down.
- For BW and FA Freight Options, minimum quantities apply, please check with Sales Support for details.
- 7-Arms comes standard with 32 Synchro Tilt mechanism
- · Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- · All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- RC Specifications: Arm Height is 27.5"H from floor; Seat Height 19"H.
- · LS Specifications: Seat: 16.25"-
- 20.25"H. · Arm wraps for aluminum loop arm will
- match fabric selection • \* Synchro tilt available only with 7-Arm
- \*\*\* Smoke base to match when
- specified.



21035

Grade 1

\$1,120

BACK STYLE

CONTROL

SERIES

**BASE PRICE | \$1,120** 

Grade 3

\$1,201

Grade 2/

сом

\$1,169

	32	Synchro Knee Tilt* (TS70)	•	-
ARM	PBK	Black Painted Aluminum Loop Arms w/wrap	•	\$95
	PSK	Smoke Painted Aluminum Loop Arms w/wrap **	•	\$95
	ACA	Aluminum Loop Arms w/wrap	•	\$95
	7AB	Black 7-Arm	•	\$95
	7AS	Smoke 7-Arm**	•	\$95
OPTIONS	AB	Aluminum Base	•	\$65
	RC	Auto Return Cylinder (Fixed Height)	•	\$82
	LS	Low Seat Height	•	\$53
	LH	65mm (2.5") Dual Surface Casters	•	\$32
	онс	OH Carpet Casters [adjustable]	•	\$63
	онн	OH Dual Surface Casters [adjustable]	•	\$95
FREIGHT OPTIONS	KD	Knocked Down		-
	BW	Blanket Wrapped - Fully Assembled [25 Unit Minimum]		\$75
	FA	Fully Assembled in Carton [25 Unit Minimum]		\$115
FREIGHT REQUIREMENTS	AS	Allseating Standard		-
	FQ	Special Freight Instructions (Call for Quote)		VAR
	GD	Guaranteed Delivery Date and Time (Call for Quote)		VAR

**REQUISITE® MIDBACK** 

Grade 5

\$1,279

Grade 6

\$1,344

Grade 7

\$1,418

Grade 8

\$1,500

Leather 1

\$1,679

Grade 4/COL

\$1,243

Requisite

Midback

Knee Tilt (KT3)

21

0

35

#### DESIGN | TODD YETMAN OPEN MARKET

Leather 2

\$1,759

QS

Leather 3

\$1,999

\$



PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATE

≒

LEVO

PRATA

PRESTO

RES

RUHE

THERAPOD

TUCK

WATSON

YOU



#### FEATURES

- 4" Cylinder
- Side tension control
- Black nylon base standard
- Molded seat and foam back
- Standard carpet casters

#### DIMENSIONS

- Overall [Knee Tilt]: 46"-50.25"H | 28.5"W | 28.5"D
- Overall [Synchro Tilt]: 46"-50.25"H | 28.5"W | 28.5"D
   Seat [Knee Tilt]:
- 18"- 22.25"H | 20.5"W | 19.5"D • Seat [Synchro Tilt]:
- 18"-22.25"H | 20.5"W | 19.5"D • Back: 28"H | 19.5"W
- COM Full: 2 yds.

#### NOTES

- Ships knocked down.
- For BW and FA Freight Options, minimum quantities apply, please check with Sales Support for details.
- 7-Arms comes standard with 32 Synchro Tilt mechanism
- Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- RC Specifications: Arm Height is 27.5"H from floor; Seat Height 19"H.
- LS Specifications: Seat: 16.25"-20.25"H.
- Arm wraps for aluminum loop arm will match fabric selection
- \* Synchro tilt available only with 7-Arm
- \*\*\* Smoke base to match when
- specified.


# **REQUISITE® HIGHBACK**

DESIGN | TODD YETMAN OPEN MARKET

## BASE PRICE | \$1,280

Grade 1	Grade 2/ COM	Grade 3	Grade	4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$1,280	\$1,336	\$1,372	\$1	,420	\$1,462	\$1,536	\$1,620	\$1,714	\$1,919	\$2,010	\$2,284
SERIES			21	Requis	ite					QS	\$
BACK STYLE	I		1	Highba	ick					•	-
CONTROL			35	Knee T	ilt (KT3)					•	-
			32	Synchr	o Knee Til	•	-				
ARM			PBK	Black F	Painted Alu	ıminum Lo	op Arms w	/wrap		•	\$95
PSK Smoke Painted Aluminum Loop Arms w/wrap **									•	\$95	
			ACA Aluminum Loop Arms w/wrap							•	\$95
			7AB	Black 7	7-Arm					•	\$95
			7AS	Smoke	7-Arm**					•	\$95
OPTIONS			AB	Alumin	ium Base					•	\$65
			RC	Auto R	eturn Cylir	nder (Fixed	Height)			•	\$82
			LS	Low Se	eat Height					•	\$53
			LH	65mm	(2.5") Dua	I Surface C	Casters			•	\$32
			онс	OH Ca	rpet Castei	rs [adjustal	ole]			•	\$63
			онн	OH Du	al Surface	Casters [ad	djustable]			•	\$95
FREIGHT OP	TIONS		KD	Knocke	ed Down						-
			BW	Blanke	t Wrapped	- Fully Ass	embled [2	5 Unit Min	imum]		\$75
			FA	Fully A	ssembled	in Carton [	25 Unit Mi	nimum]			\$115
FREIGHT RE	QUIREMEN	TS	AS	Allseat	ing Standa	ird					-
			FQ	Specia	I Freight In	structions	(Call for Q	uote)			VAR
			GD	Guarar	nteed Deliv	ery Date a	nd Time (C	all for Quo	te)		VAR

## TO ORDER SIMPLY FILL IN THE BLANKS







ZIP




# **TUCK<sup>®</sup> STACKER**

## BASE PRICE | \$300

11050-NA

	Polypropylene		Grade 2/		Grade 4/			<del>.</del>				
J L	Seat and Back	Grade 1	COM	Grade 3	COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
	\$300	\$370	\$391	\$405	\$423	\$438	\$466	\$498	\$533	\$610	\$644	\$747
	SERIES			1	L1 Tu	ck					QS	\$
FEATURES	BACK STY	'LE			<b>O</b> Mi	dback					•	-
Non-marring nylon glides	LEG			5	50 Sta	ackable Sle	ed Base				•	-
Polypropylene seat and back				5	54 4-	_eg					•	-
<ul> <li>Optional upholstered seat or seat pad includes abroud</li> </ul>	ARM			N	IA No	Arm					•	-
includes shroud • Polypropylene armcaps				v 1	VA Wi	th Arm					•	\$52
Wall-Saving designed frame	FRAME FI	NISH   CO	DLLECTION	11 C	M Ch	rome					•	-
Stacks on dolly:				P	ON Or	ух					•	-
<ul> <li>35 (Sled), 20 (4-Leg)</li> <li>Stacks with upholstered seat:</li> </ul>				P	CT Co	tton						-
• 18 (Sled), 12 (4-Leg)				P	SK Sn	noke						-
Stacks 12 on the floor				Р	<b>нz</b> На	ze						-
Stacks 6 on the floor with Upholstered seats				Р	MI Mi	dnight						-
Caster Stacking				Р		ch						-
DIMENSIONS				Р	PO Po	ttery						-
<ul> <li>SLED Overall No Arm: 32.25"H   21.5"W   23"D</li> </ul>	FRAME FI		DLLECTION	12 P	CU Cu	rrant [25 u	nit minim	um order (	quantity]			\$25
SLED Overall With Arm:		·				ligo [25 uni						\$25
32.25"H   24.25"W   23"D				Р		rus [25 uni			22			\$25
<ul> <li>4-LEG Overall No Arm: 32.25"H   22.5"W   23"D</li> </ul>				Р		ne [25 unit						\$25
• 4-LEG Overall With Arm:	POLYPRO	PYLENE		0		ух					•	-
32.25"H   24.5"W   23"D • Seat: 18"H   17.25"W   18"D	Indicate:					tton					•	_
• Back: 14.25"H   18.5"W	B for Back	r		6	Cu Cu	rrant					•	-
<ul> <li>Fully Loaded Dolly: 73.5"H   26"W   42"D</li> </ul>	S for Seat	-		-		dnight					•	-
• 12 Stacked on the floor:	A for Arm				IZ Ha	•					•	-
43"H   34"D						noke					•	_
<ul> <li>Upholstered Seat and Upholstered Seat Pad add 0.75"" to seat height</li> </ul>				-		ch						_
• COM: 0.75 yd.						ligo					•	_
NOTES						rus						
8 more poly and frame colours available					PI Pir							
with a minimum order quantity of 250 units:						ttery						
Crimson, Sage, Pacific, Cove, Carob, Maize, Autumn, Dune [please see frames and finishes	OPTIONS					holstered \$	Soat Pad					VAR
section on the website or contact sales	OFTIONS							with Doly	Pool			VAR
support for more details] • Ships fully assembled in a box.				-		lly Upholst		with Foly	DACK			
<ul> <li>For orders of less than 2, a cartoning</li> </ul>	ODTIONS	(Slod Orl	<b>A</b>			t-Covered	Gildes				•	\$16 \$140
surcharge of \$22 net will be incurred per order.	OPTIONS	(Sieu Ohij	y)			orage Tray	oc [Sot of	1 2 Mal-	2 Eamola			\$140 \$10
Ganging glides are factory installed, Armless							-		2 remaie	e; NA Only]		
version only.	OPTIONS	(1 log 0:1				nging Brac	-	012]			•	\$10
<ul> <li>Ganging brackets shipped separately: Requires Installation.</li> </ul>	OPTIONS	(4-leg Uni	у			rpet Caster						\$48 \$55
This product meets the requirements set forth	EDELOUT	DTIONS		-		al Surface						\$55
in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.	FREIGHT	JP HONS				ly Assembl				1 Mini		- ¢ 0 F
Dimensions are dependant on options	EDELOUE -							Assemble	ed [25 Uni	it Minimum]		\$35
selected. Product can be configured to comply	FREIGHT F	REQUIREN	IENTS			seating Sta						-
with BIFMA G1-2002 Guidelines. • Nylon glides for use on carpet, ceramic tile,						ecial Freigh		•	• •			VAR
concrete, vinyl, VCT, rubber.				G	a <b>D</b> Gu	aranteed D	elivery Da	te and Tir	ne (Call fo	r Quote)		VAR
<ul> <li>Felt covered glides for sled are suitable for use on hardwood, marble.</li> </ul>				Doll	y-35 Ple	ase ensure [	Dolly has se	eparate mo	del/line ite	m with quanti	ties specified	\$398



INFO 🕿 ВАСК ТО ТОР PILLOWS DESIGN | TODD YETMAN GSA SIN | 33721 ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTIA

INNATE

≒

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RÜHE

THERAPOD



GSA Contract Holder

ZIP

WATSON

YOU



#### FEATURES

- · Non-marring nylon glide
- · Polypropylene seat and back · Optional upholstered seat or seat pad
- includes shroud
- Polypropylene armcaps · Stacks 5 units on the Floor;
- 4 units with upholstered seat · Wall-saving designed frame

#### DIMENSIONS

- Overall [Counter Stool]:
- 39.5"H | 23.75"W | 25"D
- Seat [Counter Stool]: 24.75"H | 17.5"W | 19"D
- Overall [Bar Stool]: 45.5"H | 23.75"W | 27.5"D Seat [Bar Stool]:
- 31"H | 17.25"W | 19"D
- Back: 13.75"H | 18.25"W
- Upholstered Seat and Upholstered Seat Pad add 0.75"" to seat height
- COM Full: 0.75 yd.

#### NOTES

- · 8 more poly and frame colours available with a minimum order quantity of 250 units: Crimson, Sage, Pacific, Cove, Carob, Maize, Autumn, Dune [please see frames and finishes section on the website or contact sales support for more details]
- · Ships fully assembled in,1-4 units per box. · For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- · Ganging Glides are factory installed, Armless version only.
- · Ganging Brackets shipped separately: Requires Installation.
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- Nylon glides for use on carpet, ceramic tile, concrete, vinyl, VCT, rubber.
- · Felt covered glides for use on hardwood, marble.


# **TUCK<sup>®</sup> STOOL**

## **BASE PRICE | \$548**

#### 11053-NA

F

Polypropylene Seat and Back	Grade 1	Grade 2/ COM	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$548	\$618	\$639	\$653	\$671	\$686	\$714	\$746	\$781	\$858	\$892	\$995
SERIES			11	Tuck						QS	\$
BACK STY	LE		0	Midba	ack						-
LEG			53	Coun	ter Stool						-
			56	Bar S	tool						-
			52	4-Leg	Counter S	Stool [NO]	r on gsa	CONTRAC	:T]		-
			55	4-Leg	g Bar Stool	[NOT ON	GSA CON	TRACT]			-
ARM			NA								-
			WA								\$52
FRAME FI	NISH   COI	LLECTION								•	-
			PO	-						•	-
			PC								-
			PSI		e						-
			PH: PM		abt						-
			PB		•						-
			PP								
FRAME FI		LECTION				t minimur	n order au	iantitv]			\$25
	1011   001		PIN		-	minimum					\$25
			PC		-	minimum					\$25
			PP		-	inimum o					\$25
POLYPRO	PYLENE		0	l Onyx						•	-
Indicate:			СТ	• Cotto	n					•	-
B for Back			CU	Curra	nt					•	-
S for Seat			M	Midni	ght					•	-
A for Arm			HZ							•	-
			SK							•	-
			BR							•	-
			IN	0						•	-
			CI		5					•	-
			PI							•	-
OPTIONS			PC		ry Istered Se	at Pad				•	- VAR
OF HONS			UP			at Fau ed Seat wi	th Poly Ra	nck			VAR
			FG		overed GI		the off De	ich			\$16
OPTIONS	SLED ONI	YI	GG			[Set of 4,	2 Male, 2	Female: N	A Onlv]		\$10
			GE		-	ets [set of :					\$10
FREIGHT (	PTIONS		FA		•	d in Carto	-				-
			ви					I [25 Unit	Minimum]		\$35
FREIGHT F	REQUIREM	ENTS	AS		ating Stand				-		-
			FQ	Speci	al Freight	Instructio	ns (Call fo	r Quote)			VAR
			GD	Guara	anteed Del	livery Date	and Time	e (Call for	Quote)		VAR



DESIGN | TODD YETMAN GSA SIN | 33721

INFO PILLOWS ASTUTE AYLES CHIROFORM DOVE EIGHTY TWO ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTIA

INNATE

≒

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RÜHE

THERAPOD





YOU

WATSON



FEATURES

· Non-marring nylon glide · Upholstered seat and back · Seat includes shroud

· Polypropylene armcaps · Wall-Saving designed frame · Stacks 15 on a dolly

· Stacks 6 on the floor Caster Stacking

DIMENSIONS SLED Overall No Arm:

32.25"H | 21.5"W | 23"D · SLED Overall With Arm: 32.25"H | 24.25"W | 23"D

• Seat: 18"H | 17.25"W | 18"D • Back: 14.25"H | 18.5"W · Fully Loaded Dolly: 73.5"H | 26"W | 42"D

• 8 more poly and frame colours available with a minimum order quantity of 250

· Ships fully assembled in a box. · For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per

Requires Installation.

· Ganging glides are factory installed, Armless version only.

Ganging brackets shipped separately:

warranted for users up to 350 lbs. · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.

• Nylon glides for use on carpet, ceramic tile, concrete, vinyl, VCT, rubber. · Felt covered glides for sled are suitable for

use on hardwood, marble.

· This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is

units: Crimson, Sage, Pacific, Cove, Carob, Maize, Autumn, Dune [please see frames and finishes section on the website or contact sales support for more details]

• 12 Stacked on the floor: 43"H | 34"D • COM: 1.25 yd.

NOTES

order.

· 4-LEG Overall No Arm: 32.25"H | 22.5"W | 23"D 4-LEG Overall With Arm: 32.25"H | 24.5"W | 23"D

## **TUCK<sup>®</sup> FULLY** UPHOLSTERED

### BASE PRICE | \$452 1

L3050-NA	
----------	--

Grade 1	Grade 2/ COM	Grade 3	Grade 4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather
\$452	\$487	\$510	\$540	\$566	\$612	\$665	\$723	\$851	\$908	\$1,080
SERIES			13	Tuck Upho	Istered				QS	\$
BACK STYLE	E		0	Midback					•	-
LEG			50	Stackable S	Sled Base				•	-
			54	4-Leg					•	-
ARM			NA	No Arm					•	-
			WA	With Arm					•	\$52
FRAME FINI	SH   COLL	ECTION 1	СМ	Chrome					•	-
			PON	Onyx					•	-
			PCT	Cotton						-
			PSK	Smoke						-
			PHZ	Haze						-
			PMI	Midnight						-
			PBR	Birch						-
			PPO	Pottery						-
FRAME FINI	SH   COLL	ECTION 2	PCU	Currant [25		\$25				
			PIN	Indigo [25						\$25
			PCI	Citrus [25 ι		\$25				
			PPI	Pine [25 ur	it minimur	n order qu	antity]			\$25
POLYPROPY	LENE ARM		ON	Onyx					•	-
			СТ	Cotton					•	-
			CU	Currant					•	-
			MI	Midnight					•	-
			HZ SK	Haze Smoke					•	-
			BR	Birch					•	-
			IN						•	-
			CI	Indigo Citrus						-
			PI	Pine						-
			PO	Pottery						-
OPTIONS			FG	Felt-Covere	d Glides					\$16
OPTIONS (SI	led Only)		BB	Storage Tra					•	\$140
			GG	Ganging Gl		4 2 Male	2 Female:	NA Only]		\$10
			GB	Ganging Br	-		_ remain,			\$10
OPTIONS (4	-leg only)		CA	Carpet Cas	-	J. 2]				\$48
			тс	Dual Surfa						\$55
FREIGHT OP	TIONS		FA	Fully Asser		arton			•	-
			BW	2			oled [25 U	nit Minimum	1	\$25
FREIGHT RE	QUIREMEN	тѕ	AS	Allseating		,	- 1 0			-
		-	FQ	Special Fre		ctions (Ca	II for Ouote	e)		VAR
			GD	Guarantee	-					VAR

TO ORDER SIMPLY FILL IN THE BLANKS 13 Α U POLYPROPYLENE SERIES BACK LEG FRAME FREIGHT FREIGHT ARM OPTIONS FABRIC CODE For additional options STYLE FINISH ARM OPTION REQUIRE-Please refer to allseating.com for separate with (-) hyphen. MENTS fabric codes.

INFO

PILLOWS

ASTUTE

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTIA

INNATE

≒

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

RES

RÜHE

THERAPOD

WATSON

DESIGN | TODD YETMAN GSA SIN | 33721

AYLES REQUISITE





YOU

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY

TWO

Leather 3

\$1,333

\$

\$52

\$25

\$25

\$25

\$25

\$16

\$10

\$10

\$25

VAR

VAR



## **TUCK<sup>®</sup> STOOL FULLY UPHOLSTERED**

Grade 5

\$819

Counter Stool

Midback

Bar Stool

No Arm

With Arm

Chrome

Onyx

Cotton

Smoke

Midnight

Haze

Birch

Onvx

Cotton

Currant

Haze

Smoke

Birch

Indigo

Citrus

Pottery

Felt-Covered Glides

Allseating Standard

Ganging Brackets [set of 2]

Fully Assembled in Carton

Pine

Midnight

Potterv

**Tuck Upholstered** 

Grade 6

\$865

Grade 7

\$918

4-Leg Counter Stool [NOT ON GSA CONTRACT]

4-Leg Bar Stool [NOT ON GSA CONTRACT]

Currant [25 unit minimum order quantity]

Indigo [25 unit minimum order quantity]

Citrus [25 unit minimum order quantity]

Ganging Glides [Set of 4, 2 Male, 2 Female; NA Only]

Blanket Wrapped - Fully Assembled [25 Unit Minimum]

Guaranteed Delivery Date and Time (Call for Quote)

Special Freight Instructions (Call for Quote)

Pine [25 unit minimum order quantity]

Grade 8

\$976

Leather 1

\$1,104

BASE PRICE | \$705

Grade 3

\$763

Grade 4/COL

\$793

13

0

53

56

52

55

NA

WA

СМ

PON

РСТ

PSK

PHZ

PMI

PBR

PP0

PCU

PIN

PCI

PPI

ON

ст

cu

МІ

ΗZ

sĸ

BR

IN

CI

Ы

РΟ

FG

GG

GB

FA

BW

AS

FQ

GD

Grade 2/

COM

\$740

FRAME FINISH | COLLECTION 1

FRAME FINISH | COLLECTION 2

POLYPROPYLENE ARM

OPTIONS

OPTIONS [SLED ONLY]

FREIGHT REQUIREMENTS

FREIGHT OPTIONS

13053-NA

Grade 1

\$705

BACK STYLE

SERIES

LEG

ARM

DESIGN | TODD YETMAN GSA SIN | 33721

Leather 2

\$1,161

72HR

#### FEATURES


- · Standard nylon glide
- · Upholstered seat and back
- · Seat includes shroud · Polypropylene armcaps
- · Wall-saving designed frame
- · Stacks 4 units on the floor

#### DIMENSIONS

- Overall Counter Stool: 39.5"H | 23.75"W | 25"D Seat Counter Stool:
- 24.75"H | 17.5"W | 19"D
- Overall Bar Stool: 45.5"H | 23.75"W | 27.5"D · Seat Bar Stool:
- 31"H | 17.5"W | 19"D
- Back: 13.75"H | 18.25"W • COM Full: 1.25 vd.

#### NOTES

- 8 more poly and frame colours available with a minimum order quantity of 250 units: Crimson, Sage, Pacific, Cove, Carob, Maize, Autumn, Dune [please see frames and finishes section on the website or contact sales support for more details]
- · Ships fully assembled in a box. • For orders of less than 2, a cartoning surcharge of \$22 net will be incurred
- per order Ganging Glides are factory installed,
- Armless version only. · Ganging Brackets shipped separately:
- Requires Installation. This product meets the requirements set
- forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350 lbs. · Dimensions are dependant on options
- selected. Product can be configured to comply with BIFMA G1-2002 Guidelines. · Ships 1-4 units per Box.
- Nylon glides for use on carpet, ceramic tile, concrete, vinyl, VCT, rubber.
- · Felt covered glides for use on hardwood, marble.





## GSA Contract Holder



PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATE

١



#### **FEATURES**

- · Polypropylene seat and back
- · Polypropylene arms
- Sit to counter includes adjustable footring

#### DIMENSIONS

- Overall:
- 30.25"-34.75"H | 28"W | 28"D · Seat:
- 16.25" 20.5"H | 19.25"W | 17.5"D • Back: 13.75"H | 18.25"W
- Upholstered Seat and Upholstered Seat Pad add 0.75"" to seat height
- COM: 0.75 yds.

#### NOTES


- 8 more poly and frame colours available with a minimum order quantity of 250 units: Crimson, Sage, Pacific, Cove, Carob, Maize, Autumn, Dune [please see frames and finishes section on the website or contact sales support for more details]
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011 and is warranted for users up to 350lbs.
- For BW and FA Freight Options, minimum quantities apply, please check with Sales Support for details.
- Dimensions are dependant on options selected. Product can be configurd to comply with BIFMA G1-2002 Guidelines.

# **TUCK<sup>®</sup> COLLABORATIVE**

DESIGN | TODD YETMAN GSA SIN | 33721

### BASE PRICE | \$488 11051-NA

Polypropylene Seat and Back	Grade 1	Grade 2/ COM	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$488	\$558	\$579	\$593	\$611	\$626	\$654	\$686	\$721	\$798	\$832	\$935
SERIES			1	1 Tuo	:k					QS	\$
BACK STY	'LE		(	) Mio	dback						-
LEG			5	1 Ba	sic Swivel						-
			5	<b>7</b> Sw	ivel Tilt						\$52
ARM			N	A No	Arm						-
			w	A Wit	h Arm						\$52
FRAME FI	NISH   CO	LLECTION	1 C	M Ch	rome						-
			PC	On On	yx						-
			P	CO <sup>.</sup>	tton						-
			PS	SK Sm	ioke						-
			Pł	HZ Ha	ze						-
					dnight						-
				<b>BR</b> Bir							-
			PF	-	ttery						-
FRAME FI	-				rrant [25 u						\$26
[25 unit m	ninimum o	order quant			ligo [25 un						\$26
					rus [25 uni						\$26
					e [25 unit	minimum	order qua	ntityj			\$26
POLYPROF Indicate:	PILENE			N On T Co	•						-
B for Back					tton rrant						-
S for Seat			-		dnight						-
A for Arm				Z Ha							_
					loke						
			-	R Bir							_
					igo						_
					•						-
			P	Pin Pin	е						-
			P	0 Pot	tery						-
OPTIONS			PA	D Up	holstered S	Seat Pad					VAR
			UF	PH Ful	ly Upholste	ered Seat	with Poly I	Back			VAR
			L	H 65	mm (2.5")	Dual Surfa	ice Caster	s			\$32
			Bł	(B Bla	ck Nylon B	lase					-
			SP	(B Sm	ioke Nylon	Base					\$35
			НА	AB Hig	h Profile A	luminum l	Base				\$65
			S	<b>c</b> Sit	to Counter						\$138
FREIGHT C	OPTIONS				ocked Dow	n					-
			B	W Bla	nket Wrap	ped - Fully	Assemble	ed [25 Uni	t Minimum]		\$75
FREIGHT F	REQUIREN	IENTS			seating Sta						-
					ecial Freigh		•				VAR
			G	D Gu	aranteed D	elivery Da	te and Tir	ne (Call fo	r Quote)		VAR







DESIGN | TODD YETMAN GSA SIN | 33721 INFO

PILLOWS

ASTUTE

AYLES



#### FEATURES

- · Upholstered seat and back
- Polypropylene arms
- Sit to counter includes adjustable footring

#### DIMENSIONS

- Overall: 32.75"H | 26.5"W | 26.5"D
- Seat: 16- 20.5"H | 17.25"W | 18"D
- Back: 16"H | 17.5"W
- COM: 1.25 yd.

#### NOTES

- 8 more poly and frame colours available with a minimum order quantity of 250 units: Crimson, Sage, Pacific, Cove, Carob, Maize, Autumn, Dune [please see frames and finishes section on the website or contact sales support for more details]
- This product meets the requirements set forth in ANSI/BIFMA X5.1-2011 and is warranted for users up to 350lbs.
- For BW and FA Freight Options, minimum quantities apply, please check with Sales Support for details.
- Dimensions are dependant on options selected. Product can be configurd to comply with BIFMA G1-2002 Guidelines.


Grade 2/ COMGrade 3Grade 4/COLGrade 5Grade 6Grade 7Grade 8Leather 1Leather 2Leather 3\$638\$673\$696\$726\$752\$798\$851\$909\$1,037\$1,094\$1,266SERIESBACK STYLE13Tuck Upto Stered\$909\$1,037\$1,094\$1,266BACK STYLE0Midback-\$\$LEG51Basic Swivel Tilt-\$\$\$ARMNANo Arm\$\$RAME FINISH   COLLECTION 1CMChrome\$\$
SERIES     13     Tuck Upholstered     QS     \$       BACK STYLE     0     Midback     -       LEG     51     Basic Swivel     -       57     Swivel Tilt     \$52       ARM     NA     No Arm     -       WA     With Arm     \$52
BACK STYLE     0     Midback     1       LEG     51     Basic Swivel     -       57     Swivel Tilt     \$52       ARM     NA     No Arm     -       WA     With Arm     \$52
BACK STYLE     0     Midback     -       LEG     51     Basic Swivel     -       57     Swivel Tilt     \$52       ARM     NA     No Arm     -       WA     With Arm     \$52
57         Swivel Tilt         \$52           ARM         NA         No Arm         -           WA         With Arm         \$52
ARM     NA     No Arm       WA     With Arm     \$52
WA         With Arm         \$52
FRAME FINISH   COLLECTION 1 CM Chrome -
PON Onyx -
PCT Cotton -
PSK Smoke -
PHZ Haze -
PMI Midnight -
PBR Birch -
PPO Pottery -
FRAME FINISH   COLLECTION 2         PCU         Currant [25 unit minimum order quantity]         \$26
[25 unit minimum order quantity]PINIndigo [25 unit minimum order quantity]\$26
PCI         Citrus [25 unit minimum order quantity]         \$26
PPI         Pine [25 unit minimum order quantity]         \$26
POLYPROPYLENE ARM ON Onyx -
CT Cotton -
CU Currant -
MI Midnight - HZ Haze -
SK Smoke -
BR Birch -
IN Indigo -
CI Citrus -
PI Pine -
PO Pottery -
OPTIONS LH 65mm (2.5") Dual Surface Casters \$32
BKB Black Nylon Base -
SKB Smoke Nylon Base \$35
HAB High Profile Aluminum Base \$65
SC Sit to Counter \$138
FREIGHT OPTIONS KD Knocked Down -
BW Blanket Wrapped - Fully Assembled [25 Unit Minimum] \$75
FREIGHT REQUIREMENTS AS Allseating Standard -
FQ Special Freight Instructions (Call for Quote) VAR
GD Guaranteed Delivery Date and Time (Call for Quote) VAR

**TUCK<sup>®</sup> UPHOLSTERED** 

COLLABORATIVE

BASE PRICE | \$638

13051-NA



PILLOWS

ASTUTE

AYLES



#### **FEATURES**

- · Polypropylene seat and back
- Polypropylene arms
- Includes an adjustable footring

#### DIMENSIONS

- Overall 8":
- 34.25"-41.75"H | 28"W | 28"D • Seat 8":
- 20.25"-27.5"H | 17.5"W | 19.25"D • Overall 10": 34.75"-45.75"H | 27"W | 27"D
- Seat 10":
- 20.25"-30.25"H | 17.5"W | 19.25"D • Back: 13.75"H | 18.25"W
- COM: 0.75 yds.


#### NOTES

- 8 more poly and frame colours available with a minimum order quantity of 250 units: Crimson, Sage, Pacific, Cove, Carob, Maize, Autumn, Dune [please see frames and finishes section on the website or contact sales support for more details]
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011 and is warranted for users up to 350lbs.
- Ships knocked down. For BW Freight Option, 25 unit minimum quantities apply. Please check with Sales Support for details.
- Dimensions are dependant on options selected. Product can be configurd to comply with BIFMA G1-2002 Guidelines.

## TUCK® COLLABORATIVE STOOL DESIGN | TODD YETMAN GSA SIN | 33721

## BASE PRICE | \$623

Polypropylene Seat and Back	Grade 1	Grade 2/ COM	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$623	\$693	\$714	\$728	\$746	\$761	\$789	\$821	\$856	\$933	\$967	\$1,070
SERIES			11	L Tuc	k					QS	\$
BACK STY	LE		0		back						-
LEG			51		ic Swivel						-
ARM			N/		Arm 1 Arm						- \$52
STOOL OP	TION		8	8" 5	Stool Packa	age					-
			10	<b>)</b> 10"	Stool Pack	kage					\$36
FRAME FI	NISH   CO	LLECTION		-	ome						-
			PO	,							-
			PC PS								-
			PH								_
			PN		night						-
			PB	R Bird	h						-
			PP		tery						-
FRAME FI					rant [25 ui						\$26
[25 unit m	inimum or	der quanti	ty] PII PC		go [25 uni us [25 uni <sup>:</sup>						\$26 \$26
			PF		e [25 unit i						\$26
POLYPRO	PYLENE		10		-						-
Indicate:			C	r Cot	ton						-
B for Back			CL		rant						-
S for Seat			M		night						-
A for Arm			HZ Sł								-
			B								-
			IN								-
			С	I Citr	us						-
			P		Э						-
			PC		tery						-
OPTIONS			PA UP		olstered S y Upholste		uith Doly [	Pool			VAR VAR
			H		l Surface (						\$30
			LF		Il Surface (	-					\$32
			G		les [10" St	-					\$30
			вк	B Blac	ck Nylon B	lase					-
			SK		oke Nylon						\$35
FREIGHT	DTIONS		AE		minum Bas						\$65
FREIGHI			BV		ocked Down		Assemble	ed [25 Uni	t Minimum]		- \$75
FREIGHT F	REQUIREM	ENTS	AS		eating Star	-			ciannanij		-
			FÇ		cial Freigh		ons (Call f	or Quote)			VAR
			GI	) Gua	ranteed D	elivery Da	te and Tin	ne (Call fo	r Quote)		VAR









ZIP

PILLOWS



## **TUCK<sup>®</sup> UPHOLSTERED** COLLAB. STOOL

BASE PRICE | \$758

DESIGN | TODD YETMAN GSA SIN | 33721

#### **FEATURES**

- · Upholstered seat and back
- · Polypropylene arms
- · Optional upholstered seat or seat pad includes shroud


· Includes adjustable footring

#### DIMENSIONS

- · Overall 8":
- 34.25"-41.75"H | 28"W | 28"D • Seat 8"
- 20.25"-27.5"H | 17.5"W | 19.25"D • Overall 10":
- 34.75"-45.75"H | 27"W | 27"D • Seat 10":
- 20.25"-30.25"H | 17.5"W | 19.25"D • Back: 13.75"H | 18.25"W
- Upholstered Seat and Upholstered Seat Pad add 0.75"" to seat height
- COM: 0.75 yds.

- 8 more poly and frame colours available with a minimum order quantity of 250 units: Crimson, Sage, Pacific, Cove, Carob, Maize, Autumn, Dune [please see frames and finishes section on the website or contact sales support for more details]
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011 and is warranted for users up to 325lbs.
- · Ships knocked down. For BW and FA Freight Options, minimum quantities apply, please check with Sales Support for details.
- Dimensions are dependant on options selected. Product can be configurd to comply with BIFMA G1-2002 Guidelines.

13051-NA	4-8		<i>\</i>							
Grade 1	Grade 2/ COM	Grade 3	Grade 4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$758	\$793	\$816	\$846	\$872	\$918	\$971	\$1,029	\$1,157	\$1,214	\$1,386
SERIES			13	Tuck Uphol	stered				QS	\$
BACK STYLE			0	Midback						-
LEG			51	Basic Swive	el					-
ARM			NA	No Arm						-
STOOL OPTIC	<b>N</b>		WA 8	With Arm 8" Stool Pa	ckage					\$52
51002 01 11	511		10	10" Stool P						\$36
FRAME FINIS	H   COLLE	ECTION 1	СМ	Chrome	, i g					-
			PON	Onyx						-
			PCT	Cotton						-
			PSK	Smoke						-
			PHZ PMI	Haze Midnight						-
			PBR	Birch						-
			PPO	Pottery						-
FRAME FINIS	H   COLLE	CTION 2	PCU	Currant [25	i unit minir	num order	quantity]			\$26
[25 unit mini	mum order	r quantity]	PIN	Indigo [25 (						\$26
			PCI	Citrus [25 ι						\$26
POLYPROPYL			PPI ON	Pine [25 un Onyx	lit minimur	n order qu	antityj			\$26
FOLIFKOFI			СТ	Cotton						_
			CU	Currant						-
			MI	Midnight						-
			HZ	Haze						-
			SK	Smoke						-
			BR	Birch Indigo						-
			CI	Citrus						
			PI	Pine						-
			PO	Pottery						-
OPTIONS			н	Dual Surfac		-				\$30
			LH	Dual Surfac		-	nly]			\$32
			G BKB	Glides [10" Black Nylor		]				\$30
			SKB	Smoke Nylo						\$35
			AB	Aluminum I						\$65
FREIGHT OP	TIONS		KD	Knocked Do	own					-
			BW			lly Assemb	led [25 Un	it Minimum]		\$75
FREIGHT REC	QUIREMEN	ITS	AS	Allseating S			(			-
			FQ GD	Special Frei Guaranteec	•		• •			VAR VAR
			aD	Guaranteec			ine (Call 10	Quote)		VAR



ALLSEATING	2022 - 2023	I UPDATED	MAY 5, 2023
ALLSLAIING	2022 - 2025	I OI DAILD	MAT 5, 2025



PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY

TWO

ENTAIL



#### FEATURES


- Standard carpet caster with optional hard surface caster
- Polypropelene seat, back and arm caps
- Optional upholstered seat
  Fully upholstered version with 13 series
- Wall-saving designed frameBumpers on frame tighten
- nesting for ease of transport
- Shroud matches seat selection.
- Upholstered seat requires Seat poly selection to determine shroud color.

#### DIMENSIONS

- Overall: 32.5"H | 23"W | 22.5"D
- Seat: 18.5"H | 17"D | 17.75"W
- Back: 13.75"H | 18.25"W
- NESTING DEPTH:
- Poly: 21.5"D + 6.5"/chair added
- Upholstered Seat and Upholstered Seat Pad add 0.75" to seat height
- COM Seat: 0.75yds

#### NOTES

- Ships fully assembled in a box. For BW Freight Option, 25 unit minimum quantities apply. Please check with Sales Support for details.
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011 and is warranted for users up to 350 lbs.









# **TUCK<sup>®</sup> NESTER**

Grade 4/

COL

\$723

Tuck

Midback

Nester

No Arm

With Arm

Chrome

Onyx

Cotton

Smoke

Smoke

Cotton

**Dual Surface Caster** 

Allseating Standard

Onyx

Grade 5

\$738

Grade 6

\$766

Fully Upholstered Seat with Poly Back

Fully Assembled in Carton [25 Unit Minimum]

Special Freight Instructions (Call for Quote)

Blanket Wrapped - Fully Assembled [25 Unit Minimum]

Guaranteed Delivery Date and Time (Call for Quote)

Grade 7

\$798

Grade 8

\$833

Leather 1

\$910

BASE PRICE | \$600

Grade 1

\$670

FRAME FINISH | COLLECTION 1

Grade 2/

COM

\$691

Grade 3

\$705

11

0

58

NA

WA

СМ

PON

РСТ

PSK

ON

SK

ст

UPH

тс

FA

RW

AS

FQ

GD

11058-NA

Polypropylene Seat and Back

\$600

SERIES

LEG

ARM

BACK STYLE

POLYPROPYLENE

Indicate: B for Back

S for Seat, A for Arm

FREIGHT OPTIONS

FREIGHT REQUIREMENTS

OPTIONS

DESIGN | TODD YETMAN GSA SIN | 33721

Leather 2

\$944

QS

Leather 3

\$1,047

\$

\$52

VAR

\$55

\$35

VAR

VAR

ZIP

RUHE

THERAPOD

WATSON

YOU



#### **FEATURES**

- · Standard carpet caster with optional hard surface caster
- · Upholstered seat and back with poly arm caps
- · Wall-saving designed frame • Bumpers on frame tighten
- nesting for ease of transport · Seat color selection required to determine shroud color.

#### DIMENSIONS

- Overall: 32.5"H | 23"W | 22.5"D
- Seat: 18.5"H | 17"W | 17.5"D
- Back: 13.75"W | 18.75"H
- NESTING DEPTH:
- Poly: 21.5"D + 6.5"/chair added
- COM: 1.25yds

## **TUCK<sup>®</sup> NESTER FULLY** UPHOLSTERED


#### DESIGN | TODD YETMAN GSA SIN | 33721

### BASE PRICE | \$735 13058-NA

Grade 1	Grade 2/ COM	Grade 3	Grade 4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$735	\$770	\$793	\$823	\$849	\$895	\$948	\$1,006	\$1,134	\$1,191	\$1,363
SERIES			13	Tuck Fully	Jpholstere	d			QS	\$
BACK STYLE			0	Midback						-
LEG			58	Nester						-
ARM			NA	No Arm						-
			WA	With Arm						\$52
FRAME FINIS	SH   COLLE	CTION 1	СМ	Chrome						-
			PON	Onyx						-
			РСТ	Cotton						-
			PSK	Smoke						-
POLYPROPY	LENE		ON	Onyx		-				
Indicate: A fo	or arm, S for	rseat	SK	Smoke						-
			СТ	Cotton						-
OPTIONS			тс	Dual Surfac	ce Caster					\$55
FREIGHT OP	TIONS		FA	Fully Assen	nbled in Ca	rton [25 U	nit Minimu	m]		-
			BW	Blanket Wr	apped - Fu	ly Assemb	led [25 Un	it Minimum]		\$35
FREIGHT RE	QUIREMEN	TS	AS	Allseating S	Standard					-
			FQ	Special Fre	ight Instruc	ctions (Call	for Quote)			VAR
			GD	Guaranteed	Delivery D	Date and Ti	me (Call fo	r Quote)		VAR

#### NOTES

- · Ships fully assembled in a box. For BW Freight Option, 25 unit minimum quantities apply. Please check with Sales Support for details.
- For orders of less than 2, a cartoning surcharge of \$22 net will be incurred per order.
- This product meets the requirements set forth in ANSI/ BIFMA X5.1-2011 and is warranted for users up to 350 lbs.







FOSTER

HALSA

INERTI/

INNATE

١

F

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

WATSON

YOU

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATE

١




# **YOU<sup>®</sup> MIDBACK**

DESIGN | ALLSEATING GSA SIN | 33721

### BASE PRICE | \$910 85040-NA

Code	Grade 1	Grade 2/ COM	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
85040	\$910	\$931	\$945	\$963	\$978	\$1,006	\$1,038	\$1,073	\$1,150	\$1,184	\$1,287
84012	\$1,160	\$1,181	\$1,195	\$1,213	\$1,228	\$1,256	\$1,288	\$1,323	\$1,400	\$1,434	\$1,537

SERIES	85 84	You Nylon [You Too] You Aluminum [Includes BHA]	QS •	\$
BACK STYLE	0	Midback	•	-
CONTROL	40	Syncho Tilt [85 Series - Nylon Only]	•	
	46	Dynamic Synchro Tilt [Includes Seat Slider   85 Series Only]	•	\$85
	80	Deluxe Tilt J-Bar [Includes SS and BHA   85 Series Only]	•	\$148
	12	Deluxe Synchro Tilt [Includes BHA - Available with 84 Series Only]	•	-
ARM	NA	No Arm	•	-
	Т2	Task 2 Arm	•	\$115
	4D	4 Dimensional Arm	•	\$130
	MF	Multi-Functional Arm [Adjustable Width Not Included]	•	\$158
	YCA	Conference Arm [AW not applicable. Not available w/Mesh Seat]	•	\$225
	T7	Ergonomic Task Arm [AWK included]		\$295
RAME FINISH [85 Series Only]	BKN	Black Nylon	•	-
	SKN	Smoke Nylon	•	\$48
	BRN	Birch Nylon	•	\$48
FRAME FINISH [84 Series Only]	BK	Black Aluminum	•	-
	AL	Polished Aluminum	•	\$95
BACK MESH	M2	M2 Mesh [NOT ALL COLOURS ARE QS]	•	\$28
[see page ?? for mesh model code]	М3	M3 Mesh	•	-
	M4	M4 Mesh	•	-
	M9	M9 Mesh [N/A with MS Mesh Seat]		\$28
TIONS	SC	Sit to Counter [40 Synchro Only; N/A w. Highback, Base matches Frame]	•	\$138
	MS	Mesh Seat [N/A with 80 Mech; N/A with M9 mesh; Med Seat Only]		\$95
	EM	Encapsulated Mesh [N/A with Highback or Birch Frame Finish]		-
	AWK	Adjustable Width Brackets [Knob][Not Included with MF Arm]	•	\$30
	AWL	Adjustable Width Brackets [Lever] [Not Available on 84 Series or T7 Arms][Not Included with MF Arm]	•	\$40
	LH	65mm [2.5"] Dual Surface Casters	•	\$32
	н	55mm Dual Surface Casters [Only Applicable with LS and HS]	•	\$30
	онс	OH Carpet Casters [adjustable]	•	\$63
	онн	OH Dual Surface Casters [adjustable]	•	\$95
	SS	2.5" Seat Slider [N/A w. Mesh Seat on 85 series   N/A w. SC]	•	\$85
	SE	Extended 3" Seat Slider [85 Series Only   N/A with FS, IES, MS, SC, or 46 Mech]		\$85
	LS	Low Seat Height with 5" Travel	•	\$53
	HS	High Seat Height with 5.5" Travel	•	-
	BHA	Back Height Adjustment [Included with 84 Series]	•	\$90
	HR	Headrest [Black Frame Only]		\$150
	AB	Aluminum Base [For SC, HS and LS Only]	•	\$65
	HAB	High Profile Aluminum Base	•	\$65
	IES	Ergonomic Small Seat	•	-
	FS	Full Seat	•	-
FREIGHT OPTIONS	KD	Knocked Down	•	-
	BW	Blanket Wrapped - Fully Assembled [25 Unit Minimum]		\$75
	FA	Fully Assembled in [25 Unit Minimum]		\$115
FREIGHT REQUIREMENTS	AS	Allseating Standard		-
	FQ	Special Freight Instructions [Call for Quote]		VAR
	GD	Guaranteed Delivery Date and Time [Call for Quote]		VAR



• 3.5" cylinder Molded seat foam · Innovative back suspension with standard height adjustment

· Nylon or Aluminum frame in Black, Smoke, or

- Lumbar dial and back height support of 3. · Arm features and travel specifications on p • 24|7 Warranty offered with Synchro Tilt [4
- Deluxe Synchro Tilt [12] only and includes arms and/or seat slider. • YCA Conference Arm is standard polished
- aluminum.
- · Sit to counter includes height adjustable for

#### DIMENSIONS

FEATURES

Birch

#### Midback:

- Overall [Synchro Tilt]: 39.5" - 43"H | 28"W | 28"D
- Overall: [Deluxe Synchro Tilt]:
- 45"-48.5"H | 28"W | 28"D
- Overall [Dynanic Synchro Tilt]: 39"-42.5"H | 28" W | 28"D
- Seat [Synchro Tilt]:
- 16.25"-19.75"H | 20.25"W | 18.5"D
- Seat [Deluxe Synchro Tilt]: 17.5"-21"H | 20.25"W | 18.5"D
- Seat [Dynamic Synchro Tilt]: 15.75"-19.25"H | 20.25"W | 18.5"D
- COM: 0.75yds.

#### NOTES

- Ships knocked down.
- · For BW and FA freight options, minimum quantities apply, please check with Sales Support for details.
- · Tension is adjustable on OHC and OHH cas
- to accommodate various surfaces
- · All other features are dependant on the con specified. Please refer to Control Choice or 8 for full description of available features.
- This product meets the requirements set f in ANSI-BIFMA X5.1-2011 and is warranted users up to 350 lbs.
- Dimensions are dependent on options sele Product can be configured to comply with BIFMA G1-2002 Guidelines.
- · LS and HS option not available when HAB OHC, OHH are selected. Composite base ar matching casters will be subsituted when LS HS selected.
- · For mesh model code see page 22





LEVO MANTRA PRATA PRESTO RAINBOW REQUISITE RES RÜHE THERAPOD TUCK WATSON ZIP

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATE

≒

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON



· Nylon or Aluminum frame in Black, Smoke, or

FEATURES

BIFMA G1-2002 Guidelines. · LS and HS option not available when HAB, OHC, OHH are selected. Composite base and

matching casters will be subsituted when LS or

Birch • 3.5" cylinder

# **YOU<sup>®</sup> HIGHBACK**

DESIGN | ALLSEATING GSA SIN | 33721


### BASE PRICE | \$962 85140-NA

......

Code	Grade 1	Grade 2/ COM	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
85140	\$962	\$983	\$997	\$1,015	\$1,030	\$1,058	\$1,090	\$1,125	\$1,202	\$1,236	\$1,339
84112	\$1,190	\$1,211	\$1,225	\$1,243	\$1,258	\$1,286	\$1,318	\$1,353	\$1,430	\$1,464	\$1,567

Ven Nules (Ven Teel

Molded seat foam	SERIES	85	You Nylon [You Too]	QS	\$
<ul> <li>Innovative back suspension with standard back</li> </ul>		84	You Aluminum [Includes BHA]	•	-
height adjustment	BACK STYLE	1	Highback	•	-
Lumbar dial and back height support of 3.54"	CONTROL	40	Syncho Tilt [85 Series - Nylon Only]	•	-
Arm features and travel specifications on page 16		46	Dynamic Synchro Tilt [Includes Seat Slider   85 Series Only]	•	\$85
<ul> <li>24 7 Warranty offered with Synchro Tilt [40] or</li> </ul>		80	Deluxe Tilt J-Bar [Includes SS and BHA   85 Series Only]	•	\$148
Deluxe Synchro Tilt [12] only and includes T2		12	Deluxe Synchro Tilt [Includes BHA - Available with 84 Series Only]	•	-
arms and/or seat slider.	ARM	NA	No Arm	•	-
<ul> <li>YCA Conference Arm is standard polished aluminum.</li> </ul>		T2	Task 2 Arm	•	\$115
Sit to counter includes height adjustable foot ring		4D	4 Dimensional Arm	•	\$130
		MF	Multi-Functional Arm [Adjustable Width Not Included]	•	\$158
		YCA	Conference Arm [AW not applicable. Not available w/Mesh Seat]	•	\$225
		T7	Ergonomic Task Arm [AWK included]		\$295
	FRAME FINISH [85 Series Only]	BKN	Black Nylon	•	-
		BRN	Birch Nylon	•	\$48
DIMENSIONS	FRAME FINISH [84 Series Only]	BK	Black Aluminum	•	-
Highback:		AL	Polished Aluminum	•	\$95
Overall [Synchro Tilt]:	BACK MESH	M2	M2 Mesh [NOT ALL COLOURS ARE QS]	•	\$28
39.5" - 48"H   28"W   28"D	[see page 22 for	M3	M3 Mesh	•	-
Overall [Dynanic Synchro Tilt]: 39"-47.5"H   28" W   28"D	mesh model code]	M4	M4 Mesh	•	-
Seat [Synchro Tilt]:		M9	M9 Mesh [N/A with MS Mesh Seat]		\$28
16.25"-19.75"H   20.25"W   18.5"D	OPTIONS	MS	Mesh Seat [N/A 80 Mech; N/A with M9 mesh; Med Seat Only]		\$95
Seat [Dynamic Synchro Tilt]:		AWK	Adjustable Width Brackets [Knob][Not Included with MF Arm]	•	\$30
15.75"-19.25"H   20.25"W   18.5"D		AWL	Adjustable Width Brackets [Lever] [Not Available on 84 Series or T7 Arms][Not Included with MF Arm]	•	\$40
• COM: 0.75yds.		LH	65mm [2.5"] Dual Surface Casters	•	\$32
<ul> <li>Back: 27"H   18.5"W</li> <li>COM: 0.75yds.</li> </ul>		н	55mm Dual Surface Casters [Only Applicable with LS and HS]	•	\$30
• COM: 0.7 Syds.		OHC	OH Carpet Casters [adjustable]	•	\$63
		онн	OH Dual Surface Casters [adjustable]	•	\$95
		SS	2.5" Seat Slider [N/A w. Mesh Seat on 85 series   N/A w. SC]	•	\$85
		SE	Extended 3" Seat Slider [85 Series Only   N/A with FS, IES, MS, SC, or 46 Mech]		\$85
		LS	Low Seat Height with 5" Travel	•	\$53
NOTES		HS	High Seat Height with 5.5" Travel	•	-
Ships knocked down.		BHA	Back Height Adjustment [Included with 84 Series]	•	\$90
<ul> <li>For BW and FA freight options, minimum quantities apply, please check with Sales</li> </ul>		HR	Headrest [Black Frame Only]		\$150
Support for details.		AB	Aluminum Base [For HS and LS Only]	•	\$65
<ul> <li>Tension is adjustable on OHC and OHH casters</li> </ul>		HAB	High Profile Aluminum Base	•	\$65
to accommodate various surfaces		IES	Ergonomic Small Seat	•	-
All other features are dependent on the control	EDELCUIT OBTIONS	FS	Full Seat	•	-
specified. Please refer to Control Choice on Page 8 for full description of available features.	FREIGHT OPTIONS	KD	Knocked Down	•	- #75
This product meets the requirements set forth		BW	Blanket Wrapped - Fully Assembled [25 Unit Minimum]		\$75
in ANSI-BIFMA X5.1-2011 and is warranted for		FA	Fully Assembled in [25 Unit Minimum]		\$115
users up to 350 lbs.	FREIGHT REQUIREMENTS	AS	Allseating Standard		- VAR
Dimensions are dependent on options selected.		FQ GD	Special Freight Instructions [Call for Quote]		VAR
Product can be configured to comply with		GD	Guaranteed Delivery Date and Time [Call for Quote]		VAR





ZIP



#### **FEATURES**

- Upholstered seat with mesh back
- Innovative black suspension
- Width adjust optional on all task arms with 8" seat height travel
- Includes height adjustable foot ring

#### DIMENSIONS

- 8" Stool Overall: 42.75"-50"H | 28"W | 28"D
- Seat:
- 20.25"-27.75"H | 20.25"W | 18.5"D • Back:
- 22"H | 18.5"W
- **10" Stool Overall:** 43.25"-53.25"H | 27"W | 27"D • Seat:
- 21"-31"H | 20.25"W | 18.5"D
- 22"H | 18.5"W

#### NOTES

- Ships knocked down.
- For BW and FA freight options, minimum quantities apply, please check with Sales Support for details.
- Tension is adjustable on OHC and OHH
   casters to accommodate various surfaces
- All other features are dependant on the control specified. Please refer to Control Choice on Page 8 for full description of available features.
- This product meets the requirements set forth in ANSI-BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- \*LS and HS option not available when LH, HAB, OHC, OHH are selected. Composite base and matching casters will be subsituted when LS selected.
- For mesh model code see page 22


# YOU<sup>®</sup> STOOL

#### DESIGN | ALLSEATING GSA SIN | 33721

## BASE PRICE | \$956 85019-NA-8

Code	Grade 1	Grade 2/ COM	Grade 3	Grade 4/ COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
85019	\$956	\$977	\$991	\$1,009	\$1,024	\$1,052	\$1,084	\$1,119	\$1,196	\$1,230	\$1,333
84019	\$1,206	\$1,227	\$1,241	\$1,259	\$1,274	\$1,302	\$1,334	\$1,369	\$1,446	\$1,480	\$1,583

SERIES	85	You Nylon [You Too]	QS	\$
	84	You Aluminum [Includes BHA]	•	\$220
BACK STYLE	0	Midback	•	-
CONTROL	19	Basic Stool Package	•	-
ARM	NA	No Arm	•	-
	T2	Task 2 Arm	•	\$115
	4D	4 Dimensional Arm	•	\$130
	MF	Multi-Functional Arm [Width Adjustment Not Included]	•	\$158
FRAME FINISH [85 Series Only]	BKN	Black Nylon	•	-
	SKN	Smoke Nylon [8" Stool Only]		\$48
	BRN	Birch Nylon [8" Stool Only]		\$48
FRAME FINISH [84 Series Only]	BK	Black Aluminum	•	-
	AL	Polished Aluminum	•	\$95
BACK MESH	M2	M2 Mesh [NOT ALL COLOURS ARE QS]	•	\$28
[see page 22 for	M3	M3 Mesh	•	-
mesh model code]	M4	M4 Mesh	•	-
	M9	M9 Mesh [N/A with MS Mesh Seat]		\$28
STOOL OPTION	8	8" Basic Stool Package	•	-
	10	10" Stool Package	•	\$36
OPTIONS	MS	Mesh Seat [N/A with M9 Mesh; Med Seat Only]	•	\$95
	EM	Encapsulated Mesh [N/A with Highback; N/A with Birch]		-
	AWK	Adjustable Width Brackets [Knob][Not Included with MF Arm]	•	\$30
	G	Glides [10" Stool Only]	•	\$30
	н	Dual Surface Casters [10" Stool Only]	•	\$30
	LH	Dual Surface Casters [8" Stool Only]	•	\$32
	BC	Birch 65mm [2.5"] Dual Surface Casters		\$32
	онс	OH Carpet Casters [adjustable   8" Stool Only]	•	\$63
	онн	OH Dual Surface Casters [adjustable   8" Stool Only]	•	\$95
	SS	Seat Slider [2.5"; N/A with Mesh Seat; N/A with 10" Stool]	•	\$85
	BHA	Back Height Adjustment [8" Stool Only   Included with 84 Series]	•	\$90
	HR	Headrest [Black Only]		\$150
	FS	Full Upholstered Seat [21"W   20"D]	•	-
	IES	Ergonomic Small Seat	•	-
	AB	Aluminum Base [8" Stool Only]	•	\$65
FREIGHT OPTIONS	KD	Knocked Down	•	-
	BW	Blanket Wrapped - Fully Assembled [25 Unit Minimum]		\$75
	FA	Fully Assembled in [25 Unit Minimum]		\$115
FREIGHT REQUIREMENTS	AS	Allseating Standard		-
	FQ	Special Freight Instructions [Call for Quote]		VAR
	GD	Guaranteed Delivery Date and Time [Call for Quote]		VAR



ALLSEATING | 2022 - 2023 | UPDATED MAY 5, 2023





ZIP

INFO PILLOWS ASTUTE AYLES CHIROFORM DOVE EIGHTY TWO ENTAIL EXCHANGE FLUID FOSTER HALSA INERTI/ INNATE ١ F LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

DESIGN | ALLSEATING

NOT ON GSA CONTRACT

INFO

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE



#### **FEATURES**

- 4" cylinder
- Aluminum base
- Aluminum conference arms
- Task arm adjustable 3" Height

45.25"- 49.5"H | 28"W | 28"D

18"- 22.5"H | 19"W | 19"D • Back [Highback]: 28"H | 19.5"W

38.75"- 43"H | 26"W | 26"D

18"- 22"H | 19"W | 17"D • Back [Midback]: 21.5"H | 19.5"W

· Carpet casters

DIMENSIONS · Overall Highback:

• Seat [Highback]:

· Overall Midback:

• Seat [Midback]:

## **BASE PRICE | \$1,024** 94040-CA-P1

**ZIP<sup>®</sup> INSTOCK** 

Black Leather	
\$1,024	

SERIES	94	Zip Black Leather Instock Program	QS	\$
BACK STYLE	0	Midback	•	-
	1	Highback	•	\$75
CONTROL	40	Synchronized Tilt (ST)	•	-
ARM	CA	Conference Arm	•	-
ARM PAD (CA only)	P1	Black Polyurethane Cap	•	-
FABRIC CODE	BL	Zip Black Leather Instock Program	•	-
FREIGHT OPTIONS	KD	Knocked Down	•	-
FREIGHT REQUIREMENTS	AS	Allseating Standard		-
	FQ	Special Freight Instructions (Call for Quote)		VAR
	GD	Guaranteed Delivery Date and Time (Call for Quote)		VAR

\*10% Tariff surcharge applies on all orders shipping to the U.S.A.

- Ships knocked down.
- This product meets the requirements set forth in ANSI-BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- Armless not available
- \*Task arm available on midback chair only





#### **FEATURES**


- 3.5" cylinder
- Nylon base
- Task arm adjustable 3" height (width adjustment optional)
- For arm features and travel specifications, see page 16
- Carpet casters
- 24|7 Warranty offered with T2 arms and Seat Slider. For more details see page 16

#### DIMENSIONS

- Overall: 38.5"- 42"H | 28"W | 28"D
- Seat: 16.25"- 19.75"H | 19"W | 19"D
- Back: 21"H | 19.5"W • COM: 2.0 yds

#### NOTES

- Ships knocked down.
- For BW and FA freight options minimum quantities apply, please check with Sales Support for details.
- Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- All other features are dependant on the control specified. Please refer to Control Choice on page ?? for full description of available features.
- This product meets the requirements set forth in ANSI-BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- "Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines."
- If requiring a 3" seat slider, please specify with code SE rather than SS.
- \*\*\*Composite base and matching casters will be substituted if these when LS option is selected. LS option not available when HAB/LC/LH are selected.



## ZIP<sup>®</sup> UPHOLSTERED MIDBACK

Grade 4/COL

\$838

Zip

Midback

No Arm

92

0

40

NA

CA

Т2

4D

MF

Ρ1

BA

C1

AWK

AWL

AB

LH

Р

RP

онс

онн

SS

ZES

LS

CL

KD

BW

FA

AS

FQ

GD

Grade 5

\$870

Synchronized Tilt [ST]

Black Polyurethane

Black Leather

Seat Slider

CAL TB133

Knocked Down

Allseating Standard

Grade 6

\$925

Conference Arm [AW not applicable]

Upholstered Cap [add 0.25 yds]

65mm [2.5"] Dual Surface Casters

Reverse Pressure Braking Casters\*\*

OH Dual Surface Casters [adjustable]

Ergonomic Small Seat [15.5" | 19"]

Low Seat Height with 5" Travel\*\*\*

OH Carpet Casters [adjustable]

Pressure Braking Casters\*

Task 2 Arm [Available with AWK or AWL]

4 Dimensional Arm [Available with AWK or AWL]

Multi-Functional Arm [Width Adjustment Not Included]

Adjustable Width Bracket [Knob][Not Included with MF Arm]

Adjustable Width Bracket [Lever][Not Included with MF Arm]

Aluminum Base with 65mm [2.5"] Carpet Casters\*

Blanket Wrapped - Fully Assembled [25 Unit Minimum]

Guaranteed Delivery Date and Time [Call for Quote]

Fully Assembled in Carton [25 Unit Minimum]

Special Freight Instructions [Call for Quote]

Grade 7

\$988

Grade 8

\$1,059

Leather 1

\$1,212

BASE PRICE | \$733

Grade 3

\$802

Grade 2/

сом

\$775

92040-NA

Grade 1

\$733

BACK STYLE

CONTROL

ARM PAD

OPTIONS

[Conference Arm Only]

FREIGHT OPTIONS

FREIGHT REQUIREMENTS

ARM

SERIES

DESIGN | ALLSEATING GSA SIN | 33721

Leather 2

\$1,281

QS

٠

•

•

•

•

•

.

Leather 3

\$1,486

\$

\$135

\$115

\$130

\$158

\$50

\$50

\$30

\$40

\$65

\$32

\$60

\$112

\$63

\$95

\$85

\$53

\$150

\$75

\$115

VAR

VAR





γοι



#### **FEATURES**


- 3.5" cylinder
- · Nylon base
- Task arm adjustable 3" height (width adjustment optional)
- For arm features and travel specifications, see page 16
- · Carpet casters
- 24|7 Warranty offered with T2 arms and Seat Slider. For more details see page 16

#### DIMENSIONS

- Overall: 45.25"- 48.75"H | 28"W | 28"D
- Seat: 17.25"- 20.75"H | 19"W | 19"D
- Back: 28"H | 19.5"W • COM: 2.75 yds

#### NOTES

- · Ships knocked down.
- · For BW and FA freight options minimum FREIGHT OPTIONS quantities apply, please check with Sales Support for details.
- · Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- This product meets the requirements set forth in ANSI-BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- "Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- If requiring a 3" seat slider, please
- casters will be substituted if these when LS option is selected. LS option not



<b>ZIP</b> <sup>®</sup>	<b>UPHOLSTERED</b>
HIG	IBACK

Grade 4/COL

\$970

Zip

Highback

No Arm

92

1

40

NA

CA

Т2

4D

MF

Ρ1

BA

C1

AWK

AWL

AB

LH

Р

RP

онс

онн

SS

LS

CL

КD

BW

FA

AS

FQ

GD

Grade 5

\$1,023

Synchronized Tilt [ST]

Black Polyurethane

Black Leather

Seat Slider

CAL TB133

Knocked Down

Allseating Standard

Grade 6

\$1,115

Conference Arm [AW not applicable]

Upholstered Cap [add 0.25 yds]

65mm [2.5"] Dual Surface Casters

Reverse Pressure Braking Casters\*\*

OH Dual Surface Casters [adjustable]

Low Seat Height with 5" Travel\*\*\*

OH Carpet Casters [adjustable]

Pressure Braking Casters\*

Task 2 Arm [Available with AWK or AWL]

4 Dimensional Arm [Available with AWK or AWL]

Multi-Functional Arm [Width Adjustment Not Included]

Adjustable Width Bracket [Knob][Not Included with MF Arm]

Adjustable Width Bracket [Lever][Not Included with MF Arm]

Aluminum Base with 65mm [2.5"] Carpet Casters\*

Blanket Wrapped - Fully Assembled [25 Unit Minimum]

Guaranteed Delivery Date and Time [Call for Quote]

Fully Assembled in Carton [25 Unit Minimum]

Special Freight Instructions [Call for Quote]

Grade 7

\$1,220

Grade 8

\$1,338

BASE PRICE | \$795

Grade 3

\$910

Grade 2/

сом

\$865

92140-NA

Grade 1

\$795

BACK STYLE

CONTROL

ARM PAD

OPTIONS

[Conference Arm Only]

FREIGHT REQUIREMENTS

ARM

SERIES

DESIGN | ALLSEATING GSA SIN | 33721

Leather 2

\$1,708

os

٠

•

•

•

•

•

.

•

•

•

•

.

.

.

.

.

Leather 3

\$2,050

\$

\$135

\$115

\$130

\$158

\$50

\$50

\$30

\$40

\$65

\$32

\$60

\$112

\$63

\$95

\$85

\$53

\$150

\$75

\$115

VAR

VAR

Leather 1

\$1,594





WATSON

γοι

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY

TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATE

١

F

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOU



#### FEATURES

- 8" cylinder
- Composite base
- Upholstered seat and backTask arm adjustable 3" height
- (width adjustment optional) • For arm features and travel
- specifications, see page 16
- Carpet casters
- Includes height adjustable foot ring

#### DIMENSIONS

- Overall [Basic Stool]:
- 43"- 50.5"H | 28"W | 28"D • Seat [Basic Stool]:
- 21"- 28.5"H | 19"W | 19"D • Overall [10" Stool]:
- 43.25"-53.25"H | 28"W | 28"D • Seat [10" Stool]:
- 21.5"-31.5"H | 19"W | 19"D
- Back: 21.5"H | 19.5"D
- COM: 2.0 yds

#### NOTES

- Ships knocked down.
- For BW and FA freight options minimum quantities apply, please check with Sales Support for details.
- Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- This product meets the requirements set forth in ANSI-BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- "Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.


Grade 1	Grade 2/ COM	Grade 3	Grade	4/COL	Grade 5	Grade 6	Grade 7	Grade 8	Leather 1	Leather 2	Leather 3
\$795	\$837	\$864	\$9	00	\$932	\$987	\$1,050	\$1,121	\$1,274	\$1,343	\$1,548
SERIES			92	ZIP						QS	\$
BACK STYLE			0	Midba	ick					•	-
CONTROL			19	Basic	Stool [B2]					•	-
ARM			NA	No Ar	m					•	-
			CA	Confe	rence Arm	[AW not ap	plicable]			•	\$135
			T2		-		AWK or AW	-		•	\$115
			4D			-	ole with AW	-		•	\$130
			MF				h Adjustme	ent Not Inc	luded]	•	\$158
ARM PAD			P1		Polyuretha	ine				•	-
[Conference A	Arm Only]		BA		Leather						\$50
			C1		•	[add 0.25					\$50
OPTIONS			AWK			-			vith MF Arm]		\$30
			AWL	· ·		-		Included w	/ith MF Arm]	•	\$40
			н			-	Stool Only]			•	\$30
			LH			sters [8" Si	ool Only]			•	\$32
			G		[10" Stool					•	\$30
			P RP		ure Braking	,	\+*			•	\$60 \$112
			OHC			e Braking (	ble   8" St			•	\$112
			ОНС		•		djustable		Julul		\$95
			10		ool Packag	-	ujustable	8 310010	JIIIY]		\$36
			ZES			se   Seat [15.!	5" x 19"1				φ30 -
			CL	CALT		10001 [10.	5 X 15 ]				\$150
			AB			[8" Stool C	nlvl			•	\$65
FREIGHT OPT	TIONS		KD		ed Down	[0 0:000.0					-
			BW			d - Fullv As	sembled [2	25 Unit Mir	iimuml		\$75
			FA				[25 Unit Mi				\$115
FREIGHT REC	UIREMEN	TS	AS	-	ting Stand						-
	-		FQ	Specia	al Freight li	nstructions	[Call for Q	uote]			VAR
			GD	Guara	nteed Deliv	very Date a	nd Time [C	Call for Que	ote]		VAR

**ZIP<sup>®</sup> UPHOLSTERED** 

STOOL

92019-NA

BASE PRICE | \$795



ALLSEATING   2022 - 2023   U	JPDATED MAY 5, 2023
------------------------------	---------------------





DESIGN | ALLSEATING GSA SIN | 33721

DESIGN | ALLSEATING

GSA SIN | 33721

INFO

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY

TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA



#### FEATURES


- 3.5" cylinder
- Nylon base
- Task arm adjustable 3" height (width adjustment optional)
- For arm features and travel specifications, see page 16
- Carpet casters
- 24|7 Warranty offered with T2, arms and Seat Slider. For more details see page 17

#### DIMENSIONS

- Overall: 38.5"- 42"H | 28"W | 28"D
- Seat: 16.25"- 19.75"H | 19"W | 19"D
- Back: 21"H | 19.5"W
- COM: 0.75 yds.

#### NOTES

- Ships knocked down.
- For BW and FA freight options, minimum quantities apply, please check with Sales Support for details
- Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- All other features are dependant on the control specified. Please refer to Control Choice on page 8 for full description of available features.
- This product meets the requirements set forth in ANSI-BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- "Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- If requiring a 3" seat slider, please specify with code SE rather than SS.
- \*\*\*\*Composite base and matching casters will be substituted if these when LS option is selected. LS option not available when HAB/LC/LH are selected.
- For mesh model code see page 22.



203

## BASE PRICE | \$733

**ZIP<sup>®</sup> MESH** 

Grade 2/ Grade 1 Grade 3 Grade 4/COL Grade 5 Grade 6 Grade 8 Leather 1 Grade 7 Leather 2 Leather 3 сом \$733 \$761 \$779 \$803 \$824 \$861 \$903 \$950 \$1,053 \$1,098 \$1,235 SERIES 95 Zip QS \$ BACK STYLE 0 Midback CONTROL 40 Synchronized Tilt [ST] • ARM NA No Arm Conference Arm [AW not applicable] \$135 CA . Т2 Task 2 Arm [Available with AWK or AWL] \$115 . 4D 4 Dimensional Arm [Available with AWK or AWL] \$130 . MF Multi-Functional Arm [Width Adjustment Not Included] \$158 ARM PAD Ρ1 Black Polyurethane [Conference Arm Only] BA Black Leather \$50 C1 Upholstered Cap [add 0.25 yds] \$50 BACK MESH M2 M2 Mesh \$126 [see page 22 for M3 M3 Mesh \$126 mesh model code] Μ4 M4 Mesh \$126 M8 M8 Mesh OPTIONS AWK Adjustable Width Bracket [Knob][Not Included with MF Arm] \$30 • AWL Adjustable Width Bracket [Lever][Not Included with MF Arm] • \$40 AB Aluminum Base with 65mm [2.5"] Carpet Casters\* \$65 65mm [2.5"] Dual Surface Casters LH • \$32 Р Pressure Braking Casters\* \$60 • RP Reverse Pressure Braking Casters\*\* • \$112 онс OH Carpet Casters [adjustable] \$63 онн OH Dual Surface Casters [adjustable] \$95 SS Seat Slider \$85 ZES Ergonomic Small Seat [15.5" x 19"] LS Low Seat Height with 5" Travel\*\*\* \$53 CL CAL TB133 \$95 FREIGHT OPTIONS KD Knocked Down BW Blanket Wrapped - Fully Assembled [25 Unit Minimum] \$75 FA Fully Assembled in Carton [25 Unit Minimum] \$115 FREIGHT REQUIREMENTS AS Allseating Standard FQ Special Freight Instructions [Call for Quote] VAR GD Guaranteed Delivery Date and Time [Call for Quote] VAR





INERTIA INNATE JIF LI LEVO MANTRA PRATA PRESTO RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

YOU

PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY

TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTI/

INNATE

≒

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RUHE

THERAPOD

TUCK

WATSON

γοι



# **ZIP<sup>®</sup> MESH STOOL**

Grade 4/COL

\$865

Zip

Midback

No Arm

Basic Stool (B2)

Black Polyurethane

Black Leather

M2 Mesh

M3 Mesh

M4 Mesh

M8 Mesh

95

0

19

NA

CA

Т2

4D

MF

Ρ1

BA

Cl

Μ2

M3

Μ4

M8

AWK

AWL

н

LH

G

Р

RP

онс

онн

10

ZES

CL

AB

ΚD

BW

FA

AS

FQ

Grade 5

\$886

Grade 6

\$923

Conference Arm (AW not applicable)

Upholstered Cap (add 0.25 yds)

Dual Surface Casters [10" Stool Only]

Dual Surface Casters [8" Stool Only]

Reverse Pressure Braking Casters\*\*

Ergonomic Small Seat (15.5" x 19")

Aluminum Base [8" Stool Only]

OH Carpet Casters [adjustable | 8" Stool Only]

OH Dual Surface Casters [adjustable | 8" Stool Only]

Blanket Wrapped - Fully Assembled [25 Unit Minimum]

Fully Assembled in Carton [25 Unit Minimum]

Special Freight Instructions (Call for Quote)

Glides [10" Stool Only]

10" Stool Package

CAL TB133

Knocked Down

Allseating Standard

Pressure Braking Casters\*

Task 2 Arm (Available with AWK or AWL)

4 Dimensional Arm (Available with AWK or AWL)

Multi-Functional Arm [Width Adjustment Not Included]

Adjustable Width Bracket [Knob][Not Included with MF Arm]

Adjustable Width Bracket [Lever][Not Included with MF Arm]

Grade 7

\$965

Grade 8

\$1,012

Leather 1

\$1,115

BASE PRICE | \$795

Grade 3

\$841

Grade 2/

сом

\$823

95019-NA

Grade 1

\$795

BACK STYLE

CONTROL

ARM PAD

BACK MESH

OPTIONS

(see page 22 for

mesh model code)

FREIGHT OPTIONS

FREIGHT REQUIREMENTS

(Conference Arm Only)

ARM

SERIES

DESIGN | ALLSEATING GSA SIN | 33721

Leather 2

\$1,160

QS

•

•

.

.

•

•

•

•

•

Leather 3

\$1,297

\$

\$135

\$115

\$130

\$158

\$50

\$50

\$126

\$126

\$126

\$30

\$40

\$30

\$32

\$30

\$60

\$112

\$63

\$95

\$36

\$95

\$65

\$75

\$115

VAR

#### **FEATURES**

- 8" cylinder
- · Composite base
- Task arm adjustable 3" height (width adjustment optional)
- For arm features and travel specifications, see page 16
- Carpet casters
- · Includes height adjustable foot ring

#### DIMENSIONS

- Overall [Basic Stool]: 42.75"- 50"H | 28"W | 28"D Seat [Basic Stool]:
- 21"- 28.25"H | 19"W | 19"D • Overall [10" Stool]:
- 43.25"-53.25"H | 28"W | 28"D • Seat [10" Stool]:
- 21.5"-31.5"H | 19"W | 19"D • Back: 21"H | 19.5"W
- COM: 1.0 yds.

- · Ships knocked down.
- · For BW and FA freight options, minimum quantities apply, please check with Sales Support for details
- Tension is adjustable on OHC and OHH casters to accommodate various surfaces
- All other features are dependant on the control specified. Please refer to Control Choice on page ?? to ?? for full description of available features.

<ul> <li>This product meets the requirements</li> </ul>		GD	Guranteed Delivery Date and T	"ime (Call for Qu	ote) VAR
set forth in ANSI-BIFMA X5.1-2011 and is warranted for users up to 350 lbs. • "Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.					
For mesh model code see page 22.					
TO ORDER SIMPLY FILL IN TH	IE BLANKS				
95 - 0 - 19 -		-		-	-
SERIES BACK CONTROL A STYLE	RM ARM PAD BACK MESH		NS FREIGHT litional options with (-) hyphen.	FREIGHT REQUIRE- MENTS	FABRIC CODE Please refer to allseating.com for fabric codes.



PILLOWS

ASTUTE

AYLES

CHIROFORM

DOVE

EIGHTY TWO

ENTAIL

EXCHANGE

FLUID

FOSTER

HALSA

INERTIA

INNATE

١

F

LEVO

MANTRA

PRATA

PRESTO

RAINBOW

REQUISITE

RES

RÜHE

THERAPOD

TUCK



#### **FEATURES**

- Black mesh back
- · Upholstered seat
- Black non-maring glides
- · Wall-saving designed frame

# **ZIP<sup>®</sup> MESH SIDE**

DESIGN | ALLSEATING GSA SIN | 33721


### BASE PRICE | \$514 95054-NA

Grade 1	Grade 2/ COM	Grade 3	Grade	4/COL	Grade 5	Leather 2	Leather 3				
\$514	\$535	\$549	\$5	567	\$582	\$788	\$891				
SERIES			95	Zip						QS	\$
BACK STYLE			0	Midba	ick					•	-
LEG			54	4 Leg						•	-
ARM			NA	No Ari	m					•	-
			WA	With A	١rm					•	\$45
ARM / FRAM	E FINISH		BK	Black						•	-
			SIL	Silver						•	-
			СМ	Chron	пе						\$85
BACK MESH			M2	M2 Me	esh						\$63
(see page 22	for		MЗ	M3 M	esh						\$63
mesh model	code)		Μ4	M4 Me	esh						\$63
			M8	M8 M	esh					•	-
FREIGHT OP	TIONS		FA	Fully A	Assembled	[25 Unit N	linimum]			•	-
			BW	Blanke	et Wrapped	d Fully Asse	embled (25	unit minir	num)		\$35
FREIGHT RE	QUIREMEN	TS	AS	Allsea	ting Stand	ard					-
			FQ	Specia	al Freight li	nstructions	(Call for Q	uote)			VAR
			GD	Guarar	nteed Delive	ry Date and	Time (Call	for Quote)			VAR

#### DIMENSIONS • Overall NA: 34.75"H | 19.25"W | 19.25"D

- Overall WA: 34.75"H | 23.25"W | 19.25"D
- Seat: 17.5"H | 19.25"W | 19"D
- Back: 21"H | 19"W
- COM: 1.0 yd.

- · Ships fully assembled in a carton
- Stacks 2 on the floor.
- · For BW freight, minimum quantities apply, please check with Sales Support for details
- This product meets the requirements set forth in ANSI-BIFMA X5.1-2011 and is warranted for users up to 350 lbs.
- · Dimensions are dependant on options selected. Product can be configured to comply with BIFMA G1-2002 Guidelines.
- For mesh model code see page 22.







🕿 ВАСК ТО ТОР

# **CONDITIONS OF SALE**

### PRICING

Allseating reserves the right to change published prices without notice. Prices in effect at the time of the order acceptance shall apply. All applicable taxes are extra. All prices in this catalog are list. All sales are in US dollars unless both the Sold To and Ship To addresses are both located in Canada, in which case, sales are in Canadian dollars.

## ORDER ACCEPTANCE

Orders will be accepted through all authorized Allseating Dealers upon issuance of a written purchase order on letterhead or purchase order of the customer being invoiced. Faxed orders or orders by email (orders@allseating.com) are acceptable, as well as digital orders such as SIF or XLM, no verbal orders will be accepted. All purchase orders must contain a valid signature.

## **ORDER CANCELLATION**

Orders which have been acknowledged are considered firm. In the event a cancellation request is accepted by Allseating, restocking charges may be incurred up to 100% of the order depending on the stage of production.

### **CREDIT TERMS**

Terms are net 30 days O.A.C. Terms are subject to change and review based upon performance. Customers are required to provide a completed signed Dealer Application for the purpose of updating or setting up an account. All payments should be made to Allseating.

## PACKAGING AND SHIPPING

As a standard, all products are shipped in knocked down condition, in a box.

## **ASSEMBLED CHAIRS**

On special request and at an upcharge, chairs may be shipped assembled (except base and cylinder). For assembled and fully assembled blanket wrapped products, contact customer service for details. Please note that minimum quantity guidelines will apply.

### SPECIFICATIONS

Allseating reserves the right to institute changes to materials, specifications and designs, or to discontinue models at any time. Images and line drawings featured in the catalog may not reflect the current product offering. Components are subject to change at Allseating's discretion.

## **FREIGHT POLICY**

Allseating reserves the right to use its own or commercial carriers for the "best way" to ship, at its sole discretion. Normal delivery is dock to dock.

Special requests such as inside delivery, specific delivery

#### dates and times, residential delivery, etc. are subject to additional charges. All additional charges will be the responsibility of the consignee.

Allseating reserves the right to charge for freight services over and above standard "best way" delivery. Delivered pricing is based on shipment to the 48 U.S. contiguous states and Canada excluding N.W.T., YK, and NU. For shipments to other destinations, we reserve the right to add a surcharge.

## LOSS / DAMAGE LIABILITY

Every effort is undertaken to effect secure packaging; however, our liability ends when the carrier issues a clear receipt acknowledging that the shipment has been received in good condition. The carrier is then liable for loss or delay or damage. Signing for a shipment without noting damage or deficiencies absolves Allseating of further responsibility and a freight claim will have to be made by the customer.

NOTE: A packing slip signed by the carrier for pick-up at Allseating Warehouse constitutes "Clear Receipt" and absolves Allseating of further responsibility for damage or loss or delay.

Any claim submitted for freight damage must be done within 7 days of receiving the products. Any claims after that time may not be covered under our warranty. If the packaging arrives visibly damaged, then waybill should be signed as "subject to inspection" or "damage noticed".

## **RETURNS / RESTOCK**

Returns are coordinated and authorized by the Return Authorization Coordinator (RAC). Merchandise may not be returned without prior consent and a Return Authorization (RA) Number. All returns must be securely packaged and boxes clearly marked with an assigned RA number on the outside. Carrier for return goods must be specified by Allseating. Goods returned without a RA Number or by an unauthorized carrier will not be accepted.

Unauthorized returned goods will be subject to a restock charge and/or a charge for any required reconditioning. Returns must be shipped prepaid, unless other arrangements have been made. Custom fabricated merchandise may not be returned. Credit on orders returned with an RA number will be issued once inspection has deemed product in good condition.

## **STORAGE POLICY**

We will store product at our warehouse for 3 days at no charge. Any order requiring storage for a longer period will be charged at a rate of \$1.00 per day per carton. Order postponements must be received 2 weeks prior to the scheduled production time.

## **ANSI/BIFMA TESTING**

Allseating chair have been tested to meet or exceed the requirements of ANSI/BIFMA standards.

# **CONDITIONS OF SALE**

## APPLICABLE PROVISIONS TO ALL PRODUCTS AND SERVICES

Allseating products, including those designated for Multi-Shift, are warranted to be free from defects in materials and workmanship for a period of 12 years from original date of purchase, with the exception of Foster Sleep Chair, Foster Recliner and Foster Patient Recliner. This warranty applies to all chair models and extends to original purchasers who acquire new product directly from Allseating or our authorized dealers.

During the warranty period, Allseating, at its sole discretion, will repair or replace (at its option) any product, part or component covered by this warranty that fails under normal use due to defective materials or workmanship. Allseating will repair or replace the defective product, part or component with comparable product, part or component. To be eligible for this warranty coverage, all products, parts or components must be installed, used and maintained in accordance with Allseating's published instructions and must not have been subject to misuse or abuse.

## **EXCEPTIONS**

Allseating does not warrant the following:

- Normal wear and tear
- Natural variations, scars, marks, wrinkles occurring in leather
- Colourfastness of textiles
- Colour matching of textiles exactly to samples or swatches or past purchases
- COM/COL or graded-in fabrics
- Products exposed to extreme environmental conditions or improper storage conditions
- Chairs used by individuals who weigh in excess of the warrantied weight restriction as indicated on each product page. Most task and guest seating is 350 lbs with the exception of Entail, M.O. and Levo, all of which are 325 lbs. Exchange, Foster and Halsa are 350 lbs per seat unless otherwise specified
- Allseating's products meet the requirements of national and specific local codes as stated in the price book and other written publications. Please visit the company's website at allseating.com for further details regarding product specifications.

This document inclusively describes Allseating's warranty and remedies available with respect to the company's products and services. Allseating disclaims any other warranty whether express or implied, statutory or otherwise, in relation to the company's products and services.

To the extent allowed by law, any implied warranties, including any warranty of merchantability or fitness for a particular purpose, are disclaimed and to the extent they are legally required, are limited in duration to the duration of this written warranty.

Allseating shall not be liable for loss of time, inconvenience, commercial loss, or incidental or consequential damages.

## QUALIFICATIONS FOR DELIVERED PRICING

Please call your Allseating Sales Representative for your qualifications for delivered pricing.

## WARRANTY RESOLUTION

We understand that dealing with warranties is often frustrating. So we developed a dedicated Warranty Response Team to eliminate headaches. They're specially trained to expedite warranty-related issues, so you can get back to business quickly and painlessly.

All warranty claims must be submitted via Allseating's Warranty Portal which can be found at allseating.com under Resources\Submit a Claim.

Should you have any difficulties you can contact our Warranty Response Team at

warranty@allseating.com or toll free at 1(800) 563-3502.

## DIMENSIONS

The price catalog and product literature, show dimensions rounded to the nearest half inch. All dimensions are approximate and may be subject to change without notice. Dimensions are dependent on options selected. Product can be configured to comply with BIFMA G1-2002 Ergonomics Guideline. Where exact measurements are required, contact Customer Service.

## **FIRE CODE**

Allseating's entire line of office seating meets California Technical Bulletin 117 (CAL 117-2013). This is a standard by which upholstered furniture has been tested for approval to meet a minimum fire standard. Allseating's chairs can be upgraded to meet the California Technical Bullet (CAL TB133). Additional charges of \$565 per chair series (per burn test) and lead times will apply for chairs with special configurations of COM fabrics, not already tested by Allseating.

## **CAL TB133**

CAL TB133 is a standard of furniture flammability required by the California Bureau of Home Furnishings and Thermal Insulation for furniture used in public buildings such as Healthcare facilities, Hospitals, Hotels and Motels, Stadiums, Child Care Facilities, Convalescent Homes, Prisons and Jails.

The CAL TB133 test is a full scale fire test for furniture manufactured for the use in public buildings. The standard does not specify how to construct furniture, but only how it should perform when tested. To pass the fire standard test, a fire blocking liner is placed between the fabric and the foam of our chairs. This liner acts as a fire extinguisher by smothering the flame.

## TO ORDER CAL TB133

Clearly specify CAL TB133 on your order. Please check individual series upcharge. There is a standard 4 week lead time for CAL TB133.